State Kansas County Barton

Company G-M-R Oil Co. Well No. 1

Farm Anton E. Redetzke "C"

Survey

Block No. Sec. 16 Twp. 16 – Range 11W

Co-Ord. Elev. 1886 D.F.
1889 KB

NW SW SW



Drlg by Braden

Kraft Prusa Pool

NOTE: Show Sketch of Lease and Well Location in Above Spate

Ft. from N. Line Ft. from S. Line

Ft. from W. Line Ft. from E. Line

Date	Depth	
		Spd. 3-27-51
		8 5/8" @ 540 w/300 sx.
3-30	1650	Drlg.
4-3	3045	Drlg.
	2865-70	Ooc. fr. por. 25% good sptd. sat. dk. oil
	2922	Heebner (-1033)
	2941	Toronto (-1052)
	2942-46	Ls. cse crys. poor-fr. por. Lt. sptd. sat.

F 13-13-S

Date	Depth	705627
	2953	Douglas shale (-1064)
	2989-3010	Douglas sand
		f-m gr. poor-fair poro.
		good sat.
	3018	Brown Lansing (-1129)
	3040	Lansing (-1151)
	3042-46	Ooc.-foss., f-good por.
		20% with sptd. sat. -
		odor, lt. oil
	3060	Drlg.
4-3 #1	3042-55	D.S.T. open 1/3 hr. (20") wk fl fov 10" rec. ~~fx~~
		10' mud dp wtr 140# BHP
	3070-74	Ooc.-f. poro. tr. sptd.
		sat. lt. odor
	3094-96	ditto
	3118-20	Poor por. tr. stn.
4-4	3138-51	Ooc. f-good por. no stn.
	3175-79	Ooc. fair poro. 10% good
		sptd. sat. (free oil) ~~fx~~
		fair odor
	3211-22	good poro. 25% good sat.
		& odor
	3315	Conglomerate (-1421)
4-5	3321-27	Congl. sd. - cse sd. good
		poro. & sat. & some wh.
		chert.
	3327-29	Wh. Dol. & chert congl.
	3329	Erosional Arb (-1436)
	3329	T. D. (-1440)

State Kansas County Barton

Company G-M-R Oil Co. Well No. 1 C

Farm Redetzke C'

Survey

Block No. Sec. 16 Twp. 16S Range 11W

Co-Ord. Elev. 1885 D.F.

NW SW SW



Kraft Prusa Pool

NOTE: Show Sketch of Lease and Well Location in Above Space

Ft. from N. Line Ft. from S. Line

Ft. from W. Line Ft. from E. Line

Date	Depth	
4-5-51		5½W on bottom (@3324)
		Mict
Perf.	3316-20	7s - N.S.
"	3280-84	16s -)
"	3264-70	24s)*1000 acid (25%)
"	3249-54	20s) No Show
		Plug 3234
4-6	3214-20	1/2 BWPH
22-	3172-78	vsso, 500 acid - 1 BOPH NW
		Plug 3060 - 500 acid

F 13-13-S

705627

Date	Depth	
		1 BOPH & 8 BWPH in 18 hr.
		Plug 3028
4-	3017-21	NS
10-	2970-80	1½ BWPH
8-	2936-44	No increase
11-	2880-88	5 GWPH, Sq/
dp sq.	3060	150 sx. set - dc
	3329	Arbuckle (-1440) wh. dolo
	3335	ns Few grains of sand bottom samples - Swb. 5 BWPH with trace dec.
		5 BOPH & 5 BWPH
		Plug 3230 - Sq. dc
		Testing, 1/2 BOPH, NW
		dr. 3337 dd
—	3337	T. D. Swb. 1½ BOPH for 8 hrs.
4-29		Pump 65 BO in 15 hrs.
5-18		Phy. Pot. 108 BOPD 2% Wtr.
9-8-53	MICT	To Convert to SWDW