KANSAS

FORM 51 5M 1-42 PETROL


Barton

O. W. P. B.

Section 17 Township 17 Range 11-W

Well No. #1 Disgue

Company Herndon Drilling



Form 252-A
SM 5-42 Petrol

O.W.P.B. KANSAS Barton

Sec. 17 Twp. 17 R. 11-W

Well No. #1 Disgue Farm

Herndon Drilling Company

Draft Prusa


Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

NE SENE



1943	Elev. 1849' REPORT
8/4	8" @ 335' Drlg. 2785'
8/11	Lans 3015 Arb 3294-94 T.D. 5" @ 3296' Rust
8/18	"
8/25	"
9/1	"
9/8	T.D. 3318-2800' oil in 7 hrs.
9/15	" " " " "
9/22	Arb 3294 5" @ 3296 Pump 78 Pot. Gravity 43.2 T.D. 3318'
	COMPLETED

OVER

O. W. P. B.

1955
2/16

Oil Well - TD 3318'
Lans. 3015', Arb. 3294'
5" @ 3296'
OTD 3318'
PB 3215'
20/3205-10, ½ boph, 1000A
2½ boph
Comp. 50 bopd

FIRST REPORT

✓

COMPLETED

Form 26 200 Bks 5-42 Petrol

Barton

KANSAS

Map No. 99 Sec. 17 Twp. 17 R. 11W


Well No. 1 Disgue

Herndon Drilling Company

FIRST REPORT Contractor

NE SE NE

SECTION PLAT



____ Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

____ Ft. from W. Line

KRAFT PRUSA POOL

Location

Rig up

Drilling and Remarks:

8"-335'

Drlg. 2785'

RECORD

Cased ____ in., ____ ft.

Sand

Gas

Oil

Total Depth

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas ____ Cu. Ft.

Dry Hole

Abandoned

Date

AUG 4 1943 19 S. J. LEWIS Scout

Form 26 200 Bks 5-42 Petrol Barton

Map No. 55 AS Sec. 17 Twp. 17 R. 11W

Well No. 1 Disgue

Herndon Drilling Company

COMPLETED Contractor

NE SE NE


Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

SECTION PLAT



Kraft Prusa Pool

Location

Rig up

Drilling and Remarks:

Csg 8294

5" C 9296

Pump 78 BO

443 Gr

RECORD

Cased in., ft.

Sand

Gas

Oil

Total Depth 3318

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

SEP 22 1943 19 S. I. LEWIS Scout

FORM 275 FOR SALE BY KANSAS BLUE PRINT CO.

O. W. P. B.


County Barton State Kansas

Sec. 17 (Blk. Twp.) 17 (Sur. Rge.) 11W Map No.

Operator Herndon Drlg.

Well No. 1 Farm Disque

Elev. 1849 Location NE SE NE



990 Ft. From S Line NE

330 Ft. From E Line Quarter

1st. Report FEB 1 6 1955

Completion FEB 1 6 1955

Remarks OWPB

O. W. P. B.

Spudding Date

Drlg. Data Oil well TD 3318

Lans. 3015 Arb. 3294 5" @ 3296

OTD 3318 PB 3215 20/ 3205-10 ½ boph

1000 A 2½ boph Comp. 50 bopd

FABEN GILSTRAP