


Section 5 Township 16 Range 13-W

Well Number 1 - Bitter

Company Empire





1937

7/14 Perforated 5" liner 3307'.  
7" @ 3286'.  
Sil. 3297' (Corrected)  
T.D. 3307'.  
2000 acid.  
1041 $\frac{1}{2}$  bbls. 12 hrs.  
Pot. 2083 bbls.

COMPLETED

*Barton* **KANSAS**

Map No. 73 Sec. 5 Twp. 16 R. 13<sup>w</sup>

Well No. 1 - Bitter

Empire Company

Contractor

**FIRST REPORT**

**SECTION PLAT**

330 Ft. from **Special**

\_\_\_\_\_ Ft. from S. Line

\_\_\_\_\_ Ft. from E. Line

330 Ft. from W. Line

0			

Location \_\_\_\_\_

Rig up \_\_\_\_\_

Drilling and Remarks:

*Cellar*

**RECORD**

Cased \_\_\_\_\_ in., \_\_\_\_\_ ft.

Sand \_\_\_\_\_

Gas \_\_\_\_\_

Oil \_\_\_\_\_

Total Depth \_\_\_\_\_

**PRODUCTION**

1st 24 hrs. Nat. \_\_\_\_\_

1st 24 hrs. after shot \_\_\_\_\_

Gas \_\_\_\_\_ Cu. Ft.

Dry Hole \_\_\_\_\_

Abandoned \_\_\_\_\_

Date  
**MAY 5 - 1937**

*H. D. Hatfield* Scout

Barton KANSAS

Map No. \_\_\_\_\_ Sec. 5 Twp. 16 R. 13<sup>W</sup>Well No. 1-BitterEmpire Company

Contractor

COMPLETED

## SECTION PLAT

0			

330 Ft. from N. Line

\_\_\_\_\_ Ft. from S. Line

\_\_\_\_\_ Ft. from E. Line

330 Ft. from W. Line

Location \_\_\_\_\_

Perforated 5" Liner 3309  
RECORD

Rig up \_\_\_\_\_

Cased 7 in. 3286 ft.

Drilling and Remarks:

Sand 511 32972000 AcidGas (corrected)

Oil \_\_\_\_\_

Total Depth 3307104 1/2 / 12 hrsPat - 2083

## PRODUCTION

1st 24 hrs. Nat. \_\_\_\_\_

1st 24 hrs. after shot \_\_\_\_\_

Gas \_\_\_\_\_ Cu. Ft.

Dry Hole \_\_\_\_\_

Abandoned \_\_\_\_\_

Date

JUL 14 1937H. D. Hatfield  
Scout