

KANSAS

WELL COMPLETION REPORT AND DRILLER'S LOG

Sherman B14

State Geological Survey P1


WICHITA, BRANCH

S. 3 T. 28 R. 18 W

Loc. 8255NL, 1815WEL

County Washo

640 Acres N



Elev.: Gr. _____

DF _____ KB _____

API No. 15 — 133 — 22,025
County Number

Operator Burroughs Petroleum Inc

Address Box 804 RR3 Chanute, Ks

Well No. B14 Lease Name Sherman

Footage Location 825 feet from (N) (S) line 1815 feet from (E) (W) line

Principal Contractor Circle W Drilling Geologist _____

Spud Date 10-13-80 Date Completed 12-30-80 Total Depth 950 P.B.T.D. _____

Directional Deviation _____ Oil and/or Gas Purchaser _____

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
<u>Pro. wg</u>				<u>884.5</u>	<u>const.</u>	<u>95</u>	<u>2% FS</u>

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
					<u>698-754</u>
TUBING RECORD			<u>3</u>		<u>834-846</u>
Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
<u>100 gals MCA acid</u>	
<u>5000 # 10-20 sand</u>	
<u>6000 # 8-12 sand</u>	

INITIAL PRODUCTION

Date of first production <u>12-30-80</u>	Producing method (flowing, pumping, gas lift, etc.) <u>pump</u>
RATE OF PRODUCTION PER 24 HOURS	Oil _____ bbls. Gas _____ MCF Water _____ bbls. Gas-oil ratio _____ CFPB
Disposition of gas (vented, used on lease or sold)	Producing interval (s) <u>Barstoville</u>

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator *Burroughs Petroleum Inc*

DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Well No. *B-14*

Lease Name *Sherman*

oil

S *3* T *28* R *18* ^Q _W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Aren She

Signature

Geologist

Title

1-26-81

Date

WELL RECORD

3-28-18E^{pl}

WELL No.: B 14 FARM; Sherman OPERATOR; Kanalta
 LOCATION; 3 - 28S - 18E
 ELEVATION: _____ STATE: Kansas COUNTY: Neosho
 DRILLING CONTRACTOR: Circle W Drilling Inc RIG #: 1
 PRODUCTION FORMATION: _____ TOP: _____ BOTTOM: _____
 PERFORATED: _____

TOTAL DEPTH: 950' HOLE SIZE: 6 1/4"

CASING DETAILS: 53' of 7" surface casing

PUMP EQUIPMENT: _____

RODS & PUMP: _____

Thick ness	FORMATION	Depth	Thick ness	FORMATION	Depth
12'	Soil	12'	24'	Lime	593'
2'	Clay	14'	4'	Shale	597'
9'	River Gravel	23'	4'	Lime	601'
60'	Lime	83'	114'	Shale & Coal	715'
2'	Shale & broken Lime	85'	24'	Shale & broken Lime	739'
12'	Lime	77'	17'	Lime	756'
18'	Shale with breaks	95'	18'	Shale & Coal	774'
29'	Hard Lime	124'	13'	Lime	787'
7'	Shale	131'	7'	Shale gray	794'
59'	Shale & broken Lime	190'	12'	Shale gray & Coal	806'
97'	Lime & Shale	287'	19'	Shale & Lime (cored)	825'
89'	Shale	376'	31'	Shale (Sandy) & Clay	856'
33'	Shale & broken Lime	409'	71'	Sandy Shale & Lime	937'
4'	Lime	413'	12'	Lime & Clay	939'
30'	Shale	443'	11'	Coal & Shale	950'
2'	Lime	445'			
7'	Shale	452'			
3'	Lime	455'			
31'	Shale	486'			
5'	Lime	491'			
3'	Shale	494'			
37'	Lime	531'			
24'	Shale	555'			
3'	Lime	558'			
11'	Shale & Coal	569'			