


Section 6 Township 16 Range 13-W

Well No. #4 H. Bitter

Company Phillips



KANSAS

Barton

O. W. P. B.


Sec. 6 Twp. 16 R. 13-WWell No. #4 H. Bitter FarmPhillips Company

(South Trapp)

0 Ft. from N. Line825 Ft. from S. Line825 Ft. from E. Line Ft. from W. Line

NW SE NE

Elev. 1907



1938	REPORT
12/28	Location
1939	
1/6	B.R.R.
1/13	S. H.
1/20	Drlg. 537'.
1/27	Anhy 882'. 10" - 892'. WOC.
2/3	Drlg. 1855'.
2/10	8" - 2180'. T. D. 2360'.
	U. R. 8".
2/17	8" - 2576' Drlg. 2715
2/23	Topeka 2790' Lans. 3091'
	4 bbls. oil per hr. 3093-97'
	7" - 3105' T.D. WOC.
3/3	7" - 3198' (Was not cemented)
	Drlg. 3227'
3/10	Arb. 3344-45' T.D.
	U. R. 7" - 3297'
3/17	7" - 3344' T.D. 3356'
	Swab 342 oil in 7 hours.
3/24	T.D. 3356' 1000 acid.
	Pump 1022 oil in 35 hrs.
	2% water.

OVER

1939

3/29

7" - 3344'

Arb. 3344'

T. D. 3356

1000 acid.

Potential 2813 bbls.

Plus 6% water.

Taken by Echometer.

COMPLETED

O. W. D. R.

1955

4/13

Oil Well

TD 3356'

KC 3091', Abr. 3344'

OTD 3356'

7" @ 3344'

PB 3337'

16/3332-36

S/123 gw 3 hrs.

PB 3140'

28/3105-12

B/13 gw 3 hrs.

20/3092-97, 500A

S/58 bo 58 bw 22 hrs., 1500A

S/40 bo 211 bw 13 hrs.

S/16.38 bo 28.38 bw 4 hrs.

SP 3100'

S/1 bo 10bw

S/21 $\frac{1}{2}$ bo 123 bw 18 hrs.

S/5.08 bo 22.12 bw 3 hrs.

CO 3138'

P/11 bo 135 bw 16 hrs.

P/62 bo 276 bw 24 hrs.

P/21 bo 131 bw 20 hrs.

P/38 bo 187 bw 24 hrs.

P/23 bo 119 bw 16 hrs.

Comp. 38 bopd 187 bw

FIRST REPORT

COMPLETED

Barton

Map No. 78 Sec. 6 Twp. 16 R. 13WWell No. 4 H. BitterPhillips

Company

Contractor

FIRST REPORT

Approx.

NW SE NE

Ft. from N. Line

825 Ft. from S. Line825 Ft. from E. Line

Ft. from W. Line

SECTION PLAT

			②

TRAPP, SOUTH POOL

Location XRig up 1

Drilling and Remarks:

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

DEC 28 1938

19

H. D. Hatfield

Scout

Barton

KANSAS

Map No. 73 Sec. 6 Twp. 16 R. 13WWell No. 4 H. BitterPhillips

Company

Contractor

COMPLETED

Approx. NW SE NE

 Ft. from N. Line825 Ft. from S. Line825 Ft. from E. Line Ft. from W. Line

TRAPP SOUTH POOL

SECTION PLAT

			0

Location Rig up

Drilling and Remarks:

*1000 Acid**Pot 2813**Plus 690 wtr**Taken by Echometer***RECORD**Cased 7 in., 3344 ft.Sand Arb 3344Gas Oil Total Depth 3356**PRODUCTION**1st 24 hrs. Nat. 1st 24 hrs. after shot Gas Cu. Ft.Dry Hole Abandoned


Date

MAR 29 1939

19

H. D. Hatfield Scout

County Barton O. W. P. B. State Kansas
 Sec. 6 (Blk.) 16 (Sur.) 13W Map No.
 Operator Phillips Pet.
 Well No. 4 Farm Bitter
 Elev. Location NW SE NE



825 Ft. From S Line NW
825 Ft. From E Line Quarter
 Ist. Report APR 13 1955
 Completion APR 13 1955
 Remarks OWPB
O. W. P. B.
 Spudding Date

Drlg. Data Oil well TD 3356
KC 3091 Arb. 3344 OTD 3356 7" @ 3344
PB 3337 16/ 3332-36 S/ 123 gw 3 hr.
PB 3140 28/ 3105-12 B/ 13 gw 3 hr.
20/ 3092-97 500 A S/ 58 bo 58 bw
22 hr. 1500 A S/ 40 bo 211 bw 13 hr.
S/ 16.38 bo 28.38 bw 4 hr. SP 3100
S/ 1 bo 10 bw S/ 21 $\frac{1}{2}$ bo 123 bw 18 hr.
S/ 5.08 bo 22.12 bw 3 hr. CO 3138
P/ 11 bp 135 bw 16 hr. P/ 62 bo
276 bw 24 hr. P/ 21 bo 131 bw 20 hr.
P/ 38 bo 187 bw 24 hr. P/ 23 bo
119 bw 16 hr. Comp. 38 bopd 187 bw

FABEN GILSTRAP