

DX 78-1


Ellis

KANSAS

Section 20 Township 15 Range 17 W

Well No. #1 Boos

Company Continental Oil



Ellis

KANSAS

SEC.	TWP.	R.
20	15	17W

WELL NO.

#1 Boos

FARM

COMPANY

Continental Oil

CONTRACTOR

G-M-R


WILDCAT

Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

Ft. from W. Line



NW SE SW

1956

ELEVATION

1954

REPORT

2-15

Comm. 2-8-56

13" @ 200

8 5/8" @ 1117/600

Drlg. 2595

3-14

DST 3265-3300 op 1 hr. rec. 60' mud, 850/20"

DST 3307-38 op 1 hr. gas in 55 min, rec 50' so&gcm, 120' o&gcm, 120' muddy oil 1010/20"

DST 3532-37 op 1 hr. rec. 380' GIP 540' clean oil, 180' muddy oil, 980/200 5 1/2" @ 3531/100

~~###~~ CO to 3537

S/ 65 bo 7 hrs.

P/ 78 bo 8 hr.

P/ 56 bo 13 hrs.

Comp. 117 bopd.

H. 3210 - 3210

Tr. 3231 - 3228

L. 3262 - 3262

A. 3530 - 3530

TD 3537'

COMPLETED

County Ellis Elev. _____
 Sec. 20 Twp. 15 Rge. 17W
 Company Continental Oil
 Farm Name Boos No. 1

TOPS	DEPTH	LOG	DATUM
Anh.			
Tp.			
H.			
Tr.			
Dg.			
BL.			
L.			
K.C.			
B.K.C.			
Ce.			
C.			
M.			
M.			
K.			
Mz.			
Mq.			
V.			
S.			
S.			
A			
R.			
PE.			
G.			
T.D.			

Loc. in Sec. _____

NW SE SW

Geol. _____

Contr. _____

G-M-R

Wheatland
Wildcat

FIRST REPORT

FEB 15 '56

Date Comm. 2-8-56
13" @ 200 8 5/8" @ 1117/600 drlg. 2595

County Ellis Elev. 1954 Co. 1
 Sec. 20 Twp. 15 Rge. 17W
 Company Continental Oil
 Farm Name Boos No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NW SE SW
Tp.				
H.	<u>3210</u>	<u>3210</u>		
Tr.	<u>3231</u>	<u>3228</u>		
Dg.				
Bl.				
L.	<u>3262</u>	<u>3262</u>	<u>1368</u>	Geol.
K.C.				Contr.
B.K.C.				<u>G-M-P</u>
Ce.				<u>Wheatland So.</u>
C.				
M.				
M.				
K.				
Mz.				
Me.				
V.				
S.				
S.				
A	<u>3530</u>	<u>3530</u>	<u>1576</u>	COMPLETE
R.				
Pe.				
G.				
T.D.	<u>3537</u>			

Date Comm. 2-8-56 MAR 1 4 1956

13" @ 200 8 5/8" @ 1117/600

DST 3265-3300 open 1 hr. rec. 60' mud

850/20" DST 3307-38 open 1 hr.

gas in 55 min. rec. 50' so & gcm

120' o & gcm 120' muddy oil 1010/20"

DST 3532-37 open 1 hr. rec. 380' GIP

540' clean oil 180' muddy oil 980/20"

5 1/2" @ 3531/100 CO to 3537 S/ 65 bo

7 hr. P/ 78 bo 8 hr. P/ 56 bo 13 hr.

Comp. 117 bopd

R.G.

MAR 22 1956