


Kingman

KANSAS

SECTION 15 TOWNSHIP 30 RANGE 7 WWELL NO. #1 J. X. ~~Kinert~~ KinerCOMPANY Pure Oil

NORTH



SOUTH


SEC.	TWP.	R.
15	30	7 W
WELL NO.		
# 1 J. X. Kijert		
COMPANY		FARM
Pure Oil		
CONTRACTOR		
Noble		

_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

_____ Ft. from W. Line



SW NE NE

SDX - 1/2 Mile

	ELEVATION	REPORT
1955	1434'	
12/28	Comm. 12-26-55 8" @ 170/225	3270 - 1434 <u>1836</u>
<u>1956</u>		
1-6	Heeb. 3046 Lans. 3270 EC 3537 Drig. 3681'	4083 1434 <u>2649</u>
1-12	Miss. 4083 DST 3670-81, failed DST 3727-38, op 45 min. rec. 82' msw, 1530/30" DST 3670-86, op 1 hr. rec. 65' muddy sw, 1415/30" DST 4084-4117 op 45 min. gas to surface in 1 1/2 min. 1,930 mc mcfg in 3 min., 2,600 mcfg in 5 min. 2,420 mcfg in 9 1/2 min. rec. 81' gcm, 1600/30" DST 4116-61, op 1 hr. rec. 30' so&gcm, 336/30", Coring.	
1-19	Core 4161-79, rec 18' x Core 4179-4224, full rec. DST 4161-4224, op 1 hr. rec. 35' msw, 1120/30" 5 1/2" @ 4162/250 CO, PB 4125, 28/. 4108-15, 50 swab	

1-25 1000 A, 1,250 mcfg, 80/ 4084-4104
1,260 mcfg, 80/ 4084-4104, 1,260 mcfg
Comp. SI gas well

TD 4224'

COMPLETED

County Kinman Elev. _____
 Sec. 15 Twp. 30 Rge. 7W
 Company Pure Oil
 Farm Name J. X. Kinert No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				SW NE NE
Tr.				
H.				
Tr.				
Dg.				
Bl.				
L.				Geol.
K.C.				Contr.
B.K.C.				Noble
Ce.				
C.				Pool
M.				
M.				
K.				
Mz.				
Mq.				
V.				
S.				
S.				
A.				
R.				
Pe.				
G.				
T.D.				

1/2 mile	
DEC 28	'55
FIRST REPORT	

Date Comm. 12-26-55
8" @ 170/225

27

County Kingman Elev. 11134
 Sec. 15 Twp. 30 Rge. 7W
 Company Pure Oil
 Farm Name J. X. Kinert No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anb.				SW NE NE
TP.				
H.	<u>3046</u>			
Tr.				
Dg.				
BL.				
L.	<u>3270</u>		<u>18.36</u>	Geol.
K.C.	<u>3537</u>	<u>3539</u>	<u>2105</u>	
B.K.C. <u>Manning</u>		<u>38.37</u>	<u>2403</u>	Contr.
Ce.		<u>3988</u>	<u>2554</u>	Noble
C.				
M.	<u>4083</u>	<u>4083</u>	<u>2649</u>	Pool
M.				
K.				
Mz.				
Me.				
V.				
S.				
S.				
A				
R.				
PE.				
G.				
T.D.	<u>4224</u>			

			0

COMPLETE

Date Comm. 12-26-55 JAN 2 5 1956

8" @ 170/225 Dst 3670-81 failed

DST 3727-38 open 45 min. rec. 82'

msw 1530/30" DST 3670-86 open 1 hr.

rec. -65' muddy sw 1415/30" DST 4084-

4117 open 45 min. gas to surface in
 1½ min. - 1,930 mcfg in 3 min.

2,600 mcfg in 5 min. 2,420 mcfg in 9½ min.

rec. 81'-gcm 1600/30" DST 4116-61

open 1 hr. rec. 30' so & gcm 336/30"

DST 4161-4224 open 1 hr. rec. 35' msw

1120/30" 5 $\frac{1}{2}$ " @ 4162/250 PB 4125

28/ 4112-19. 1000 A 1,250 mcf/g

80/ 4084-4104 1,260 mcf/g

Comp. SL gas well

R. G.

FEB 6 1956