

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION OR RECOMPLETION FORM
ACO-1 WELL HISTORY

DESCRIPTION OF WELL AND LEASE

Operator: license # 5144
name MULL. DRILLING COMPANY, INC.
address P.O. Box 2758
City/State/Zip Wichita, Kansas 67201

Operator Contact Person Patricia Ungleich
Phone

Contractor: license # 5651
name Mallard Drilling Company

Wellsite Geologist Paul Gunzelman
Phone 832-0036 H

PURCHASER NA

Designate Type of Completion

- New Well Re-Entry Workover

- Oil SWD Temp Abd
- Gas Inj Delayed Comp.
- Other (Core, Water Supply etc.)

If OWWO: old well info as follows:

Operator
Well Name
Comp. Date Old Total Depth

WELL HISTORY

Drilling Method: Mud Rotary Air Rotary Cable

8/24/84 9/1/84 9/2/84
Spud Date Date Reached TD Completion Date

4790'
Total Depth PBTB

Amount of Surface Pipe Set and Cemented at 430 feet

Multiple Stage Cementing Collar Used? Yes No

If Yes, Show Depth Set feet

If alternate 2 completion, cement circulated
from 1260 feet depth to surface w/ 110 SX cmt

API NO. 15 - 047-21, 201
County Edwards

NE NE NE Sec 7, Twp 26S, Rge 18W West

4950 Ft North from Southeast Corner of Section
330 Ft West from Southeast Corner of Section
(Note: locate well in section plat below)


Lease Name SLENTZ Well# 1

Field Name Wildcat

Producing Formation NA

Elevation: Ground 2189' KB 2197'

Section Plat



JAN 21 1986
State Geological Survey
WICHITA BRANCH

WATER SUPPLY INFORMATION

Source of Water:
Division of Water Resources Permit #

Groundwater Ft North From Southeast Corner and
(Well) Ft. West From Southeast Corner of
Sec Twp Rge East West

Surface Water Ft North From Southeast Corner and
(Stream, Pond etc.) Ft West From Southeast Corner
Sec Twp Rge East West

Other (explain) (purchased from city, R.W.D.#)

Disposition of Produced Water: Disposal Repressuring

Docket #

INSTRUCTIONS: This form shall be completed in duplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 90 days after completion or recompletion of any well. Rules 82-3-130 and 82-3-107 apply.

Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months.

One copy of all wireline logs and drillers time log shall be attached with this form. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

RECEIVED
STATE CORPORATION COMMISSION
SEP 24 1984
CONSERVATION DIVISION

SIDE TWO

Operator Name ..MULL DRILLING COMPANY.. Lease Name ..Slentz... Well# ..1 SEC 7..... TWP.26S..RGE..18S... East West

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No

Formation Description
 Log Sample

DST #1 3298-3335/30-30-30-30
 Weak blow, died in 8"
 No blow 2nd open
 Rec: 20' mud
 ISIP 229 IFP 20-20 FFP 20-20 FSIP 41 BHT 102°

DST #2 4348-4379/30-45-90-60
 Weak blow increasing to fair blow
 Weak blow throughout 2nd open
 Rec: 20' oil cut watery mud
 120' slightly muddy water
 Chlorides 79,000 ppm
 ISIP 1460 IFP 31-31 FFP 41-62 FSIP 1449 BHT 119°

DST #3 4635-4662/30-45-60-60
 Fair blow bldg to strong blow in 8"
 Strong blow throughout 2nd open
 Rec: 10' mud
 ISIP 145 IFP 31-31 FFP 31-31 FSIP 197 BHT 117°

DST #4 4690-4717/30-30-30-30
 Weak blow - died in 19"
 No blow
 Rec: 10' mud
 ISIP 41 IFP 31-31 FFP 31-31 FSIP 31 BHT 102°

Name	Top	Bottom
Topeka	3613	-1416
Heebner	3974	-1777
LKC	4116	-1919
Stark	4202	-2205
BKc	4490	-2293
Cherokee	4607	-2410
Miss	4649	-2452
LTD	4795	-2598
RTD	4790	-2593

P&A 9/2/84 w/ 130 sx 60-40 poz,
 3% cc, 2% gel
 PD 11:45 PM 9/2/84

P & A

CASING RECORD <input type="checkbox"/> new <input type="checkbox"/> used							
Report all strings set - conductor, surface, intermediate, production, etc.							
Purpose of string	size hole drilled	size casing set (in O.D.)	weight lbs/ft.	setting depth	type of cement	# sacks used	type and percent additives
Surface.....	12 1/4"	8-5/8"	20#	430.60'	C1'G'	300	3%cc, 2%ge
.....
.....
.....
PERFORATION RECORD				Acid, Fracture, Shot, Cement Squeeze Record			
shots per foot	specify footage of each interval perforated			(amount and kind of material used)			Depth
.....
.....
.....
.....

COMPANY: Mull Drilling Co., Inc. X
CONTRACTOR: MALLARD DRILLING CO., INC.
405 CENTURY PLAZA BLDG.
WICHITA, KANSAS 67202

WELL NAME: #1 Slentz
DESCRIPTION:
NE NE NE 7-26S-18W

RIG NO.: 1
TOTAL DEPTH: 4790'
COMMENCED: August 24, 1984

COUNTY: Edwards
ELEVATION:
COMPLETED: September 2, 1984

CASING RECORD:

Surface: 10 jts. new 8 5/8" surface casing
Production: none

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>	<u>REMARKS</u>
Soil, shale	0	498	Ran 10 jts. new 8 5/8" casing set @ 430' w/ 1d. joint. Cement w/ 300 sx. common, 3% cacl, 2% gel. Plug down @ 5:00 a.m. August 25, 1984. Cement did circulate, Haliburton-Pratt.
Sand	498	683	
Shale	683	1264	
Anhydrite	1264	1315	
Shale and lime	1315	3889	
Lime	3889	4593	Ran 4 Drill Stem Tests-Rickets Testers
Mississippi	4593	4790	

Ran 1 log-Petro Log

Plug hole w/ 130 sx. 60/40 pozmix 3% cacl, 2% gel as follows:
1st plug @ 1260' w/ 50 sx.
2nd plug @ 480' w/ 50 sx.
3rd plug @ 40' solid bridge w/ hulls and rubber plug w/ 10 sx to top. 10 sx rathole, 10 sx mousehole. Plug down @ 11:45 p.m. September 2, 1984. Allied-Great Bend.

JAN 21 1986
State Geological Survey
WICHITA BRANCH

STATE OF KANSAS)
) SS.
COUNTY OF SEDGWICK)

RECEIVED
STATE CORPORATION COMMISSION

SEP 24 1984

CONSERVATION DIVISION
Wichita, Kansas

I, JOHN JAY DARRAH, JR. of MALLARD DRILLING CO., INC., certify

that this a true and correct copy of the log of the #1 Slentz

well to the best of my knowledge