

DX 78-1


Ness

KANSAS

Section 24 Township 18 Range 26 W

Well No. #3 Sutton

Company CDA



Ness

KANSAS

| | | |
|------|------|-----|
| SEC. | TWP. | R.. |
| 24 | 18 | 26W |

WELL NO.

3 Sutton

FARM

COMPANY

C R A

CONTRACTOR

Co. Tools

Aldrich


_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

_____ Ft. from W. Line

NW SW NW



1955

ELEVATION

2525'

REPORT

10/12

Loc

12-21

Comm. 10-19-55

8 5/8" @ 84/100

DST 4426-35 op. 1 hr. rec. 20' socm
150/20"DST 4435-45 op 1 hr. rec. 720' gas ,
225' oil, 270' hgco, 600/20"DST 4445-57 op 1 hr. rec. 180' ho&gcm,
270' hgco, 575/20"

5 1/4" @ 4456

CO to 4452, 96/ 4424-48

B/ 46 goph, 37 gwph, 15 hrs.

PB 4435

B/ 3 qt. wtr., scum oil 5 hrs.

CO to 4440, 72/ 4422-40, 500 A

S/ 73 bf, 70% wtr, 15 hrs.

P/ 61 bf, 36% wtr.,

P/ 21 bfpd, 29% wtr.,

Comp. 15 bopd, 6 bw.

TOPSDEPTHLOG

H. 3761- 3767

Tr. 3781 3786

L. 3802 3810

Marm 4253 4253

Ft. Sct. 4319 4319

Ce. 4343 4343

C. 4399 4397

M. 4424 4421


COMPLETED

TD 4457'

County Ness Elev. _____
 Sec. 21 Twp. 18 Rge. 26W
 Company GRA
 FarmName Sutton No. 3

| TOPS | DEPTH | LOG | DATUM |
|--------|-------|-----|-------|
| Anb. | | | |
| Tr. | | | |
| H. | | | |
| Tr. | | | |
| Dg. | | | |
| Bl. | | | |
| L. | | | |
| K.C. | | | |
| B.K.C. | | | |
| Ce. | | | |
| C. | | | |
| M. | | | |
| M. | | | |
| K. | | | |
| Mz. | | | |
| Me. | | | |
| V. | | | |
| S. | | | |
| S. | | | |
| A. | | | |
| R. | | | |
| PE. | | | |
| G. | | | |
| T.D. | | | |

Loc. in Sec. NW SW NW
 Geol. _____
 Contr. _____
 Pool Aldrich
 Co. tools _____
 FIRST REPORT
 OCT 12 55

Date Comm. _____
 Location _____


Co.
Lse.
No.
Sec.
T.
R.

County Ness Elev. 2525
 Sec. 24 Twp. 18 Rge. 26W
 Company C R A
 Farm Name Sutton No. 3

| TOPS | DEPTH | LOG | DATUM |
|---------------|-------------|-------------|-------------|
| Anh. | | | |
| Tp. | | | |
| H. | <u>3761</u> | <u>3767</u> | <u>1242</u> |
| Tr. | <u>3781</u> | <u>3786</u> | <u>1261</u> |
| Dg. | | | |
| Bl. | | | |
| L. | <u>3802</u> | <u>3810</u> | <u>1285</u> |
| K.C. Mar m | <u>4253</u> | <u>4253</u> | <u>1728</u> |
| B.K.C. Ft Set | <u>4319</u> | <u>4319</u> | <u>1794</u> |
| Ce. | <u>4343</u> | <u>4343</u> | <u>1818</u> |
| C. | <u>4399</u> | <u>4397</u> | <u>1872</u> |
| M. | <u>4424</u> | <u>4421</u> | <u>1896</u> |
| M. | | | |
| K. | | | |
| Mz. | | | |
| Mq. | | | |
| V. | | | |
| S. | | | |
| S. | | | |
| A. | | | |
| R. | | | |
| Pe. | | | |
| G. | | | |
| T.D. | <u>4457</u> | | |

Loc. in Sec. NW SW NW

Geol.

Contr.

Co. tools

Pool

Aldrich

COMPLETE

Date Comm. 10-19-55 - DEC 21 1955
8 5/8" @ 84/100 DST 4426-35 open 1 hr.
rec. 20' socm 150/20" DST 4435-45
open 1 hr. rec. 720' gas 225' oil
270' hgco 600/20" DST 4445-57
open 1 hr. rec. 180' ho & gcm 270'
hgco: 575/20" 5 1/4" @ 4456 CO to 4452
96/ 4424-48 B/ 46 goph 37 gwph 15 hr.
PB 4435 S/ 3 qt. wtr. scum oil 1/2 hr.

Co.
No.
Sec.
F.
R.

CO to 4440 72/ 4422-40 500 A

S/ 73 bf 70% wtr. 15 hr. P/ 61 bf °

36% wtr. P/ 21 bfpd 29% wtr.

Comp. 15 bopd 6 b w

R. G.

JAN 4 1956