

Rice

KANSAS

SECTION 33 TOWNSHIP 18S RANGE 10WWELL NO. #5 Buehler "B"COMPANY Skelly Oil Co.

				NORTH			
				SW NE NE			
WEST							
						0	
				SOUTH			
				EAST			

S-513-B

County Rice Elev. _____
 Sec. 33 Twp. 18 Rge. 10W
 Company Skelly Oil Co.
 Farm Name Buehler "B" No. 5

TOPS	DEPTH	LOG	DATUM
Anh.			
Tp.			
H.			
Tr.			
Dg.			
B.L.			
L.			
K.C.			
B.K.C.			
Ce.			
C.			
M.			
M.			
K.			
Mz.			
Mq.			
V.			
S.			
S.			
A.			
R.			
Pf.			
G.			
T.D.			

Loc. in Sec. _____


SW NE NE

Geol. _____

Contr. _____

Hulme Drlg.

Pool _____

Munyon E.

Date Comm. 3/27/58
8" @ 448 w/250, Drlg. 2200

Co.

Lse.

No.

Sec.

T.

R.

Twp V Pool X
 Co. X Facet X

S-513-B

County Rice Elev 17 - 1/2' 7715
 Sec. 33 Twp. 18 Rge. 10W
 Company Skelly Oil Co.
 Farm Name Buehler "B" No. 5

TOPS	DEPTH	LOG	DATUM
Anh.	<u>436</u>		
Tp.			
H.	<u>2738</u>		
Tr.			
Dg.			
B.L.			
L.	<u>2982</u>		
K.C.			
B.K.C.			
Ce.			
C.	<u>3161</u>		
M.			
M.			
K.			
Mz.			
Mq.			
V			
S.			
S.			
A.			
R.			
Pf.			
G.			
T.D.	<u>3251 1/2</u>		

Loc. in Sec. SW NE NE
 Geol. Hulme Drlg.
 Contr. Munyon E.
 Pool Munyon E.

MAY 7 '58
 COMPLETE

Date Comm. 3/27/58
8" @ 448 w/250, Drif. 2200 APR 3 '58 DST
2637-90 op 60" 50' M FPO-15
BHP 340 DST 2688-2720 op
60" 35' M Spk soil FPI5-25
BHP 590 DST 2963-78 op 60"
300' gip 15' M 120' S g man
FP 3575 BHP 390/20" DST
3016-38 op 1 hr g 45" TSTM
35' 0' g man 70' H 0 g man 50' f ued
FP 90-75 BHP 910

DST 3157-85 ap 60" g/50" TSTM
 64' OCM 120' HOCM 120 MD FP 75-120
 BHP 870 155 Cid ~~3226~~ APR 16 '58 3201-26
 net 25' DST 3173-3226 ap 60"
 g/12" 60' OCM 720 MD 1800 CO
 410 FP 180-900 BHP 915 60"
 Cid 3226-44 net 18' SSO
 Cid 3244 5 1/2 net 7 1/2 SSO
 5 1/2" 3233 1/2 / 125 APR 23 '58 3251 1/2 TD
 3251 1/2 SLM equals 3254 SLM
 DF \$ 880 NW 1 hr \$ 2380
 NW 13 hrs VISA Frac \$ 22 + 39
 130 + 1 BW 1 hr SD 14 hrs \$ 15880
 NW 10 hrs CO 32 54 TD 58/3207-17
 67/3193-3205 68/3173-85 \$ 112
 30 + 7 1/2 BW 4 hrs P 6080 +
 4 BW 24 hrs + 519 MAY 7 '58 ?
 11780 + 1 BW \$ 9 hrs
 Cid draw deep 399 BOPD

allowable 1580 pd