

KANSAS

Pawnee


Form 51-5M-7-39-Palace


Section 13 Township 20 Range 16-W

Well No. #2 Belt

Company British American

NORTH Pawnee Rock Pool





	REPORT
1940	
4/24	Derrick.
5/2	Surface hole.
5/9	9" - 677' Drlg. 2128'
5/16	Drlg. 3239'
5/23	Lans. 3512' Arb. 3783'
	Core 3783-3829' 22' recovery,
	porosity & stain. Run 5".
5/29	5" - 3827½' T.D. 3832'
	Flow estimated 5 bbls. per hour
	1½ M cu. ft. gas.
6/6	" " "
6/12	Arb. 3783'
	5" - 3827½'
	T.D. 3832'
	Pump 87 bbls.
	COMPLETED

Map No. 81 Sec. 13 Twp. 20 R. 16WWell No. 2 Belt

British American

Company

Contractor

FIRST REPORT

C W L SE NW

Ft. from N. Line

660 Ft. from S. Line990 Ft. from E. Line

Ft. from W. Line

PAWNEE ROCK POOL

SECTION PLAT

	0		

Location _____

Rig up _____

Drilling and Remarks:

Derrick

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

APR 24 1940

19

S. J. LEWIS

Scout

Map No. 81 Sec. 13 Twp. 20 R. 16WWell No. 2 BeltBritish American CompanyContractor

COMPLETED

C W L SE NW

SECTION PLAT

	o		

 Ft. from N. Line660 Ft. from S. Line990 Ft. from E. Line Ft. from W. Line

PAWNEE ROCK POOL

Location Rig up

Drilling and Remarks:

*Cr 83783**5" @ 3827 1/2**Pump 8788 1/2*

RECORD

Cased in., ft.Sand Gas Oil Total Depth 3832

PRODUCTION

1st 24 hrs. Nat. 1st 24 hrs. after shot Gas Cu. Ft.Dry Hole Abandoned

Date

JUN 12 1940 19

S. J. LEWIS Scout