

STATE Kansas		COMPANY D.R. Lauck													
COUNTY Kingman		FARM Lawson	WELL NO. 1												
BLOCK		SURVEY Nw Sw Nw													
SEC. 4															
T. 27s	R. 9w	TOTAL DEPTH													
<table border="1"> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </table>														CONTRACTOR Rig #1	
COMMENCED 6-1-68															
COMPLETED 6-10-68															
REMARKS															
ALTITUDE 1710															
PRODUCTION															

RECEIVED

OV 16 2005

C WICHITA

CASING RECORD

8 1/2" 234
5 1/2" 4206

SHOT

QUARTS

BETWEEN

TIME RATE SCALE: 1/10" =


MINUTES


NEE/STEEL 450

ROSS-MARTIN CO.
TULSA, OKLAHOMA

PRINTED IN U.S.A.

TIME RATE-1/10" SQUARES





4

part with some cherty ls.

with thin ls. & ls. ls.

with buff ls. & ls. ls.
part with some cherty ls.

with cherty ls. & ls. ls.

6

The grey ch.
with ls.
grey ch.

with thin ls. & ls. ls.
cherty ls.

8

with thin ls. & ls. ls.

3500

grey ch. & grey ch.

with lt. thin ls. & ls. ls.

2

grey ch. & ls. ls.

lt. thin ls. & ls. ls.

grey ch. & ls. ls.

with buff cherty ls. &
buff part thin ls. ls.

4

The grey ch. & ls.

buff thin ls. & ls. ls.
comp. part ls.

6

buff thin ls. & ls. ls.
comp. part ls. part buff
ls. thin ls. & ls. ls. quite
new & d. with cherty ls.

thin ls. & ls. ls.

Staining
#6

8

buff thin ls. & ls. ls.
dark thin ls. ls.

Dark thin ls. ls.

3600

The grey ch. & ls. ls.
Dark thin ls. ls.
The grey ch. & ls. ls.

buff thin ls. & ls. ls. &
dark thin ls. ls.

grey ch. & ls. ls.

2


with buff ls. & ls. ls.
comp. cherty ls.


The grey ch. & ls.


with some cherty ls. &
buff ls. & ls. ls.

4

The grey ch. & ls.
Dark thin ls. ls.







not in country abundant Mica.

8

400

2

4

4107
1710
2437

6

8

4200
Viola

4304 5' 1/2
2434 5' 1/2
5' 1/2

Thin bedded sh. with 1/2 in. of mica
Drebr. Ben. Lc
good int. Mica

2

4

Douglas D.T. (M) 3270-3300. Open 1 hr.
Strong dip to west. Core
2655 mtr. 1518 1647 1730
Drill pipe stuck at 518
50 431-1846

Miss D.T. (M) 3000-50. Open 90 m.
Strong dip to west. Core
1510 3354 3418 3456
Both climbing steeply
50 432-1846

6

Miss D.T. (M) 3000-50. Open 90 m.
Strong dip to west. Core
1510 3354 3418 3456
Both climbing steeply
50 432-1846

Viola D.T. (M) 3000-50. Open 90 m.
Strong dip to west. Core
1510 3354 3418 3456
Both climbing steeply
50 432-1846

8

675.85 min T. 57M.

Roc 365' clean gas oil

215' heavy black oil

Roc 1169. 451P 1169

ESIP 1169E.

SP 30-1234 + MS-2234

4300