

SUPERIOR TESTERS

368 West Second Hoisington, Kansas

COMPANY Thunderbird Drilling STATE Kansas COUNTY Ellis
 LEASE & WELL NO. Kraus # 2 ELEVATION 2214 KB. DATE 1/9/81 FORMATION TESTED Kansas City
 SEC 20 TWP 14 RANGE 19 INTERVAL TESTED 3522 TO 3552 TOTAL DEPTH 3552
 TEST NO. # 1 O.K. yes TOP PACKER DEPTH 3517 FT. BOTTOM PACKER DEPTH 3522 FT. PACKER SIZE 6 3/4
 STRADDLE no CONV. yes TOOL SIZE 5 1/2 OD. TOOL JOINT SIZE 4 1/2 FH. ANCHOR LENGTH 30 FT.
 HOLE SIZE 7 & 7/8 EXTRA EQUIPMENT none SURFACE CHOKE SIZE 1/2 IN. BOTTOM CHOKE SIZE 1/2 IN.
 REVERSED OUT no VISCOSITY 37 WEIGHT 9.8 DUAL PACKERS yes DID PACKER HOLD yes DID TOOL PLUG no

DRILLING CONTRACTOR T-Bird # 2
 TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH DRILL PIPE 2900 FT. I.D. DRILL PIPE 3.8 IN.
 TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH WEIGHT PIPE 600 FT. I.D. WEIGHT PIPE 3.5 IN.
 TOOL JOINT SIZE ----- IN. LENGTH DRILL COLLARS ----- FT. I.D. DRILL COLLARS ----- IN.
 TOOL OPEN I.F.P. FROM 6:10 p. m to 6:40 p. m Hr. 30 min From (B) 73 P.S.I. to (C) 100 P.S.I.
 TOOL CLOSED I.C.I.P. FROM 6:40 p. m to 7:25 p. m Hr. 45 min (D) 1000 P.S.I.
 TOOL OPEN F.F.P. FROM 7:25 p. m to 8:10 p. m Hr. 45 min From (E) 155 P.S.I. to (F) 201 P.S.I.
 TOOL CLOSED F.C.I.P. FROM 8:10 p. m to 9:10 p. m Hr. 60 min (G) 981 P.S.I.
 INITIAL HYDROSTATIC PRESSURE (A) 1885 P.S.I. FINAL HYDROSTATIC PRESSURE (H) 1848 MAXIMUM TEMPERATURE 108 °F

BLOW Fair blow 1st opening.
Very weak blow 2nd opening.

RECOVERY - TOTAL FEET 315 ft.
 RECOVERED 315 FEET OF Muddy water.
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____
 RECOVERED _____ FEET OF _____

REMARKS None.


TICKET NO. 5253


WITNESSED BY: Richard Roby TOOL OPERATOR: Kevin Riegel

3253
DET 1
3463
Thunderbird Drilling
3522-3552 K.C.

Kraus # 2

1/9/81





This is an actual photograph of recorder chart.

POINT	PRESSURE		
	FIELD READING	OFFICE READING	
(A) Initial Hydrostatic Mud	1885	1842	P.S.I.
(B) First Initial Flow Pressure	73	73	P.S.I.
(C) First Final Flow Pressure	100	100	P.S.I.
(D) Initial Closed-in Pressure	1000	1009	P.S.I.
(E) Second Initial Flow Pressure	155	155	P.S.I.
(F) Second Final Flow Pressure	201	201	P.S.I.
(G) Final Closed-in Pressure	981	981	P.S.I.
(H) Final Hydrostatic Mud	1848	1825	P.S.I.

SUPERIOR TESTERS

368 West Second Hoisington, Kansas

COMPANY Thunderbird Drilling STATE Kansas COUNTY Ellis

LEASE & WELL NO Kraus #2 ELEVATION 2214 KB. DATE 1/10/81 FORMATION TESTED Kansas City

SEC 20 TWP 14 RANGE 19 INTERVAL TESTED 3556 TO 3580 TOTAL DEPTH 3580

TEST NO. # 2 O.K. yes TOP PACKER DEPTH 3551 FT. BOTTOM PACKER DEPTH 3556 FT. PACKER SIZE 6 3/4

STRADDLE no CONV. yes TOOL SIZE 5 1/2 OD. TOOL JOINT SIZE 4 1/2 FH. ANCHOR LENGTH 24 FT.

HOLE SIZE 7 & 7/8 EXTRA EQUIPMENT none SURFACE CHOKE SIZE 1/2 IN. BOTTOM CHOKE SIZE 1/2 IN.

REVERSED OUT no VICOSITY 48 WEIGHT 9.8 DUAL PACKERS yes DID PACKER HOLD yes DID TOOL PLUG no

DRILLING CONTRACTOR T-Bird # 2

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH DRILL PIPE 2935 FT. I.D. DRILL PIPE 3.8 IN.

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH WEIGHT PIPE 600 FT. I.D. WEIGHT PIPE 3.5 IN.

TOOL JOINT SIZE ----- IN. LENGTH DRILL COLLARS ----- FT. I.D. DRILL COLLARS ----- IN.

TOOL OPEN I.F.P. FROM 9:15 a. m to 9:45 a. m Hr. 30 min From (B) 91 P.S.I. to (C) 100 P.S.I.

TOOL CLOSED I.C.I.P. FROM 9:45 a. m to 10:15 a. m Hr. 30 min (D) 1119 P.S.I.

TOOL OPEN F.F.P. FROM 10:15 a. m to 10:45 a. m Hr. 30 min From (E) 100 P.S.I. to (F) 100 P.S.I.

TOOL CLOSED F.C.I.P. FROM 10:45 a. m to 11:15 a. m Hr. 30 min (G) 1101 P.S.I.

INITIAL HYDROSTATIC PRESSURE (A) 1968 P.S.I. FINAL HYDROSTATIC PRESSURE (H) 1931 MAXIMUM TEMPERATURE 118 118 °F

BLOW Very weak blow did in 10 minutes 1st opening.

No blow 2nd opening.

RECOVERY - TOTAL FEET 30 ft.

RECOVERED 30 FEET OF Mud.

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

REMARKS None.

TICKET NO. 5254


WITNESSED BY: Richard Roby TOOL OPERATOR Kevin Riegel


5234

DT#
2

3463

Thunderbird Drilling
3556-3580 K.C.
Kraus # 2
1/10/81





This is an actual photograph of recorder chart.

POINT	PRESSURE		
	FIELD READING	OFFICE READING	
(A) Initial Hydrostatic Mud	<u>1968</u>	<u>1903</u>	P.S.I.
(B) First Initial Flow Pressure	<u>91</u>	<u>91</u>	P.S.I.
(C) First Final Flow Pressure	<u>100</u>	<u>100</u>	P.S.I.
(D) Initial Closed-in Pressure	<u>1119</u>	<u>1110</u>	P.S.I.
(E) Second Initial Flow Pressure	<u>100</u>	<u>100</u>	P.S.I.
(F) Second Final Flow Pressure	<u>100</u>	<u>100</u>	P.S.I.
(G) Final Closed-in Pressure	<u>1101</u>	<u>1082</u>	P.S.I.
(H) Final Hydrostatic Mud	<u>1931</u>	<u>1866</u>	P.S.I.

SUPERIOR TESTERS

368 West Second Hoisington, Kansas

COMPANY Thunderbird Drilling STATE Kansas COUNTY Ellis

LEASE & WELL NO. Kraus # 2 ELEVATION 2214 KB. DATE 1/11/81 FORMATION TESTED Kansas City

SEC 14 TWP 19 RANGE 3628 INTERVAL TESTED 3660 TO 3660 TOTAL DEPTH 3660

TEST NO. # 3 O.K. yes TOP PACKER DEPTH 3623 FT. BOTTOM PACKER DEPTH 3628 FT. PACKER SIZE 6 3/4

STRADDLE no CONV. yes TOOL SIZE 5 1/2 OD. TOOL JOINT SIZE 4 1/2 FH. ANCHOR LENGTH 32 FT.

HOLE SIZE 7 & 7/8 EXTRA-EQUIPMENT none SURFACE CHOKE SIZE 1/2 IN. BOTTOM CHOKE SIZE 1/2 IN.

REVERSED OUT no VISCOSITY 38 WEIGHT 9.8 DUAL PACKERS yes DID PACKER HOLD yes DID TOOL PLUG no

DRILLING CONTRACTOR T-Bird # 2

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH DRILL PIPE 3007 FT. I.D. DRILL PIPE 3.8 IN.

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH WEIGHT PIPE 600 FT. I.D. WEIGHT PIPE 3.5 IN.

TOOL JOINT SIZE ----- IN. LENGTH DRILL COLLARS ----- FT. I.D. DRILL COLLARS ----- IN.

TOOL OPEN I.F.P. FROM 3:15 a. m to 3:45 a. m Hr. 30 min From (B) 64 P.S.I. to (C) 82 P.S.I.

TOOL CLOSED I.C.I.P. FROM 3:45 a. m to 4:15 a. m Hr. 30 min (D) 1101 P.S.I.

TOOL OPEN F.F.P. FROM 4:15 a. m to 5:15 a. m Hr. 60 min From (E) 100 P.S.I. to (F) 128 P.S.I.

TOOL CLOSED F.C.I.P. FROM 5:15 a. m to 6:15 a. m Hr. 60 min (G) 1193 P.S.I.

INITIAL HYDROSTATIC PRESSURE (A) 1996 P.S.I. FINAL HYDROSTATIC PRESSURE (H) 18 1959 MAXIMUM TEMPERATURE 110 °F

BLOW Very weak blow died in 12 minutes 1st opening.

Very weak blow 2nd opening.

RECOVERY - TOTAL FEET 90 ft.

RECOVERED 15 FEET OF Heavy Oil cut mud.

RECOVERED 15 FEET OF Slightly Oil cut mud.

RECOVERED 60 FEET OF Muddy water.

RECOVERED 30 FEET OF Gas in the pipe.

RECOVERED ----- FEET OF -----

RECOVERED ----- FEET OF -----

RECOVERED ----- FEET OF -----

RECOVERED ----- FEET OF -----

RECOVERED ----- FEET OF -----

RECOVERED ----- FEET OF -----

RECOVERED ----- FEET OF -----

RECOVERED ----- FEET OF -----

REMARKS None.

WITNESSED BY: Richard Roby TICKET NO. 5255

TOOL OPERATOR: Kevin Riegel

5254

DST #3


5463


Thunderbird Drilling

3628-3660 Kansas City

Kraus # 2

1/11/81





This is an actual photograph of recorder chart.

POINT	PRESSURE		
	FIELD READING	OFFICE READING	
(A) Initial Hydrostatic Mud	1996	1940	P.S.I.
(B) First Initial Flow Pressure	64	73	P.S.I.
(C) First Final Flow Pressure	82	82	P.S.I.
(D) Initial Closed-in Pressure	1101	1101	P.S.I.
(E) Second Initial Flow Pressure	100	100	P.S.I.
(F) Second Final Flow Pressure	128	128	P.S.I.
(G) Final Closed-in Pressure	1193	1193	P.S.I.
(H) Final Hydrostatic Mud	1959	1922	P.S.I.

SUPERIOR TESTERS

368 West Secon Hoisington, Kansas

COMPANY Thunderbird Drilling STATE Kansas COUNTY Ellis

LEASE & WELL NO. Kraus #2 ELEVATION 2214 KB. DATE 1/11/81 FORMATION TESTED Kansas City

SEC 20 TWP 14 RANGE 19 INTERVAL TESTED 3663 TO 3685 TOTAL DEPTH 3685

TEST NO. # 4 O.K. yes TOP PACKER DEPTH 3659 FT. BOTTOM PACKER DEPTH 3663 FT. PACKER SIZE 6 3/4

STRADDLE no CONV. yes TOOL SIZE 5 1/2 OD. TOOL JOINT SIZE 4 1/2 FH. ANCHOR LENGTH 21 FT.

HOLE SIZE 7 & 7/8 EXTRA EQUIPMENT none SURFACE CHOKE SIZE 1/2 IN. BOTTOM CHOKE SIZE 1/2 IN.

REVERSED OUT no VICOSITY 44 WEIGHT 9.8 DUAL PACKERS yes DID PACKER HOLD yes DID TOOL PLUG no

DRILLING CONTRACTOR T-Bird # 2

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH DRILL PIPE 3042 FT. I.D. DRILL PIPE 3.8 IN.

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH WEIGHT PIPE 600 FT. I.D. WEIGHT PIPE 3.5 IN.

TOOL JOINT SIZE ----- IN. LENGTH DRILL COLLARS ----- FT. I.D. DRILL COLLARS ----- IN.

TOOL OPEN I.F.P. FROM 6:00 p. m to 6:30 p. m Hr. 30 min From (B) 91 P.S.I. to (C) 228 P.S.I.

TOOL CLOSED I.C.I.P. FROM 6:30 p. m to 7:15 p. m Hr. 45 min (D) 1238 P.S.I.

TOOL OPEN F.F.P. FROM 7:15 p. m to 8:15 p. m Hr. 60 min From (E) 320 P.S.I. to (F) 448 P.S.I.

TOOL CLOSED F.C.I.P. FROM 8:15 p. m to 9:15 p. m Hr. 60 min (G) 1220 P.S.I.

INITIAL HYDROSTATIC PRESSURE (A) 1987 P.S.I. FINAL HYDROSTATIC PRESSURE (H) 1950 MAXIMUM TEMPERATURE 118 °F

BLOW Good to strong blow 1st opening.

Strong blow 2nd opening.

RECOVERY - TOTAL FEET 920 ft.

RECOVERED 920 FEET OF Slightly gassy salt water.

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

REMARKS None.

TICKET NO. 5256

WITNESSED BY: Richard Roby


TOOL OPERATOR: Kevin Riegel


5250

DS# 4

5463

Thunderbird Drilling
3663-3685 Kansas City
Kraus # 2
1/11/81





This is an actual photograph of recorder chart.

POINT	PRESSURE		
	FIELD READING	OFFICE READING	
(A) Initial Hydrostatic Mud	<u>1987</u>	<u>1977</u>	P.S.I.
(B) First Initial Flow Pressure	<u>91</u>	<u>91</u>	P.S.I.
(C) First Final Flow Pressure	<u>228</u>	<u>228</u>	P.S.I.
(D) Initial Closed-in Pressure	<u>1238</u>	<u>1238</u>	P.S.I.
(E) Second Initial Flow Pressure	<u>320</u>	<u>320</u>	P.S.I.
(F) Second Final Flow Pressure	<u>448</u>	<u>457</u>	P.S.I.
(G) Final Closed-in Pressure	<u>1220</u>	<u>1229</u>	P.S.I.
(H) Final Hydrostatic Mud	<u>1950</u>	<u>1950</u>	P.S.I.

SUPERIOR TESTERS

368 West Second Hoisington, Kansas

COMPANY Thunderbird Drilling STATE Kansas COUNTY Ellis
 LEASE & WELL NO. Kraus # 2 ELEVATION 2214 KB. DATE 1/12/81 FORMATION TESTED Kansas City
 SEC 20 TWP 14 RANGE 19 INTERVAL TESTED 3685 TO 3710 TOTAL DEPTH 3710
 TEST NO. # 5 O.K. yes TOP PACKER DEPTH 3680 FT. BOTTOM PACKER DEPTH 3685 FT. PACKER SIZE 6 3/4
 STRADDLE no CONV yes TOOL SIZE 5 1/2 OD. TOOL JOINT SIZE 4 1/2 FH. ANCHOR LENGTH 25 FT.
 HOLE SIZE 7 & 7/8 EXTRA EQUIPMENT none SURFACE CHOKE SIZE 1/2 IN. BOTTOM CHOKE SIZE 1/2 IN.
 REVERSED OUT no VICOSITY 42 WEIGHT 9.8 DUAL PACKERS yes DID PACKER HOLD yes DID TOOL PLUG no
 DRILLING CONTRACTOR T-Bird # 2
 TOOL JOINT SIZE 4 1/2 KH. IN. LENGTH DRILL PIPE 3064 FT. I.D. DRILL PIPE 3.8 IN.
 TOOL JOINT SIZE 4 1/2 KH. IN. LENGTH WEIGHT PIPE 600 FT. I.D. WEIGHT PIPE 3.5 IN.
 TOOL JOINT SIZE ----- IN. LENGTH DRILL COLLARS ----- FT. I.D. DRILL COLLARS ----- IN.
 TOOL OPEN I.F.P. FROM 12:35 p. m to 1:05 p. m Hr. 30 min From (B) 64 P.S.I. to (C) 64 P.S.I.
 TOOL CLOSED I.C.I.P. FROM 1:05 p. m to 1:50 p. m Hr. 45 min (D) 119 P.S.I.
 TOOL OPEN F.F.P. FROM 1:50 p. m to 2:20 p. m Hr. 30 min From (E) 73 P.S.I. to (F) 73 P.S.I.
 TOOL CLOSED F.C.I.P. FROM 2:20 p. m to 3:05 p. m Hr. 45 min (G) 91 P.S.I.
 INITIAL HYDROSTATIC PRESSURE (A) 1968 P.S.I. FINAL HYDROSTATIC PRESSURE (H) 1931 MAXIMUM TEMPERATURE 112 °F

BLOW Weak blow 1st opening.

BBOW died in 14 minutes 2nd opening.

RECOVERY - TOTAL FEET 30 ft.

RECOVERED 30 FEET OF Oil cut mud.

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

RECOVERED FEET OF

REMARKS None.

TICKET NO. 5257

WITNESSED BY: Richard Roby


TOOL OPERATOR: Kevin Riegel


3257

OST # 5

5463

Thunderbird Drilling
3685-3710 Kansas City
Kraus # 2
1/12/81





This is an actual photograph of recorder chart.

POINT	PRESSURE		
	FIELD READING	OFFICE READING	
(A) Initial Hydrostatic Mud	1968	1950	P.S.I.
(B) First Initial Flow Pressure	64	64	P.S.I.
(C) First Final Flow Pressure	64	64	P.S.I.
(D) Initial Closed-in Pressure	119	119	P.S.I.
(E) Second Initial Flow Pressure	73	73	P.S.I.
(F) Second Final Flow Pressure	73	73	P.S.I.
(G) Final Closed-in Pressure	91	82	P.S.I.
(H) Final Hydrostatic Mud	1931	1912	P.S.I.

SUPERIOR TESTERS

368 West Secon Hoisington, Kansas

COMPANY Thunderbird Drilling STATE Kansas COUNTY Ellis

LEASE & WELL NO. Kraus # 2 ELEVATION 2214 KB. DATE 1/13/81 FORMATION TESTED A Cong. Sand

SEC 20 TWP 14 RANGE 19 INTERVAL TESTED 3810 TO 3846 TOTAL DEPTH 3846

TEST NO. # 6 O.K. yes TOP PACKER DEPTH 3805 FT. BOTTOM PACKER DEPTH 3810 FT. PACKER SIZE 6 3/4

STRADDLE no CONV. yes TOOL SIZE 5 1/2 OD. TOOL JOINT SIZE 4 1/2 FH. ANCHOR LENGTH 36 FT.

HOLE SIZE 7 & 7/8 EXTRA EQUIPMENT none SURFACE CHOKE SIZE 1/2 IN. BOTTOM CHOKE SIZE 1/2 IN.

REVERSED OUT no VISCOSITY 47 WEIGHT 9.9 DUAL PACKERS yes DID PACKER HOLD yes DID TOOL PLUG no

DRILLING CONTRACTOR T-Bird # 2

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH DRILL PIPE 3189 FT. I.D. DRILL PIPE 3.80 IN.

TOOL JOINT SIZE 4 1/2 XH. IN. LENGTH WEIGHT PIPE 600 FT. I.D. WEIGHT PIPE 3.50 IN.

TOOL JOINT SIZE ----- IN. LENGTH DRILL COLLARS ----- FT. I.D. DRILL COLLARS ----- IN.

TOOL OPEN I.F.P. FROM 11:15 a. m to 11:45 a. m Hr. 30 min From (B) 73 P.S.I. to (C) 73 P.S.I.

TOOL CLOSED I.C.I.P. FROM 11:45 a. m to 12:30 a. Hr. 45 min (D) 375 P.S.I.

TOOL OPEN F.F.P. FROM 12:30 a. m to 1:00 a. m Hr. 30 min From (E) 73 P.S.I. to (F) 73 P.S.I.

TOOL CLOSED F.C.I.P. FROM 1:00 a. m to 1:45 a. m Hr. 45 min (G) 238 P.S.I.

INITIAL HYDROSTATIC PRESSURE (A) 2070 P.S.I. FINAL HYDROSTATIC PRESSURE (H) 2033 MAXIMUM TEMPERATURE 112 °F

BLOW Weak blow died in 12 minutes 1st opening.

No blow 2nd opening.

RECOVERY - TOTAL FEET 15 ft.

RECOVERED 15 FEET OF Mud.

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

RECOVERED _____ FEET OF _____

REMARKS None.

TICKET NO. 5258

WITNESSED BY: Richard Roby TOOL OPERATOR: Kevin Riegel


5258


LSTH

6

5463

Thunderbird Drilling
3810-3846 Cong. Sand
Kraus # 2
1/13/81





This is an actual photograph of recorder chart.

POINT	PRESSURE		
	FIELD READING	OFFICE READING	
(A) Initial Hydrostatic Mud	<u>2070</u>	<u>2042</u>	P.S.I.
(B) First Initial Flow Pressure	<u>73</u>	<u>73</u>	P.S.I.
(C) First Final Flow Pressure	<u>73</u>	<u>73</u>	P.S.I.
(D) Initial Closed-in Pressure	<u>375</u>	<u>375</u>	P.S.I.
(E) Second Initial Flow Pressure	<u>73</u>	<u>73</u>	P.S.I.
(F) Second Final Flow Pressure	<u>73</u>	<u>73</u>	P.S.I.
(G) Final Closed-in Pressure	<u>238</u>	<u>238</u>	P.S.I.
(H) Final Hydrostatic Mud	<u>2033</u>	<u>2033</u>	P.S.I.