


FORMATION

TEST

REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

Company
GENERAL ENERGY DEVELOPERS CORPORATION
Lease and Well No. #1 WALLACE
Sec. 14 Twp. 21S Rge. 01
Test No. 1 Date 11/1/57

WESTERN TESTING COMPANY INC.
SUBSURFACE PRESSURE SURVEY

DATE: 9/7/84
CUSTOMER: GENERAL ENERGY DEVELOPERS CORP
WELL: 1 TEST: 1
ELEVATION (KB): 1346 FORMATION: MISSISSIPPI
SECTION: 14 TOWNSHIP: 27S
RANGE: 6E COUNTY: BUTLER STATE: KANSAS
GAUGE SN #5666 RANGE: 3950 CLOCK: 12

INTERVAL TEST FROM: 2686 FT TO: 2698 FT TOTAL DEPTH: 2698 FT
DEPTH OF SELECTIVE ZONE: FT
PACKER DEPTH: 2681 FT SIZE: 6 3/4 IN PACKER DEPTH: 2686 FT SIZE: 6 3/4 IN
PACKER DEPTH: FT SIZE: IN PACKER DEPTH: FT SIZE: IN

DRILLING CONTRACTOR: BRANDT
MUD TYPE: CHEMICAL VISCOSITY: 60
WEIGHT: 9.8 WATER LOSS (CC): 8.8
CHLORIDES (P.P.M.): 1200
JARS - MAKE: SERIAL NUMBER:
DID WELL FLOW? NO REVERSED OUT? NO
DRILL COLLAR LENGTH: 90 FT I.D.: 2.25 IN
WEIGHT PIPE LENGTH: FT I.D.: IN
DRILL PIPE LENGTH: 2576 FT I.D.: 2.7 IN
TEST TOOL LENGTH: 20 FT TOOL SIZE: 5 1/2 OD IN
ANCHOR LENGTH: 12 FT SIZE: 5 1/2 OD IN
SURFACE CHOKE SIZE: 3/4 IN BOTTOM CHOKE SIZE: 3/4 IN
MAIN HOLE SIZE: 7 7/8 IN TOOL JOINT SIZE: 3 1/2 IF IN

BLOW: WEAK THROUGHOUT.

RECOVERED: 1 FT OF: FREE OIL; 36 SPEC. GRAVITY
RECOVERED: 60 FT OF: SLIGHT OIL CUT MUDDY WATER
RECOVERED: FT OF: CHLORIDES 53000 PPM
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:

REMARKS:


TIME SET PACKER(S): 7:00 A.M. TIME STARTED OFF BOTTOM: 10:00 A.M.
WELL TEMPERATURE: 106 °F
INITIAL HYDROSTATIC PRESSURE: (A) 1406 PSI
INITIAL FLOW PERIOD MIN: 30 (B) 36 PSI TO (C) 39 PSI
INITIAL CLOSED IN PERIOD MIN: 30 (D) 783 PSI
FINAL FLOW PERIOD MIN: 60 (E) 51 PSI TO (F) 56 PSI
FINAL CLOSED IN PERIOD MIN: 60 (G) 778 PSI
FINAL HYDROSTATIC PRESSURE (H) 1370 PSI

1961

5-1-5

TKT # 4061

I



TKT# 4061

0

