

BEE FORMATION TESTING CO., INC.

TEST TICKET

DATE OCT 5-1954

P. O. BOX 491

Nº

522

GREAT BEND, KANSAS

CUSTOMER'S
ORDER NO.

NAME OF COMPANY

Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE

714 - 1st Natl. Bldg, Tulsa

ADDRESS TO MAIL PRESSURE CHARTS

same

LEASE

Bissell's PointWELL NO. 1

COUNTY

Barton

STATE

Kansas

TESTER

J. A. Heathcock

APPROVED

Charles W. SteincampDRILL STEM TEST NO. 1SUCCESSFUL NO. 1

MIS-RUN NO.

(Torkio)

SIZE HOLE

7 7/8

TOOL JT.

4 1/2 f.h.

RUBBER SIZE

5 3/4 x 30 - 2 5/8

TEST TOOL SIZE

7 5/8

PACKER SET AT

22 1/2

ANCHOR SIZE

7 1/2

TOTAL DEPTH WELL

23 1/3

LENGTH ANCHOR

7 1/2

PRESSURE RECORDER CAP.

3500 x 3500

DRILL PIPE RUN: DRY

All

WITH FLUID

RESULTS:

PACKER SET

6:45

M. TOOL OPEN

6:52

M. TOOL OPEN

20 min

HRS.

BLOW

Very weak 3 min

RECOVERY

5' mud

SHUT IN PRESSURE TIME

15 min

MUD WT.

10.4 #

VIS.

39WATER
LOSS14

BHP

250

IFP

0

FFP

0

HYDROSTATIC HEAD

1450

EXTRA EQUIPMENT

None Run

JARS

NO.


SIZE


OPERATOR TIME

TOOL RENTAL TIME

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

DATE 10-8-54.

Nº

601

CUSTOMER'S
ORDER NO.

NAME OF COMPANY

ADDRESS TO MAIL INVOICE

ADDRESS TO MAIL PRESSURE CHARTS

LEASE

WELL NO.

COUNTY

STATE

TESTER

APPROVED

DRILL STEM TEST NO.

SUCCESSFUL NO.

MIS-RUN NO.

SIZE HOLE

TOOL JT.

RUBBER SIZE

TEST TOOL SIZE

PACKER SET AT

ANCHOR SIZE

TOTAL DEPTH WELL

LENGTH ANCHOR

PRESSURE RECORDER CAP.

DRILL PIPE RUN: DRY

WITH FLUID

RESULTS:

PACKER SET

P. M. TOOL OPEN

P. M. TOOL OPEN

HRS.

BLOW

RECOVERY

SHUT IN PRESSURE TIME

MUD WT.

VIS. 40. sec.

WATER
LOSS

BHP

IFP

FFP

HYDROSTATIC HEAD

EXTRA EQUIPMENT

JARS

NO.


SIZE


OPERATOR TIME

TOOL RENTAL TIME

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

TEST TICKET

DATE Oct. 9. 1954.

P. O. BOX 491

Nº

602

GREAT BEND, KANSAS

CUSTOMER'S
ORDER NO.

NAME OF COMPANY

Schermerhorn

ADDRESS TO MAIL INVOICE

First National Building, Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS

Same.

LEASE

Bissell's Point.

WELL NO.

1

COUNTY

Butler

STATE

Kansas

TESTER

J. D. Heacock

APPROVED

Charles W. Steincamp

DRILL STEM TEST NO.

3

SUCCESSFUL NO.

3

MIS-RUN NO.

(Kc)

SIZE HOLE

7 7/8

TOOL JT.

4 1/2 F.H.

RUBBER SIZE

6 3/4 X 30 X 2 5/8

TEST TOOL SIZE

4 5/8

PACKER SET AT

3261

ANCHOR SIZE

4 1/2

TOTAL DEPTH WELL

3285

LENGTH ANCHOR

24

PRESSURE RECORDER CAP.

3500 + 3500

DRILL PIPE RUN: DRY

#11

WITH FLUID

RESULTS:

PACKER SET

11:50

M. TOOL OPEN

11:53

M. TOOL OPEN

1

HRS.

BLOW

Strong Through out Test.

RECOVERY

2261' Gas: 185' Fluid 60' NOCM60' Frothy oil 60' Free oil

SHUT IN PRESSURE TIME

2.0 min

MUD WT.

10.4 #

VIS.

39. sec.WATER
LOSS14 cc.

BHP

925

IFP

0

FFP

0

HYDROSTATIC HEAD

1850

EXTRA EQUIPMENT

None Run

JARS

NO.

SIZE

OPERATOR TIME


8


TOOL RENTAL TIME

6

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

DATE Oct 11, 1954

#210

Nº

603


CUSTOMER'S
ORDER NO. _____NAME OF COMPANY Schermerhorn Oil Corp.ADDRESS TO MAIL INVOICE First National Building, Tulsa Okla.ADDRESS TO MAIL PRESSURE CHARTS SameLEASE Rissell's Point WELL NO. 1 COUNTY Barton STATE KansasTESTER J. D. Shearlock APPROVED Charles W. SteincampDRILL STEM TEST NO. 6 SUCCESSFUL NO. 6 MIS-RUN NO. (K.C.)SIZE HOLE 7 7/8 TOOL JT. 4 1/2 F.B.RUBBER SIZE 6 3/4 x 30 x 2 5/8 TEST TOOL SIZE 4 5/8PACKER SET AT 3390 ANCHOR SIZE 4 1/2TOTAL DEPTH WELL 3411 LENGTH ANCHOR 21PRESSURE RECORDER CAP. 3500 + 3500 DRILL PIPE RUN: DRY Full WITH FLUID


RESULTS:

PACKER SET 9:10 H. M. TOOL OPEN 9:15 H. M. TOOL OPEN 1/2 HRS.BLOW Very weak 3 min.RECOVERY 12' MudSHUT IN PRESSURE TIME 15 min. MUD WT. 10.4 VIS. 45 WATER LOSS 12.8BHP 0 IFP 0 FFP 0 HYDROSTATIC HEAD 1950EXTRA EQUIPMENT None Run JARS — NO. — SIZE —OPERATOR TIME 5 Hrs. TOOL RENTAL TIME 4 hrs.

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

Nº

604


DATE Oct 12 - 1954.CUSTOMER'S
ORDER NO. _____NAME OF COMPANY Schermerhorn Oil Corp.ADDRESS TO MAIL INVOICE First National Building, Tulsa OK 13-ADDRESS TO MAIL PRESSURE CHARTS SameLEASE Bissell's PointWELL NO. 1COUNTY BartonSTATE KansasTESTER J. H. HancockAPPROVED Ola WilliamsDRILL STEM TEST NO. 7 SUCCESSFUL NO. 7MIS-RUN NO. (Hrb.)SIZE HOLE 7 7/8TOOL JT. 4 1/2 F.h.RUBBER SIZE 634 x 30 x 2 5/8TEST TOOL SIZE 7 5/8PACKER SET AT 3476ANCHOR SIZE 4 1/2TOTAL DEPTH WELL 3480LENGTH ANCHOR 4PRESSURE RECORDER CAP. 3500 + 3500DRILL PIPE RUN: DRY #11 WITH FLUID


RESULTS:

PACKER SET 10:30 M. TOOL OPEN 10:35 M. TOOL OPEN 1/2 HRS.BLOW Weak 3 min.RECOVERY 10' Mod-SHUT IN PRESSURE TIME 20 min. MUD WT. 10.3 # VIS. 53 sec. WATER LOSS 12.4 cc.BHP 0 IFP 0 FFP 0 HYDROSTATIC HEAD 1950EXTRA EQUIPMENT Packer - Safety sub. JARS Bowen NO. 85 SIZE 3 1/2"OPERATOR TIME 8 TOOL RENTAL TIME 6

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

DATE Oct. 12 1954CUSTOMER'S
ORDER NO. _____

Nº

605

NAME OF COMPANY

Schermethorn Oil Corp.

ADDRESS TO MAIL INVOICE

First National Building, Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS

Same.

LEASE

Bissells Point

WELL NO.

1

COUNTY

Barber

STATE

Kansas

TESTER

J. H. Heston

APPROVED

Ola Williams

DRILL STEM TEST NO.

8

SUCCESSFUL NO.

8

MIS-RUN NO.

(000)

SIZE HOLE

7 7/8

TOOL JT.

4 1/2 F.H.

RUBBER SIZE

6 3/4 x 30 x 2 5/8

TEST TOOL SIZE

4 5/8

PACKER SET AT

3978

ANCHOR SIZE

4 1/2

TOTAL DEPTH WELL

3985

LENGTH ANCHOR

7'

PRESSURE RECORDER CAP.

3500 & 3500

DRILL PIPE RUN: DRY

ALL

WITH FLUID

RESULTS:

PACKER SET

6:05 P.M.

TOOL OPEN

6:12

P. M. TOOL OPEN

1/2

HRS.

BLOW

weak 10 min Blow.

RECOVERY

5' Rotary Mud.

SHUT IN PRESSURE TIME

15 min.

MUD WT.

10.5 #

VIS.

55WATER
SEC LOSS10 cc

BHP

0

IFP

0

FFP

0

HYDROSTATIC HEAD

1950

EXTRA EQUIPMENT

Softy Sub.

JARS

Bowen

NO.

8.5

SIZE

3 1/2"

OPERATOR TIME


7


TOOL RENTAL TIME

5

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

Nº

606

DATE Oct. 13, 1954CUSTOMER'S
ORDER NO.

NAME OF COMPANY

Schermehorn Oil Corp.

ADDRESS TO MAIL INVOICE

First National Bldg, Tulsa, Okla.

ADDRESS TO MAIL PRESSURE CHARTS

Same.LEASE Bissells PointWELL NO. 1

COUNTY

Barton

STATE

Kansas

TESTER

J. A. Heston

APPROVED

Charles W. Stinson

DRILL STEM TEST NO.

9

SUCCESSFUL NO.

MIS-RUN NO.

(Arb)

SIZE HOLE

7 7/8

TOOL JT.

4 1/2 F.b.

RUBBER SIZE

6 3/4 x 30 x 2 5/8

TEST TOOL SIZE

4 5/8

PACKER SET AT

3483

ANCHOR SIZE

4 1/2

TOTAL DEPTH WELL

3490

LENGTH ANCHOR

7

PRESSURE RECORDER CAP.

3500 & 3500

DRILL PIPE RUN: DRY

A/I

WITH FLUID

RESULTS:

PACKER SET

1:35

H. M. TOOL OPEN

1:40

H. M. TOOL OPEN

1/2

HRS.

BLOW

Weak 3 min

RECOVERY

5' Rotary Mud.

SHUT IN PRESSURE TIME

15 min.

MUD WT.

10.3 #

VIS.

50 sec.

WATER

LOSS

10.2 cc.

BHP

0

IFP

0

FFP

0

HYDROSTATIC HEAD

1950

EXTRA EQUIPMENT

Safety Sub

JARS

Bowen

NO.

85

SIZE

3 1/2"

OPERATOR TIME


7


TOOL RENTAL TIME

6

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

Nº

607

DATE Oct. 13. 1959.

GREAT BEND, KANSAS


CUSTOMER'S
ORDER NO. _____NAME OF COMPANY Schermerhorn Oil Corp.ADDRESS TO MAIL INVOICE First National Building. Tulsa, Okla.ADDRESS TO MAIL PRESSURE CHARTS Same.LEASE Bissells Point WELL NO. 1 COUNTY Barton STATE Kan. 535.TESTER J. H. Heathcock APPROVED Charles W. StearnsDRILL STEM TEST NO. 10 SUCCESSFUL NO. 10. MIS-RUN NO. (Hrb)SIZE HOLE 7 7/8 TOOL JT. 4 1/2 F.b.RUBBER SIZE 6 3/4 X 30 X 2 5/8 TEST TOOL SIZE 4 5/8PACKER SET AT 3488 ANCHOR SIZE 4 1/2TOTAL DEPTH WELL 3495 LENGTH ANCHOR 7'PRESSURE RECORDER CAP. 3500 + 3500 DRILL PIPE RUN: DRY 4 1/2 WITH FLUID



RESULTS:

PACKER SET 9:45 A. M. TOOL OPEN 9:50 A. M. TOOL OPEN 1/2 HRS.BLOW Weak 15 min. IntermittentRECOVERY 5' Rotary Mud.SHUT IN PRESSURE TIME 15 min. MUD WT. 10.2 # VIS. 50 sec WATER LOSS 13.2 cc. (30 min)BHP 0 IFP 0 FFP 0 HYDROSTATIC HEAD 1950EXTRA EQUIPMENT Safety Sub. JARS Bowen NO. 85 SIZE 3 1/2"OPERATOR TIME 6. TOOL RENTAL TIME 5

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

Nº 608


DATE Oct-13-1954.CUSTOMER'S
ORDER NO. _____NAME OF COMPANY Schermmerhorn Oil Corp.ADDRESS TO MAIL INVOICE First National Building, Tulsa, OK 12.ADDRESS TO MAIL PRESSURE CHARTS Same -LEASE Bissell's Point WELL NO. 1 COUNTY Barber STATE KansasTESTER J. D. Heathcock APPROVED Ola WilliamsDRILL STEM TEST NO. 11 SUCCESSFUL NO. _____ MIS-RUN NO. (Arb)SIZE HOLE 7 7/8 TOOL JT. 4 1/2 F.h.RUBBER SIZE 6 3/4 x 30 x 2 5/8 TEST TOOL SIZE 4 5/8PACKER SET AT 3491 ANCHOR SIZE 4 1/2TOTAL DEPTH WELL 3500 9 3500 LENGTH ANCHOR 9PRESSURE RECORDER CAP. 3500 + 3500 DRILL PIPE RUN: DRY 4 1/2 WITH FLUID _____


RESULTS:

PACKER SET 4:55 M. TOOL OPEN 5:00 P. M. TOOL OPEN 1/2 HRS.BLOW weak 3 min.RECOVERY 5' Rotary Mud-SHUT IN PRESSURE TIME 15 min. MUD WT. 10.2 # VIS. 50 sec. WATER LOSS 13.2 cc.BHP 0 IFP 0 FFP 0 HYDROSTATIC HEAD 1950EXTRA EQUIPMENT Safety Sub JARS Bowen NO. 85 SIZE 3 1/2"OPERATOR TIME 6 TOOL RENTAL TIME 5

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

Nº 609

DATE Oct. 14 - 1954.CUSTOMER'S
ORDER NO.

NAME OF COMPANY

Schermmerhorn Oil Corp.

ADDRESS TO MAIL INVOICE

First National Building, Tulsa, Okla.

ADDRESS TO MAIL PRESSURE CHARTS

SameLEASE Bissells Point.WELL NO. 1COUNTY BartonSTATE Kansas

TESTER

J. D. Heston

APPROVED

Ola WilliamsDRILL STEM TEST NO. 12

SUCCESSFUL NO.

MIS-RUN NO. (Fib)

SIZE HOLE

7 7/8

TOOL JT.

4 1/2 FH.

RUBBER SIZE

6 3/4 x 30 x 2 5/8

TEST TOOL SIZE

4 5/8

PACKER SET AT

3498

ANCHOR SIZE

4 1/2

TOTAL DEPTH WELL

3505

LENGTH ANCHOR

7

PRESSURE RECORDER CAP.

3500 + 3500

DRILL PIPE RUN: DRY

411

WITH FLUID

RESULTS:

PACKER SET

12:25

A. M. TOOL OPEN

12:30

P. M. TOOL OPEN

1/2

HRS.

BLOW

Very weak 2 min. Blow.

RECOVERY

5' Rotary Mud.

SHUT IN PRESSURE TIME

15 min.

MUD WT.

10.2*VIS. 50 sec.

WATER

LOSS 13.2 cc.

BHP

800

IFP

0

FFP

0

HYDROSTATIC HEAD

2000

EXTRA EQUIPMENT

Safety SubJARS Bowen

NO.

85

SIZE

3 1/2"

OPERATOR TIME

6


TOOL RENTAL TIME

5

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

Nº

610


DATE Oct. 19. 1954CUSTOMER'S
ORDER NO.NAME OF COMPANY Schermerhorn Oil Corp.ADDRESS TO MAIL INVOICE First National Building; Tulsa OK 12-ADDRESS TO MAIL PRESSURE CHARTS Same-LEASE Bissells Point # WELL NO. 1 COUNTY Barton STATE KansasTESTER J. O. Heathcock APPROVED Ola WilliamsDRILL STEM TEST NO. 13 SUCCESSFUL NO. MIS-RUN NO. (Arb)SIZE HOLE 7 7/8 TOOL JT. 4 1/2 F.h.RUBBER SIZE 6 3/4 X 30 X 2 5/8 TEST TOOL SIZE 4 5/8PACKER SET AT 3503 ANCHOR SIZE 4 1/2TOTAL DEPTH WELL 3510 LENGTH ANCHOR 7PRESSURE RECORDER CAP. 3500 X 3500 DRILL PIPE RUN: DRY 12 1/2 WITH FLUID


RESULTS:

PACKER SET 8:30 A. M. TOOL OPEN 8:35 A. M. TOOL OPEN 1/2 HRS.BLOW weak For 20 min.RECOVERY 70' Watery mud-SHUT IN PRESSURE TIME 15 min MUD WT. 10.2 VIS. 50 sec WATER LOSS 12.2 c.c.BHP 800 IFP 0 FFP 0 HYDROSTATIC HEAD 2,000EXTRA EQUIPMENT Safety sub JARS Bowen NO. 85 SIZE 2 1/2"OPERATOR TIME 6 TOOL RENTAL TIME 5

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





10-19-13w

BEE FORMATION TESTING CO., INC.

TEST TICKET

15-009-00760

DATE Oct. 14, 1954

P. O. BOX 491

Nº 611

GREAT BEND, KANSAS

CUSTOMER'S
ORDER NO.

NAME OF COMPANY

Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE

First National Bldg, Tulsa, OK 12

ADDRESS TO MAIL PRESSURE CHARTS

Same -
McWilliamsLEASE Bissella PointWELL NO. 1COUNTY BartonSTATE Kansas

TESTER

J. O. Keaton

APPROVED

Ola WilliamsDRILL STEM TEST NO. 14

SUCCESSFUL NO.

MIS-RUN NO.

(H.A.)

SIZE HOLE

7 7/8

TOOL JT.

4 1/2 F.H.

RUBBER SIZE

6 3/4 x 30 x 2 5/8

TEST TOOL SIZE

4 5/8

PACKER SET AT

3510

ANCHOR SIZE

4 1/2

TOTAL DEPTH WELL

3520

LENGTH ANCHOR

10

PRESSURE RECORDER CAP.

3500 & 3500

DRILL PIPE RUN: DRY

Full

WITH FLUID

RESULTS:

PACKER SET

4:40

P. M. TOOL OPEN

4:45 P.

M. TOOL OPEN

HRS.

BLOW

Weak Through-out Test.

RECOVERY

240' fluid; 60' watery mud 180' salt water.

SHUT IN PRESSURE TIME

15 min.

MUD WT.

10.2 #

VIS.

50 sec.WATER
LOSS12.2 cc

BHP

900 #

IFP

0

FFP

0

HYDROSTATIC HEAD

2000.

EXTRA EQUIPMENT

Safety Sub.

JARS

Bowen

NO.

8.5

SIZE

3 1/2"

OPERATOR TIME

9

TOOL RENTAL TIME

6

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.

