15-009-00502

BEE TESTING COMPANY

TEST TICKET

P. O. BOX 286
GREAT BEND, KANSAS

210 00

No. 59

DATE Nov-15 1954.

CUSTOMER'S ORDER NO.

9-20-13W

NAME OF COMPANY Schermerhorn Oil Corp

ADDRESS TO MAIL INVOICE First National Bldg. Tulsa Okla

ADDRESS TO MAIL PRESSURE CHARTS

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas.

TESTER J. D. Heathcock APPROVED Charles W. Steinkamp

DRILL STEM TEST NO. 1 SUCCESSFUL NO. 1 MIS-RUN NO. (Okla)

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6¾ x 30 x 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3182 ANCHOR SIZE 4½

TOTAL DEPTH WELL 3210 LENGTH ANCHOR 28

PRESSURE RECORDER CAP. 3500 - 3500. DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 2: 25 P.M. TOOL OPEN 2:30 P.M. TOOL OPEN 1 HRS.

BLOW Gas to Surface 13 Min.

RECOVERY 75' Gas Cut Mud.


SHUT IN PRESSURE TIME 20 Min. MUD WT. 10.2 VIS. 36. WATER LOSS

BHP 1100 IFP 0 FFP 0 HYDROSTATIC HEAD 1750

EXTRA EQUIPMENT None Run JARS — NO. — SIZE —

OPERATOR TIME 8 hrs TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286

GREAT BEND, KANSAS

210 80/

Nº 60

DATE Nov-16-1954

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg, Tulsa, Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same.

LEASE Hart. WELL NO. 1 COUNTY Barton STATE Kansas.

TESTER J. D. Heathcock APPROVED Charles W. Steinkamp

DRILL STEM TEST NO. 4 SUCCESSFUL NO. 4 MIS-RUN NO (IKC)

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6¾ x 30 x 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3272 ANCHOR SIZE 4½

TOTAL DEPTH WELL 3283 LENGTH ANCHOR 11

PRESSURE RECORDER CAP. 3500 – 3500 DRILL PIPE RUN: DRY All. WITH FLUID

RESULTS:

PACKER SET 1:52 A.M. TOOL OPEN 1:55 A.M. TOOL OPEN 30 Min. HRS.

BLOW Weak. 5 Min

RECOVERY 10' Rotary Mud.


SHUT IN PRESSURE TIME 15 Min. MUD WT. 10.3 # VIS. 36 (sec.) WATER LOSS 14.8 (cc.)

BHP 700 # IFP 0 FFP 0 HYDROSTATIC HEAD 1700 #

EXTRA EQUIPMENT Cir. Sub. JARS — NO. — SIZE —

OPERATOR TIME 8 hrs. TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

TEST TICKET

DATE Nov. 17 1954. No. 61

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg; Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same.

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas.

TESTER J. A. Peacock APPROVED Charles W. Steincamp

DRILL STEM TEST NO. 5 SUCCESSFUL NO. 5 MIS-RUN NO (Tc)

SIZE HOLE 7 7/8 TOOL JT. 4½ f.h.

RUBBER SIZE 6 3/4 x 30 x 2 7/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3314 ANCHOR SIZE 4½

TOTAL DEPTH WELL 3326 LENGTH ANCHOR 12

PRESSURE RECORDER CAP. 3500 - 3500 DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 4:25 P.M. TOOL OPEN 4:28 P.M. TOOL OPEN 32 min HRS.

BLOW Gas To surface 7 min. Oil Flowing Through 2" 32 min.

RECOVERY Flowed in 32 min.


SHUT IN PRESSURE TIME 20 min MUD WT. 10# VIS. 43 WATER LOSS 9.6.

BHP 1100 IFP 300 FFP 550 HYDROSTATIC HEAD 1700#

EXTRA EQUIPMENT Cir. Sub. JARS — NO. — SIZE —

OPERATOR TIME 9 hrs. TOOL RENTAL TIME 8

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

DATE Nov- 18- 1954.

Nº 62

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp

ADDRESS TO MAIL INVOICE First National Bldg. Tulsa, Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same

LEASE Platt WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. Heathcock APPROVED Charles W. Steincamp

DRILL STEM TEST NO. 6 SUCCESSFUL NO. 6 MIS-RUN NO. (TC)

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6 3/4 x 30 x 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3330 ANCHOR SIZE 4½

TOTAL DEPTH WELL 3361 LENGTH ANCHOR 31

PRESSURE RECORDER CAP. 3500 - 3500 DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 9:10 A. M. TOOL OPEN 9:14 P. M. TOOL OPEN 1 HRS.

BLOW Gas To Surface - 5 Min.

RECOVERY 120' HOCM. 90' Froggy oil


SHUT IN PRESSURE TIME 20" MUD WT. 10.3 VIS. 39 WATER LOSS 18

BHP 1100 IFP 0 FFP 0 HYDROSTATIC HEAD 1700

EXTRA EQUIPMENT Circ. Sub JARS — NO. — SIZE —

OPERATOR TIME 8 TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

DATE Nov. 20-1954. No. 63

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg; Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same.

LEASE Hart. WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. D. Heathcock APPROVED Charles W. Stinecamp

DRILL STEM TEST NO. 9 SUCCESSFUL NO. 9 MIS-RUN NO. (Ork)

SIZE HOLE 7 7/8 TOOL JT. 4 1/2 F.H.

RUBBER SIZE 6 3/4 X 30 X 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3491 ANCHOR SIZE 4 1/2

TOTAL DEPTH WELL 3495 LENGTH ANCHOR 4

PRESSURE RECORDER CAP. 3500 - 3500 DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 1:35 A.M. TOOL OPEN 1:40 A.M. TOOL OPEN 1/2 HRS.

BLOW weak for 5 Min.

RECOVERY 15' Rotary mud.


SHUT IN PRESSURE TIME 20 Min. MUD WT. 10.2 # VIS. 40 WATER LOSS 11.6

BHP 0 IFP 0 FFP 0 HYDROSTATIC HEAD 1800

EXTRA EQUIPMENT Packer JARS NO. SIZE

OPERATOR TIME 8 TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



BEE TESTING COMPANY

TEST TICKET

P. O. BOX 286
GREAT BEND, KANSAS

DATE Nov. 20-1954

No 64

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg, Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. D. Heathcock APPROVED Charles W. Steincamp

DRILL STEM TEST NO. 10 SUCCESSFUL NO. MIS-RUN NO. (Rtb) 1

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6 3/4 x 30 x 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3443 ANCHOR SIZE 4½

TOTAL DEPTH WELL 3450 LENGTH ANCHOR 7

PRESSURE RECORDER CAP. 3500 - 3500 DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET M. TOOL OPEN M. TOOL OPEN HRS.

BLOW Miss Run Packer failure-

RECOVERY Packer failure-
Miss Run


SHUT IN PRESSURE TIME MUD WT. 10 VIS. 40 WATER LOSS 11 6

BHP IFP FFP HYDROSTATIC HEAD

EXTRA EQUIPMENT None Run JARS — NO. — SIZE —

OPERATOR TIME 4 hrs. TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

DATE Nov-20-1954.

No. 65

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg. Tulsa, Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same.

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. D. Heartsock APPROVED Charles W. Stevenson

DRILL STEM TEST NO. 11 SUCCESSFUL NO. MIS-RUN NO.

SIZE HOLE 7 7/8 TOOL JT. 4½ f.h.

RUBBER SIZE 6¾ x 30 x 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3442 — 3434. ANCHOR SIZE 4½

TOTAL DEPTH WELL 3450. LENGTH ANCHOR 8'

PRESSURE RECORDER CAP. 3500 - 3500 - DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 1:20 P.M. TOOL OPEN 1:23 P.M. TOOL OPEN ½ HRS.

BLOW weak. 2 min

RECOVERY 55' Rotary mud.


SHUT IN PRESSURE TIME 15 min MUD WT. 10.2 VIS. 40 WATER LOSS 11.6


BHP 950 IFP 0 FFP 0 HYDROSTATIC HEAD 1900

EXTRA EQUIPMENT JARS NO. SIZE

OPERATOR TIME TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





BEE TESTING COMPANY

TEST TICKET

P. O. BOX 286
GREAT BEND, KANSAS

DATE Nov. 20-1954.

No. 66

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First national Bldg, Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same.

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas.

TESTER J. D. Heathcock APPROVED Jim B. McWilliams

DRILL STEM TEST NO. 12. SUCCESSFUL NO. 12 MIS-RUN NO. (Arb)

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6¾ x 30 x 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3448 - 3440 ANCHOR SIZE 4½

TOTAL DEPTH WELL 3455 LENGTH ANCHOR 7

PRESSURE RECORDER CAP. 3500 - 3500 DRILL PIPE RUN: DRY All. WITH FLUID

RESULTS:

PACKER SET 9:27 P.M. TOOL OPEN 9:30 P.M. TOOL OPEN 1 HRS.

BLOW Strong Throughout Test.

RECOVERY 45' Rotary Mud.


SHUT IN PRESSURE TIME 15 min MUD WT. 10.2 VIS. 40 WATER LOSS 12.


BHP 500# IFP 150. FFP 150. HYDROSTATIC HEAD 1800

EXTRA EQUIPMENT Packer. JARS — NO. — SIZE —

OPERATOR TIME 8 hrs. TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.





TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

No. 67

DATE Nov. 21 - 1954.

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg. Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. D. Heathcock APPROVED Charles W. Steinmetz

DRILL STEM TEST NO. 13 SUCCESSFUL NO. MIS-RUN NO. (Orig)

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6¾ x 30 x 2 7/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3453 - 3455 ANCHOR SIZE 4½

TOTAL DEPTH WELL 3460 LENGTH ANCHOR 7

PRESSURE RECORDER CAP. 3500 - 3500 DRILL PIPE RUN: DRY Fill WITH FLUID

RESULTS:

PACKER SET 6:35 A.M. TOOL OPEN 6:40 A.M. TOOL OPEN 1 HRS.

BLOW Gas To Surface 25 min

RECOVERY 20' Rotary mud.


SHUT IN PRESSURE TIME 20 min. MUD WT. 10 3/4 VIS. 40 WATER LOSS 12

BHP 1050 IFP 0 FFP 0 HYDROSTATIC HEAD 1800

EXTRA EQUIPMENT Packer. JARS — NO. — SIZE —

OPERATOR TIME 8 TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT. ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

DATE Nov- 21- 1954

No. 68

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg. Tulsa, Okla.

ADDRESS TO MAIL PRESSURE CHARTS

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. D. Heacock APPROVED Charles W. Stinemetz

DRILL STEM TEST NO. 14 SUCCESSFUL NO. 14 MIS-RUN NO. Nil.

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6 3/4 - 30 - 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3458 - 3450. ANCHOR SIZE 4½

TOTAL DEPTH WELL 3465 LENGTH ANCHOR 7'

PRESSURE RECORDER CAP. 3500 - 3500. DRILL PIPE RUN: DRY All. WITH FLUID

RESULTS:

PACKER SET 3:48 P.M. TOOL OPEN 3:52 P.M. TOOL OPEN 1 HRS.

BLOW Strong Through-out Test. Gas To Surface 25 min.

RECOVERY 25' Rotary mud.


SHUT IN PRESSURE TIME 20 Mins. MUD WT. 10.3 VIS. 43.5 WATER LOSS 4.8

BHP 1050 IFP 0 FFP 0 HYDROSTATIC HEAD 1800.

EXTRA EQUIPMENT Packer- JARS — NO. — SIZE —

OPERATOR TIME 8 TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



15-009-00502

BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

TEST TICKET
9-20-13W

Nº 69

DATE Nov. 22 - 1954.

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg. Tulsa Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same.

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. Heathcock APPROVED Charles W. Steincamp

DRILL STEM TEST NO. 15 SUCCESSFUL NO. 14. MIS-RUN NO (Arb)

SIZE HOLE 7 7/8 TOOL JT. 4½ F.H.

RUBBER SIZE 6¾ x 30 x 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3463 - 3455. ANCHOR SIZE 4½

TOTAL DEPTH WELL 3470 LENGTH ANCHOR 7

PRESSURE RECORDER CAP. 3500 - 3500 DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 12:50 A.M. TOOL OPEN 12:55 A.M. TOOL OPEN 1 HRS.

BLOW Gas to Surface 7 min. Strong Blow Through-out Test.

RECOVERY 33' Rotary mud.


SHUT IN PRESSURE TIME 20 min MUD WT. 10.2 VIS. 43 WATER LOSS 14.8

BHP 950 IFP 0 FFP 0 HYDROSTATIC HEAD 1800

EXTRA EQUIPMENT Packer JARS — NO. — SIZE —

OPERATOR TIME 8 TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286
GREAT BEND, KANSAS

DATE Nov. 22. 1954

No. 70

CUSTOMER'S ORDER NO.

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg; Tulsa; Okla.

ADDRESS TO MAIL PRESSURE CHARTS Same -

LEASE Hart WELL NO. 1 COUNTY Barton STATE Kansas

TESTER J. D. Heatcock APPROVED Charles W. Steincamp

DRILL STEM TEST NO. 16 SUCCESSFUL NO. 15 MIS-RUN NO. (Nil)

SIZE HOLE 7 7/8 - TOOL JT. 4 1/2 F.H.

RUBBER SIZE 6 3/4 x 30 - 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3470 - 3462. ANCHOR SIZE 4 1/2

TOTAL DEPTH WELL 3477 LENGTH ANCHOR 7

PRESSURE RECORDER CAP. 3500 - 3500. DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 10:25 A.M. TOOL OPEN 10:30 A.M. TOOL OPEN 1 HRS.

BLOW Dec To Surface 7 min. (Taken sample After 30 min Blow)

RECOVERY 35' Rotary mud. (41 vis)


SHUT IN PRESSURE TIME 20 min. MUD WT. 10 3/4 VIS. 43 WATER LOSS 4 8/

BHP 1025 IFP 0 FFP 0 HYDROSTATIC HEAD 1800

EXTRA EQUIPMENT Packer. JARS — NO. — SIZE —

OPERATOR TIME 8 TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.



TEST TICKET

BEE TESTING COMPANY

P. O. BOX 286

GREAT BEND, KANSAS

No. 71

DATE Nov. 22. 1954.

CUSTOMER'S ORDER NO. ~~Sch~~

NAME OF COMPANY Schermerhorn Oil Corp.

ADDRESS TO MAIL INVOICE First National Bldg; Tulsa OKla.

ADDRESS TO MAIL PRESSURE CHARTS

LEASE Hart. WELL NO. One. COUNTY Barton STATE Kansas.

TESTER J. Heathcock APPROVED Charles W. Stevenson

DRILL STEM TEST NO. 17 SUCCESSFUL NO. MIS-RUN NO. Blk.

SIZE HOLE 7 7/8 TOOL JT. 4½ f.h.

RUBBER SIZE 6¾ - 30 - 2 5/8 TEST TOOL SIZE 4 5/8

PACKER SET AT 3477 - 65. ANCHOR SIZE 4½

TOTAL DEPTH WELL 3487 LENGTH ANCHOR 10

PRESSURE RECORDER CAP. 3500 - 3500. DRILL PIPE RUN: DRY All WITH FLUID

RESULTS:

PACKER SET 8:30 P.M. TOOL OPEN 8:34 P.M. TOOL OPEN 1 HRS.

BLOW Gas 5 min. (Gauged [redacted])

RECOVERY 567,000 Cu. ft Gas: 30' Carbon Cut Mud.

SHUT IN PRESSURE TIME 20 MUD WT. 10.2 VIS. 41. WATER LOSS 6

BHP 1025 IFP ~~87~~ 100 FFP 100 HYDROSTATIC HEAD 1800

EXTRA EQUIPMENT Packer- JARS — NO. — SIZE —

OPERATOR TIME 8 TOOL RENTAL TIME

BEE TESTING CO. SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.

