

BEE FORMATION TESTING CO., INC.

TEST TICKET

DATE 3-2-58

P. O. BOX 491

Nº ✓ 3019

CUSTOMER'S
ORDER NO. _____

GREAT BEND, KANSAS

NAME OF COMPANY _____

ADDRESS TO MAIL INVOICE _____

ADDRESS TO MAIL PRESSURE CHARTS _____

LEASE ThillWELL NO. 1COUNTY BartonSTATE KansTESTER J D TurnerAPPROVED B. F. FrendleyDRILL STEM TEST NO. 1SUCCESSFUL NO. 1MIS-RUN NO. 0

FORMATION TESTED _____

SIZE HOLE 7 7/8TOOL JT. 4 1/2 FHRUBBER SIZE 6 3/4TEST TOOL SIZE 4 7/8PACKER SET AT 3035ANCHOR SIZE 4 1/2 FHTOTAL DEPTH WELL 3046LENGTH ANCHOR 11'PRESSURE RECORDER CAP. 3500-3500DRILL PIPE RUN: DRY yesWITH FLUID -

RESULTS:

PACKER SET 11:15M. TOOL OPEN 11:40M. TOOL OPEN 1

HRS. _____

BLOW Weak through out testRECOVERY 25' Muddy Water - Slightly oil stainedBHP 740IBHP 800IFP 0FFP 0HYDROSTATIC HEAD 1580SHUT IN PRESSURE TIME 20INITIAL SHUT IN PRESSURE TIME 20MUD WT. 10.4VIS. 38WATER
LOSS 14.6EXTRA EQUIPMENT noneJARS -NO. -SIZE -OPERATOR TIME -TOOL RENTAL TIME -

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.

BEE FORMATION TESTING COMPANY, INC.

EAST TENTH STREET

GREAT BEND, KANSAS

Company Petroleum Incorporated Date 3-2-58
Address 311 East Third Street Wichita, Kansas
Lease Thill Well No. 1 Test No. 1 No. of Copies _____
Pressure Recorder (Cap) Top 3500# Bottom 3500# Mud Wt. 10.4#
Total Depth 3046' No. Feet Tested 11' Packer(s) set at 3035' and ----
Packer Set 11:15 M. Tool Opened 11:40 M. Tool Open 1 Hr. ---- Min.
I.S.I.P. ---- Hr(s) 20 Min. F.S.I.P. ---- Hr(s) 20 Min. Total Time On Bottom 2 Hr(s) 5 Min.
Blow weak through out test
Recovery 25' muddy water, slightly oil stained
Remarks:
I.H.P. 1580# Choke Top 1/2"
I.S.I.P. 800# Choke Bot 1/2"
✓ I.F.P. ----
F.F.P. ----
• F.S.I.P. 740#
F.H.P. 1580#
Extra Equipment none Jars ---- Straddle Packer ---- Safety Joint ----
Test OK yes Mis-Run no Tool Plugged no Anchor Plugged no

Operator J. D. Turner Formation ---- Test Ticket No. 3019

COMPANY Petroleum Inc. TICKET NUMBER 3019 DATE 3/2/58 19
LOCATION Barton County WELL NAME & NUMBER Thill-#1 PACKER DEPTH 3035
3500

Outside

3000

2500


2000

1500


1000

500

BASE
LINE



COMPANY Petroleum Inc. TICKET NUMBER 3019 DATE 3/2/58 19
LOCATION Barton County WELL NAME & NUMBER Thill-#1 PACKER DEPTH 3035
3500



BEE FORMATION TESTING CO., INC.

TEST TICKET

DATE 3-3-57

P. O. BOX 491

GREAT BEND, KANSAS

Nº ✓ 3020CUSTOMER'S
ORDER NO. _____NAME OF COMPANY Rest. Inc.ADDRESS TO MAIL INVOICE 311 E Third, Wichita, Kans.ADDRESS TO MAIL PRESSURE CHARTS sameLEASE PhillWELL NO. 1COUNTY BartonSTATE KansTESTER J D TurnerAPPROVED RH FrendleyDRILL STEM TEST NO. 2SUCCESSFUL NO. 2MIS-RUN NO. 0

FORMATION TESTED _____

SIZE HOLE 7 7/8TOOL JT. 4 1/2 FHRUBBER SIZE 6 3/4TEST TOOL SIZE 4 5/8PACKER SET AT 3129ANCHOR SIZE 4 1/2 FHTOTAL DEPTH WELL 3182LENGTH ANCHOR 53'PRESSURE RECORDER CAP. 3500-3500DRILL PIPE RUN: DRYWITH FLUID yes

RESULTS:

PACKER SET 4:35M. TOOL OPEN 5:00M. TOOL OPEN 1

HRS.

BLOW Good through out testRECOVERY 580' salt waterBHP 620IBHP 800IFP 160FFP 330HYDROSTATIC HEAD 1680SHUT IN PRESSURE TIME 20INITIAL SHUT IN PRESSURE TIME 20MUD WT. 10.4VIS. 37WATER
LOSS 12.2EXTRA EQUIPMENT noneJARS -NO. -SIZE -OPERATOR TIME -TOOL RENTAL TIME -

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.

BEE FORMATION TESTING COMPANY, INC.

EAST TENTH STREET

GREAT BEND, KANSAS

Company Petroleum Incorporated Date 3-3-57
Address 311 East Third Street Wichita, Kansas
Lease Thill Well No. 1 Test No. 2 No. of Copies _____
Pressure Recorder (Cap) Top 3500# Bottom 3500# Mud Wt. 10.4#
Total Depth 3182' No. Feet Tested 53' Packer(s) set at 3129' and ----
Packer Set 4:35 M. Tool Opened 5:00 M. Tool Open 1 Hr. ---- Min.
I.S.I.P. ---- Hr(s) 20 Min. F.S.I.P. ---- Hr(s) 20 Min. Total Time On Bottom 2 Hr(s) 5 Min.
Blow good through out test
Recovery 580' salt water
Remarks:
I.H.P. 1680# Choke Top 1/2"
I.S.I.P. 800# Choke Bot 1/2"
I.F.P. 160#
F.F.P. 330#
F.S.I.P. 620#
F.H.P. 1680#
Extra Equipment none Jars ---- Straddle Packer ---- Safety Joint -----
Test OK yes Mis-Run no Tool Plugged no Anchor Plugged no

Operator J. D. Turner Formation ---- Test Ticket No. 3020

COMPANY Petroleum Inc.TICKET
NUMBER 3020DATE 3/3 1958LOCATION Barton CountyWELL NAME
& NUMBER Thill-#1PACKER
DEPTH 3129

3500

3000

2500

2000

1500


1000

500

BASE
LINE

Inside

HR.(S)



COMPANY Petroleum Inc.TICKET
NUMBER 3020DATE 3/3 1958LOCATION Barton CountyWELL NAME
& NUMBER Thill-#1PACKER
DEPTH 3129

3500

3000

2500

2000

1500

1000

500

BASE
LINE

Outside

HR.(S)

BEE FORMATION TESTING CO., INC.

P. O. BOX 491

GREAT BEND, KANSAS

Nº ✓ 3021

DATE 5-16-11w 3-4-58

CUSTOMER'S
ORDER NO.

15-003-06283

NAME OF COMPANY

ADDRESS TO MAIL INVOICE

ADDRESS TO MAIL PRESSURE CHARTS

LEASE

WELL NO.

COUNTY

STATE

TESTER

APPROVED

DRILL STEM TEST NO.

SUCCESSFUL NO.

MIS-RUN NO.

FORMATION TESTED

SIZE HOLE

TOOL JT.

RUBBER SIZE

TEST TOOL SIZE

PACKER SET AT

ANCHOR SIZE

TOTAL DEPTH WELL

LENGTH ANCHOR

PRESSURE RECORDER CAP.

DRILL PIPE RUN: DRY

WITH FLUID

RESULTS:

PACKER SET

M. TOOL OPEN

M. TOOL OPEN

HRS.

BLOW

RECOVERY

BHP

IBHP

IFP

FFP

HYDROSTATIC HEAD

SHUT IN PRESSURE TIME

INITIAL SHUT IN PRESSURE TIME

MUD WT.

VIS.

WATER
LOSS

EXTRA EQUIPMENT

JARS

NO.

SIZE

OPERATOR TIME

TOOL RENTAL TIME

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.

BEE FORMATION TESTING COMPANY, INC.

EAST TENTH STREET

GREAT BEND, KANSAS

Company Petroleum Incorporated Date 3-4-58
Address 311 East Third Street Wichita, Kansas
Lease Thill Well No. 1 Test No. 3 No. of Copies _____
Pressure Recorder (Cap) Top 3500# Bottom 3500# Mud Wt. 10.4#
Total Depth 3263' No. Feet Tested 13' Packer(s) set at 3250' and ----
Packer Set 9:30 M. Tool Opened 9:35 M. Tool Open 1 Hr. ---- Min.
I.S.I.P. ---- Hr(s) 20 Min. F.S.I.P. ---- Hr(s) 20 Min. Total Time On Bottom 1 Hr(s) 45 Min.
Blow weak 15 minutes - bypassed twice, after 30 minutes, dead
Recovery 15' drilling mud
Remarks:
I.H.P. 1740# Choke Top 1/2"
I.S.I.P. 760# Choke Bot 1/2"
I.F.P. ----
F.F.P. ----
F.S.I.P. 180#
F.H.P. 1740#
Extra Equipment none Jars ---- Straddle Packer ---- Safety Joint ----
Test OK yes Mis-Run no Tool Plugged no Anchor Plugged no

Operator J. D. Turner Formation ---- Test Ticket No. 3021

COMPANY Petroleum Inc.TICKET
NUMBER 3021DATE 3/41958LOCATION Barton CountyWELL NAME
& NUMBER Thill-#1PACKER
DEPTH 3250

3500

3000

2500

2000


1500

1000

500

BASE
LINE

Outside



COMPANY Petroleum Inc.TICKET
NUMBER 3021DATE 3/4 1958LOCATION Barton CountyWELL NAME
& NUMBER Thill-#1PACKER
DEPTH 3250

3500

3000

2500

2000

1500

1000

500

BASE
LINE

Inside

← HR. (S) →

BEE FORMATION TESTING CO., INC.

TEST TICKET

DATE 3-5-58

P. O. BOX 491

N^o ✓ 3022CUSTOMER'S
ORDER NO. _____

GREAT BEND, KANSAS

NAME OF COMPANY _____

ADDRESS TO MAIL INVOICE _____

ADDRESS TO MAIL PRESSURE CHARTS _____

LEASE Phill WELL NO. 1 COUNTY Barton STATE Kans.TESTER J. D. Zinner APPROVED Robert H. ForemsleyDRILL STEM TEST NO. 4 SUCCESSFUL NO. 4 MIS-RUN NO. 2 FORMATION TESTED _____SIZE HOLE 7 3/4 TOOL JT. 4 1/2 FHRUBBER SIZE 6 3/4 TEST TOOL SIZE 4 1/8PACKER SET AT 3291 ANCHOR SIZE 4 1/2 FHTOTAL DEPTH WELL 3305 LENGTH ANCHOR 14'PRESSURE RECORDER CAP. 3500-3500 DRILL PIPE RUN: DRY yes WITH FLUID -

RESULTS:

PACKER SET 12:40 M. TOOL OPEN 1:05 M. TOOL OPEN 1 HRS.BLOW Good through out testRECOVERY 847 very slightly oil and sulfur waterBHP 900 IBHP 1180 IFP 80 FFP 340 HYDROSTATIC HEAD 1720SHUT IN PRESSURE TIME 20 INITIAL SHUT IN PRESSURE TIME 20MUD WT. 10.3 VIS. 37 WATER LOSS 18EXTRA EQUIPMENT none JARS - NO. - SIZE -

OPERATOR TIME _____ TOOL RENTAL TIME _____

BEE FORMATION TESTING CO., INC.

SHALL NOT BE LIABLE FOR DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE PARTY FOR WHOM A TEST IS MADE, OR FROM ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH OR IN THE COURSE OF THE USE OF ITS EQUIPMENT, ALL OF WHICH LOSS OR DAMAGE IS ASSUMED BY THE CUSTOMER. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT THE COST OF THE PARTY FOR WHOM TEST IS MADE.

BEE FORMATION TESTING COMPANY, INC

EAST TENTH STREET

GREAT BEND, KANSAS

Company Petroleum Incorporated Date 3-5-58
Address 311 East Third Street Wichita, Kansas
Lease Thill Well No. 1 Test No. 4 No. of Copies _____
Pressure Recorder (Cap) Top 3500# Bottom 3500# Mud Wt. 10.3#
Total Depth 3305' No. Feet Tested 14' Packer(s) set at 3291' and ----
Packer Set 12:40 M. Tool Opened 1:05 M. Tool Open 1 Hr. ---- Min.
I.S.I.P. ---- Hr(s) 20 Min. F.S.I.P. ---- Hr(s) 20 Min. Total Time On Bottom 2 Hr(s) 5 Min.
Blow good through out test
Recovery 847' very slightly oil cut sulphur water
Remarks:
I.H.P. 1720# Choke Top 1/2"
I.S.I.P. 1180# Choke Bot 1/2"
I.F.P. 80#
F.F.P. 340#
F.S.I.P. 900#
F.H.P. 1720#
Extra Equipment none Jars ---- Straddle Packer ---- Safety Joint ----
Test OK yes Mis-Run no Tool Plugged no Anchor Plugged no

Operator J. D. Turner Formation ----- Test Ticket No. 3022

COMPANY Petroleum Inc.TICKET
NUMBER 3022DATE 3/51958LOCATION Barton CountyWELL NAME
& NUMBER Thill-#1PACKER
DEPTH 3291

3500

3000


2500

2000

1500

1000

500

BASE
LINE

COMPANY Petroleum Inc.TICKET
NUMBER 3022DATE 3/5 1958LOCATION Barton CountyWELL NAME
& NUMBER Thill-#1PACKER
DEPTH 3291

3500

3000

2500

2000

1500

1000

500

BASE
LINE

HR.(s)