KANSAS


Form 51—5M—7-39—Palace

Russell

Section 27 Township 14 Range 13-W

Well No. #7 Letsch

Company R. H. Shields et al



FORM 252-A 5M 4-39 KANSAS Russell

Sec. 27 Twp. 14 R. 13 -W

Well No. #7 Letsch Farm

R. H. Shields et al Company


(Hall)

1320 Ft. from N. Line

_____ Ft. from S. Line

990 Ft. from E. Line

_____ Ft. from W. Line



Elv. 1717

1939	REPORT
11/22	Material.
11/29	"
12/7	"
12/14	Rig.
12/21	20" - 32' 12" - 325'
	Drlg. 510'
12/28	Drlg. 1230'
1940	
1/4	10" - 640' S.S. Gas 1700'
	Drlg. 1915'
1/11	SD 2000'
1/18	S. Gas 2205' 8¼" - 2262'
	Drlg. 2745'
1/25	Lans. 2832' T.D. 2844'
	7" - 2844' WOC.
2/1	T.D. 2877' 2200' oil. 1200 acid
	Run rods.

OVER

1940
2/7

Lans. 2832'
7" - 2845'
T.D. 2877'
12,000 acid.
Pump & flow 3894 bbls.
Maximum 3000 bbls.

COMPLETED

Form 26—1M Bks.—2-29 Russell KANSAS

Map No. 72 Sec. 27 Twp. 14 R. 13W

Well No. 7 Letsch

R. H. Shields etal Company

Contractor

FIRST REPORT

C W L E½ SE

1320 Ft. from N. Line


Ft. from S. Line

990 Ft. from E. Line

Ft. from W. Line

HALL POOL

SECTION PLAT



Location

Rig up

Drilling and Remarks:
Material

RECORD

Cased in., ft.

Sand

Gas

Oil

Total Depth

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

NOV 2 2 1939 19

S. J. LEWIS Scout

Form 26—1M Bks.—2-29 Russell KANSAS

Map No. 72 Sec. 27 Twp. 14 R. 13W

Well No. 7 Letsch

R. H. Shields etal Company

Contractor

COMPLETED

C W L E½ SE

1320 Ft. from N. Line


Ft. from S. Line

990 Ft. from E. Line

Ft. from W. Line

HALL POOL

SECTION PLAT



Location

Rig up

Drilling and Remarks:

Lane 2832.
7" @ 2845'.
12000 Acid
Pump & Flow
3894
Maximum 3000

RECORD

Cased in., ft.

Sand

Gas

Oil

Total Depth 2897

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

FEB 7 1940 19 S. J. LEWIS Scout