

released 1-7-82

WELL COMPLETION REPORT AND DRILLER'S LOG


API No. 15 — 197 *State Geological Survey* 20,073
 County WICHITA Number

S. 23 T. 11 R. 11 ^E _M

Loc. E/2 SW/4

County Wabaunsee

640 Acres
N



Locate well correctly

Elev.: Gr. _____

DF _____ KB _____

CONFIDENTIAL

SEP 8 0 1980

Operator
Kan-Go, Inc.

Address
201 South Coble, Marion, Kansas 66861

Well No. 1 Lease Name Hesse

Footage Location
790 feet from (N) (S) line 330 feet from (E) (W) line

Principal Contractor Co Tools Geologist _____

Spud Date 6/12/78 Date Completed 8/22/78 Total Depth 2644 P.B.T.D. _____

Directional Deviation _____ Oil and/or Gas Purchaser _____

CASING RECORD

Report of all strings set— surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface				205GL	Class A	125	3% cacl
Production		5 1/2"		2462	Howco light Poz 50/50	100 50	2% gel

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production _____ Producing method (flowing, pumping, gas lift, etc.) _____

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) _____ Producing interval (s) _____

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note rule 82-2-125. Drillers Logs will be on an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator Kan-Go, Inc. DESIGNATE TYPE OF COMPLETION: GHE, GAS, DRY HOLE, SWDW, ETC.: SWDW

Well No. 1 Lease Name Hesse

S 23 T 11 R 11 E ~~W~~

WELL LOG
 Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
0-5 soil				
5-25 clay				
25-220 Lime				
220-300 Lime & shale streaks				
300-600 Shale & lime streaks				
600-1300 lime & shale				
1300-1630 lime, shale, sand streaks				
1630-1980 Lansing lime				
1980-2060 Lansing K.C.				
2060-2093 Miss. Chat				
2093-2118 Miss lime				
2118-2428 Kinderhook shale				
2428-2644 Hunton				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	Signature
	Title
	Date

DRILLERS LOG

Company Kan-Go
Barnett Oil Co

Lease- Hesse #1
Legal-
County- Wabunsee

- 0-5 Soil
- 5-25 Clay
- 25 ● 220 Lime
- 220-300 Lime & Shale STKS
- 300 ● 600 Shale & Lime STKS
- 600-1300 Lime & shale
- 1300-1630 Lime - Shale - Sand STKS
- 1630-1980 Lansing - lime
- 1980-2060 Lansing KC
- ~~2060~~ 2060-2093 Miss. Chat
- 2093-2118 Miss. Lime
- 2118-2428 Kinderhook Shale
- 242 ● 2644 Hunton

T. D. - 2644

● Surface at - 205 GL

Cemented with - 125 Class A 3% CACL

5 1/2" Production Casing at - 2462

Cemented with - 100 Howco light 7.50 Sml 50-50 Poz w 2% Gel

Company- *Bannett oil Co*

Lease- *Hesse #1*

Legal-

County- *Wabunsee*

Footage to-

Footage to- *Took well over @ 2442' @ 1:30 PM 6-16-78*

Rig time- *To drill from 2442 to 2644 + Condition hole + Run Prod. Casing + Cement Job*

25 hrs @ 120⁰⁰

Dozer Work-

Water Haul

Surface set at- *205*

Cemented with- *125 Class A w/ 38 C/A/C*