




24-89 KA-0711-01 US-24 over Ensign Creek

Bridge No. 24-89-8.42(299)


Shawnee County

CD 03

N: 39.116250 E: -95.903002


SW $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 06 T11S, R14E

KANSAS DEPARTMENT OF TRANSPORTATION



RTE./CO.	24-89	SOUNDING NO.	CD3	SHEET 1 of 4
BRIDGE STA.	523+61.75	PROJ. NO.	KA-0711-01	BRIDGE NO. 24-89-8.42 (299)
SITE NAME	US-24 over Ensign Ck			HOLE STA. 523+22, 43.0' Rt CL
GEOLOGIST	R. Crow	SCALE 1 inch = 5.0 feet	DATE June 28, 2010	
DRILLER	R. Vervynck	RIG TYPE	CME 55	TOP HOLE ELEV. 912.0
GW ELEV.	905.0	TOTAL DEPTH	72.5	M/B ELEV. 842.5


Bit Type	GEOLOGIC NAME	STRATIGRAPHIC COLUMN	DEPTH	ELEVATION	CLASSIFICATION OF MATERIALS DESCRIPTION AND REMARKS	UNCONFINED COMPRESSION (TSF)	ELASTIC MODULUS (PSF)	N60 COUNT (SPT)	ELEVATION
8" Hollow Augers	Alluvium			912.0	Silt, brown, moist				
			4.0	908.0	Sand, very fine, tan/brown, wet	0.1465	209		906.0
			14.0	898.0	Sand, fine to medium, tan, mixed lithologies, wet	0.364	12300		901.0
								9	896.5
								12	886.5



KANSAS DEPARTMENT OF TRANSPORTATION

RTE./CO.	24-89	SOUNDING NO.	CD3	SHEET 2 of 4
BRIDGE STA.	523+61.75	PROJ. NO.	KA-0711-01	BRIDGE NO. 24-89-8.42 (299)
SITE NAME	US-24 over Ensign Ck			HOLE STA. 523+22, 43.0' Rt CL

Bit Type	GEOLOGIC NAME	STRATIGRAPHIC COLUMN	DEPTH	ELEVATION	CLASSIFICATION OF MATERIALS DESCRIPTION AND REMARKS	UNCONFINED COMPRESSION (TSF)	ELASTIC MODULUS (PSF)	N60 COUNT (SPT)	ELEVATION
8" Hollow Augers	Alluvium		880		Sand, fine to medium, tan, mixed lithologies, wet			18	881.5
			875						
			870					20	871.5
			865					15	861.5
			860						
			855					12	851.5
			850						



KANSAS DEPARTMENT OF TRANSPORTATION

RTE./CO.	24-89	SOUNDING NO.	CD3	SHEET 3 of 4
BRIDGE STA.	523+61.75	PROJ. NO.	KA-0711-01	BRIDGE NO. 24-89-8.42 (299)
SITE NAME	US-24 over Ensign Ck			HOLE STA. 523+22, 43.0' Rt CL

Bit Type	GEOLOGIC NAME	STRATIGRAPHIC COLUMN	DEPTH	ELEVATION	CLASSIFICATION OF MATERIALS DESCRIPTION AND REMARKS	UNCONFINED COMPRESSION (TSF)	ELASTIC MODULUS (PSF)	N60 COUNT (SPT)	ELEVATION
	Alluvium			845	Sand, fine to medium, tan, mixed lithologies, wet				
Diamond	White Cloud Shale		69.5	842.5	Shale, very limy and hard, laminated, gray, vertical fracture	362	1.15E+08		841.6
			72.5	839.5	T.D. = 72.5				

