

34-12-21E

TYPE

AFFIDAVIT OF COMPLETION FORM

SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

F Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

C Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 5008 EXPIRATION DATE \_\_\_\_\_

OPERATOR Strata Tech Oil Company, Inc. API NO. 15-045-20, 401

ADDRESS P.O. Box 3474 COUNTY Douglas

Lawrence, Ks. 66044 FIELD \_\_\_\_\_

\*\* CONTACT PERSON Stephan H. Nordeng PROD. FORMATION \_\_\_\_\_  
PHONE (913) 843-0249

PURCHASER \_\_\_\_\_ LEASE Haley

ADDRESS \_\_\_\_\_ WELL NO. 1

DRILLING K & J Drilling WELL LOCATION NW 1/4

CONTRACTOR ADDRESS Bartlett, Ks. 67332 330 Ft. from N Line and

330 Ft. from W Line of (E) the NW (Qtr.) SEC 34 TWP12S RGE 21 (NW)

PLUGGING Consolidated Oil Well Services WELL PLAT

CONTRACTOR ADDRESS \_\_\_\_\_ (Office Use Only)

TOTAL DEPTH 650' PBTD \_\_\_\_\_

SPUD DATE 28 Oct 83 DATE COMPLETED 31 Oct 83

ELEV: GR 799 DF \_\_\_\_\_ KB \_\_\_\_\_

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE \_\_\_\_\_

Amount of surface pipe set and cemented 75' DV Tool Used? No

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, (Dry) Disposal, Injection, Temporarily Abandoned, OWWO. Other \_\_\_\_\_

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Stephan H. Nordeng, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Handwritten signature/initials

+			
		34	

KCC \_\_\_\_\_  
KGS   
SWD/REP \_\_\_\_\_  
PLG. \_\_\_\_\_

SIDE TWO

ACO-1 WELL HISTORY

OPERATOR Strata Tech Oil Company, Inc. J-EASE Haley

SEC. 34 TWP. 12S RGE. 21E

516-61418  
FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. 1

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
<u>X</u> Check if no Drill Stem Tests Run.  (See Attachment #1.)				

If additional space is needed use Page 2, Side 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD New or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	10"	7"	15#	75'	Class A	30	----

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

LEASE NAME Naley # 1

START 10-26-83 FINISH 10-28-83

DEPTH IN FEET		KIND OF ROCK	DEPTH IN FEET		KIND OF ROCK
FROM	TO		FROM	TO	
0	52	sand	294	307	sand
52	75	lime	307	315	sandy shale
75	123	shale	315	410	shale
123	138	lime	410	423	sand & water
138	141	shale	423	452	shale
141	145	lime	452	456	Brown lime
145	156	shale	456	465	shale
156	168	lime	465	473	lime
168	186	shale	473	491	shale
186	197	lime	491	495	lime
197	205	shale	495	502	shale
205	212	lime	502	506	lime
212	213	shale	506	523	shale
213	218	lime	523	525	Black shale
218	221	shale	525	531	lime
221	235	lime	531	540	shale
235	248	shale	540	560	sand gas oolite
248	278	lime	560	591	shale
275	278	shale	591	593	sandy lime
278	279	lime	593	604	shale
279	290	shale	604	650	sandy shale
290	294	shale	650	TD	