

32-13-21E *Ind.*

Compt.

**CONFIDENTIAL**

(F) ✓ Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

(C) ✓ Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.      No Log

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit.

ACO-1 WELL HISTORY (E)  
 OPERATOR Gault Oil Co., Ltd. LEASE Gerstenberger SEC. 32 TWP. 13 RGE. 21 (W)

FILL IN WELL INFORMATION AS REQUIRED: WELL NO. 2

| FORMATION DESCRIPTION, CONTENTS, ETC. |  | TOP | BOTTOM | NAME | DEPTH |
|---------------------------------------|--|-----|--------|------|-------|
| X Check if no Drill Stem Tests Run.   |  |     |        |      |       |
| Soil                                  |  | 0   | 3      |      |       |
| Chat                                  |  | 3   | 18     |      |       |
| Shale                                 |  | 18  | 46     |      |       |
| Lime                                  |  | 46  | 66     |      |       |
| Shale                                 |  | 66  | 74     |      |       |
| Shale                                 |  | 74  | 91     |      |       |
| Lime                                  |  | 91  | 92     |      |       |
| Shale                                 |  | 92  | 93     |      |       |
| Lime                                  |  | 93  | 106    |      |       |
| Shale                                 |  | 106 | 114    |      |       |
| Red Shale                             |  | 114 | 115    |      |       |
| Shale                                 |  | 115 | 143    |      |       |
| Lime                                  |  | 143 | 160    |      |       |
| Shale                                 |  | 160 | 205    |      |       |
| Lime                                  |  | 205 | 214    |      |       |
| Shale                                 |  | 214 | 228    |      |       |
| Lime                                  |  | 228 | 240    |      |       |
| Shale                                 |  | 240 | 242    |      |       |
| Lime                                  |  | 242 | 245    |      |       |
| Shale                                 |  | 245 | 261    |      |       |
| Lime                                  |  | 261 | 275    |      |       |
| Shale                                 |  | 275 | 295    |      |       |
| Lime                                  |  | 295 | 306    |      |       |
| Shale                                 |  | 306 | 309    |      |       |
| Lime                                  |  | 309 | 318    |      |       |
| Sand                                  |  | 318 | 320    |      |       |
| Lime                                  |  | 320 | 325    |      |       |
| Sand                                  |  | 325 | 329    |      |       |
| Sandy Lime                            |  | 329 | 335    |      |       |
| Shale                                 |  | 335 | 336    |      |       |
| Lime                                  |  | 336 | 344    |      |       |
| Shale                                 |  | 344 | 352    |      |       |
| Lime                                  |  | 352 | 373    |      |       |
| Shale                                 |  | 373 | 379    |      |       |
| Lime                                  |  | 379 | 393    |      |       |

If additional space is needed use Page 2, Side 2

**CONFIDENTIAL**

Report of all strings set— surface, intermediate, production, etc. CASING RECORD (New) or (Used)

| Purpose of string | Size hole drilled | Size casing set (in O.D.) | Weight lbs/ft. | Setting depth | Type cement | Sacks | Type and percent additives |
|-------------------|-------------------|---------------------------|----------------|---------------|-------------|-------|----------------------------|
|                   |                   |                           |                |               |             |       |                            |
|                   |                   |                           |                |               |             |       |                            |
|                   |                   |                           |                |               |             |       |                            |
|                   |                   |                           |                |               |             |       |                            |
|                   |                   |                           |                |               |             |       |                            |

LINER RECORD

PERFORATION RECORD

| Top, ft. | Bottom, ft. | Sacks cement | Shots per ft. | Size & type | Depth interval |
|----------|-------------|--------------|---------------|-------------|----------------|
|          |             |              |               |             |                |
|          |             |              |               |             |                |
|          |             |              |               |             |                |
|          |             |              |               |             |                |

TUBING RECORD

32-13-216

SIDE TWO (Page Two):

ACO-1 WELL HISTORY

OPERATOR Gault Oil Co., Ltd. LEASE NAME Gerstenberger#2 SEC. 32 TWP. 13 RGE 21 e

## FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

| FORMATION DESCRIPTION, CONTENTS, ETC. | TOP | BOTTOM | NAME | DEPTH |
|---------------------------------------|-----|--------|------|-------|
| Shale                                 | 393 | 400    |      |       |
| Sand                                  | 400 | 410    |      |       |
| Shale                                 | 410 | 442    |      |       |
| Lime                                  | 442 | 444    |      |       |
| Sandy Shale                           | 444 | 563    |      |       |
| Lime                                  | 563 | 573    |      |       |
| Shale                                 | 573 | 615    |      |       |
| Lime                                  | 615 | 627    |      |       |
| Shale                                 | 627 | 666    |      |       |
| Sand Oil                              | 666 | 670    |      |       |
| Sand & Shale                          | 670 | 709    |      |       |
| Lime                                  | 709 | 711    |      |       |
| Shale                                 | 711 | 750    | T.D. |       |

State Geological Survey  
WICHITA BRANCH~~CONFIDENTIAL~~