

Initial Closed In Time - Minutes				Date 5-1-58	
Tool Open Flow Period 120 Minutes				Ticket No. 187313	
Final Closed In Time 60 Minutes				HOWCO DISTRICT El Dorado	
Depth Top Gauge 3487' Ft. Blanked Off No				Kind of Job Open Hole Test	
BT. P.R.D. No 537 Hr. Clock 12		CONTRACTOR White & Ellis			
Pressure Readings Field Office Corrected		HOLE & TOOL DATA			
Initial Hydro Mud Pressure 1825		Elevation ?		Top Packer Depth 3482'	
Initial Closed in Pres.		Total Depth 3500'		Bottom Packer Depth -	
Initial Flow Pres. 47		Casing or Hole Size 8 3/4"		Size & Type Wall Packer 7 1/4" ESWP	
Final Flow Pres. 915		Liner or Rathole Size 8 3/4"		Size Bottom Choke 5/8"	
Final Closed in Pres. 1145		Casing Perforations Top Bottom		Size Surface Choke 1/4"	
Final Hydro Mud Pressure 1768		Interval Tested 3482' to 3500'		ID & Length Air Chamber -	
Depth Center Gauge 3496' Ft. Blanked Off Yes		Formation Tested Simpson		ID & Length Drill Collars -	
BT. P.R.D. No Hr. Clock		Est. Gauge Depth Temp. 100 F°		Size Drill Pipe 4 1/2" API FH	
Pressure Readings Field Office Corrected		MUD DATA Weight 10.1		Viscosity 48	
Initial Hydro Mud Pressure		All depths measured from Kelly Bushing		No. Folders Reproduced 5	
Initial Closed in Pres.		REMARKS: Interval tested from 3482' to 3500' in			
Initial Flow Pres.		the Simpson. Tool opened @ 1:38 A. M. with			
Final Flow Pres.		a very weak blow and increasing to strong after			
Final Closed in Pres.		10 minutes, closed in pressure taken @ 3:38 A. M.			
Final Hydro Mud Pressure		and started off bottom @ 4:38 A. M.			
Depth Bottom Gauge Ft. Blanked Off					
BT. P.R.D. No Hr. Clock					
Pressure Readings Field Office Corrected					
Initial Hydro Mud Pressure					
Initial Closed in Pres.		Recovered 2120' Feet of Muddy sulphur water			
Initial Flow Pres.		Recovered Feet of			
Final Flow Pres.		Recovered Feet of			
Final Closed in Pres.		Recovered Feet of			
Final Hydro Mud Pressure		Witnessed By Mr. W. Norris			
Amount-Type of Cushion none		Tester E. L. Sanders			

HOWCO No. 1295

LOCATION S.E.C.:

FIELD

WILDCAT

COUNTY

Wabaunsee


STATE Kansas

LOCKHART
LEASE NAMEI
WELL NO.I
TEST NO.CITIES SERVICE OIL COMPANY
LEASE OWNEREL DORADO
OWNERS DISTRICT


↑
PRESSURE
↓

187313

← TIME →



EACH HORIZONTAL LINE EQUALS 1000 P.S.I.



Halliburton Oil Well Cementing Co.
Duncan, Oklahoma