

KANSAS DRILLERS LOG

IMPORTANT
 Kans. Geo. Survey request
 samples on this well.

7-14-22E

S. 7 T. 14 R. 22 ^E
 Loc. NE NE NW
 County JOHNSON

API No. 15 — 091 — 20,189
 County Number

Operator
Winton D. Jensen

Address
9711 Manor Road, Leawood, KS 66206


Well No. 1 Lease Name Jensen

Footage Location
1300 feet from (N) ~~S~~ line 165 feet from (E) (W) line

Principal Contractor A. G. Glaze Drilling Company Geologist Bill Campbell

Spud Date 5/11/80 Total Depth 725' P.B.T.D.

Date Completed 5/17/80 Oil Purchaser



Locate well correctly
 Elev.: Gr. 1060 est.
 DF _____ KB _____

CASING RECORD

Report of oil strings set — surface, intermediate, production, etc.

| Purpose of string | Size hole drilled | Size casing set (in O.D.) | Weight lbs/ft. | Setting depth | Type cement | Sacks | Type and percent additives |
|-------------------|-------------------|---------------------------|----------------|---------------|-------------|-------|----------------------------|
| Surface Pipe | 10" | 8" | 16 | 21 | Portland | 10 | None |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LINER RECORD

PERFORATION RECORD

| Top, ft. | Bottom, ft. | Sacks cement | Shots per ft. | Size & type | Depth interval |
|----------|-------------|--------------|---------------|-------------|----------------|
| Surface | 675 | None | | | |

TUBING RECORD

| Size | Setting depth | Packer set at | | | |
|------|---------------|---------------|--|--|--|
| None | | | | | |

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

| Amount and kind of material used | Depth interval treated |
|----------------------------------|------------------------|
| None | |
| | |
| | |

INITIAL PRODUCTION

| | | | | | |
|--|--------------------------|---|----------------------------|-----------------------------------|--|
| Date of first production <u>D & A</u> | | Producing method (flowing, pumping, gas lift, etc.) | | | |
| RATE OF PRODUCTION PER 24 HOURS | Oil <u>None</u> bbls. | Gas <u>None</u> MCF | Water <u>None</u> bbls. | Gas-oil ratio <u>None</u> CFPB | Disposition of gas (vented, used on lease or sold) |
| Producing interval (s) | | | | | |

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

7-14-22E

Operator
Winton D. Jensen

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:

Well No. 1 Lease Name Jensen Dry Hole

S 7 T 14 R 22 E W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

| FORMATION DESCRIPTION, CONTENTS, ETC. | TOP | BOTTOM | NAME | DEPTH |
|---|-----|--------|------|-------|
| Well log enclosed. 10" drilling samples - surface to total depth. Turned in to Well Log Survey, Wichita, KS | | | | |

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Geologist
Jones & Campbell, Inc.
By W. Campbell

Signature
Winton D. Jensen

OPERATOR

Title

6/4/80

Date

RECEIVED
JUN 14 1980

J-14-992

7-14-200

WELL LOG FOR JENSEN #1

Location

Johnson County Kansas
S-7 T-14 R-22E
Loc.-NE 1/4 of NE 1/4
of NW 1/4
1300' from N Line
1165' from E Line

OPERATOR: Winton D. Jensen

CONTRACTOR: A. G. Glaze Drilling Co.

Commenced with cable tool - 5/11/80
completed with cable tool - 5/19/80

| THICKNESS OF STRATA | FORMATION | TOTAL DEPTH |
|------------------------|-------------|----------------|
| 3 | Surface | 3 |
| 13 | Sandy Clay | 16 |
| 15 | Lime | 31 |
| 3 | Sandstone | 34 |
| 3 | Shale | 37 |
| 4 | Black Slate | 41 |
| 2 | Shale | 43 |
| 7 | Lime | 50 |
| 10 | Shale | 60 |
| 15 | Lime | 75 |
| 1 | Shale | 76 |
| 9 | Sandstone | 85 |
| 23 | Sandy Shale | 108 |
| 65 | Lime | 173 |
| 40 | Shale | 213 |
| 13 | Lime | 226 |
| 3 | Black Slate | 229 |
| 1 | Lime | 230 |
| 13 | Shale | 243 |
| 1 | Lime | 244 |
| 8 | Shale | 252 |
| 3 | Red Bed | 255 |
| 4 | Shale | 259 |
| 2 | Black Slate | 261 |
| 4 | Shale | 265 |
| 7 | Lime | 272 |
| 5 | Shale | 277 |
| 3 | Lime | 280 |
| 9 | Shale | 289 |
| 11 | Lime | 301 |
| 1 | Shale | 302 |
| 14 | Lime | 316 |
| 7 | Shale | 323 |
| 22 | Lime | 345 |
| 1 | Shale | 346 |
| 1 | Black Slate | 347 |
| 1 | Shale | 348 |
| 3 | Lime | 351 |
| 5 | Shale | 356 |
| 8 | Lime | 364 |
| 27 | Shale | 391 |
| 7 | Sandstone | 398 |
| 17 | Shale | 415 |
| 5 | Sandstone | 420 |

7-14.22E

| THICKNESS OF STRATA | FORMATION | TOTAL DEPTH |
|------------------------|------------------|----------------|
| 80 | Shale | 500 |
| 4 | Red Bed | 504 |
| 7 | Shale (Greenish) | 511 |
| 23 | Shale (Sandy) | 534 |
| 7 | Lime (Sandy) | 541 |
| 3 | Shale | 544 |
| 4 | Lime | 548 |
| 6 | Shale | 554 |
| 3 | Lime | 557 |
| 1 | Shale | 558 |
| 3 | Sandstone | 561 |
| 7 | Shale | 568 |
| 4 | Black Slate | 572 |
| 4 | Shale | 576 |
| 4 | Lime | 580 |
| 8 | Black Slate | 588 |
| 2 | Lime | 590 |
| 3 | Shale | 593 |
| 4 | Sandstone | 597 |
| 6 | Shale | 603 |
| 5 | Red Bed | 608 |
| 3 | Shale | 611 |
| 7 | Black Slate | 618 |
| 9 | Shale | 627 |
| 4 | Lime | 631 |
| 4 | Shale | 635 |
| 3 | Lime | 638 |
| 14 | Sandstone | 652 |
| 38 | Shale | 690 |
| 16 | Sandstone | 706 |
| 19 | Shale | 725 |