

State Geological Survey
WICHITA, BRANCH

ARDEN JOHNSON WELL NO. 6

Thickness	Strata	Depth
2	Soil	2
20	Clay	22
4	Lime	26
140	Shale	166
19	Lime	185
8	Shale	193
9	Lime	202
11	Shale	213
22	Lime	235
22	Shale	257
16	Lime	273
3	Shale	276
3	Lime	279
71	Shale	350
23	Lime	373
15	Shale	388
7	Lime	395
25	Shale	420
20	Lime	440
4	Shale	444
2	Lime	446
11	Shale	457
24	Lime	481
5	Shale	486
24	Lime	510
4	Blk Slate	514
16	Lime	530
143	Shale	673
5	Red Bed	678
20	Shale	698
6	Lime	704
5	Shale	709
5	Lime	714
7	Shale	721

Thickness	Strata	Depth
5	Lime	726
18	Shale	744
4	Lime	748
4	Slate	752
2	Lime	754
12	Shale	766
2	Lime	768
23	Shale	791
2	Lime	793
3	Shale	796
14	Sdy Shale	810
15' 10"	Brkn Sand	825' 10"
2' 0"	Sand	827' 10"
Started Coring		
3' 4"	Oil Sand	831' 2"
3' 10"	Oil Sand	835' 0"
4' 0"	Oil Sand	839' 0"
3' 2"	Oil Sand	842' 2"
4' 3"	Oil Sand	846' 5"
3' 6"	Oil Sand	850' 1"
0.6	Blk Sand	850' 7"
Started Drilling		
27' 1"	Shale	877' 8" TD
Plugged Back to		
		871 PB

RECEIVED
STATE CORPORATION COMMISSION
FEB 19 1974
CONSERVATION DIVISION
Wichita, Kansas