20 08.

Notary Public:

Date Commission Expires: _

5-21-204



KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE



Form ACO-1 September 1999 Form Must Be Typed

Operator: License #	API No. 15 - <u>059-25361-00-00</u>
Operator: License #	County: Franklin 29
Name: - 510 GH, Me. Address: -P.O. Box 24386	SE_SW_NW_SW_Sec_22 Twp. 15 S. R. 21 F East West
City/State/Zip: _Stanley, KS. 66283	1465 1427 feet from S/ N (circle one) Line of Section
	4875 4647 feet from (E)/ W (circle one) Line of Section
Purchaser: _C_M1 Operator Contact Person: Tom Cain	'KCC (1
Phone: (913) 208 7914	Footages Calculated from Nearest Outside Section Corner: (circle one) NE SE NW SW
Contractor: Name: JTC Oil, Inc.	(circle one) NE SE NW SW Lease Name: Moldenhauer North-KCC 2019 Well #: W-36
License: 32834	Field Name: Paola-Rantoul
	Producing Formation: Squirrel
Wellsite Geologist:	
Designate Type of Completion:	Elevation: Ground: Kelly Bushing: 836'
New Well Re-Entry Workover	Total Depth: 836' Plug Back Total Depth: 21'
Oil SWD Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21'Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 21'
Operator:	feet depth to_surfacew/3sx cmt.
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 1500-3000 ppm Fluid volume 40 bbls
Plug Back Plug Back Total Depth	Dewatering method used on lease
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
8/12/08 8/14/08 9/14/08	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.;
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regul	late the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
20: 12. de 10	/ WOO OWIGO HAS ONLY
Signature:	KCC Office Use ONLY
Title: Agent Date: 10/13/08	Letter of Confidentiality Received
Subscribed and sworn to before me this 13th day of October	If Denied, Yes Date:

CONSERVATION DIVISION WICHITA, KS

Geologist Report Received KANSAS CORPORATION COMMISSIC

Wireline Log Received

JESSICA M. HELMS

Notary Public - State of Kansas

Side Two

perator Name: JTC	Oil, Inc.		Lease	Name:	Moldenhauer		_ Well #: _ W-3	6
ec. 32 Twp. 15		✓ East		y: _ Frank				
STRUCTIONS: Sho sted, time tool open mperature, fluid reco ectric Wireline Logs	and closed, flowing every, and flow rates	and shut-in press if gas to surface	sures, whether sl test, along with f	hut-in pre	ssure reached	static level, hydro	static pressur	es, bottom hole
rill Stem Tests Taken (Attach Additional S		☐ Yes 🗸	No		og Formati	on (Top), Depth a	nd Datum	Sample
amples Sent to Geol	ogical Survey	☐ Yes 🗹	No	Nam	9		Тор	Datum
ores Taken lectric Log Run (Submit Copy)		Yes Y						
st All E. Logs Run:								
			ASING RECORD gs set-conductor, s	Ne		ction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		ight ./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	614 9	61/4"			21'	Portland	3	
Completion	5 5/8"	2 7/8"			819'	portland	121	50/50 POZ
Durage	Danth		IONAL CEMENT	ING / SQL	JEEZE RECOR	D		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Ceme	nt #Sack	s Used		Type and f	Percent Additives	5
Shots Per Foot		ON RECORD - Brid Footage of Each Inte		9		acture, Shot, Cemen		rd Depth
	Not available at	this time	when the					
	-							
TUBING RECORD	Size	Set At	Packer	At	Liner Run	Yes No		
Date of First, Resumerd	Production, SWD or E	inhr. Produc	ing Method	Flowing	g Pump	ning Gas Li	ft Oth	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls. Ga	s Mcf	Wate	er	Bbis.	- Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	COMPLETION	!		Production Inte	erval	KANDAA	RECEIVED
Vented Sold	Used on Lease		en Hole Per er (<i>Specify</i>)	rf. 📋 l	Oually Comp.	Commingled -		CORPORATION COMM

CONSERVATION DIVISION WICHITA, KS

Franklin County, KS **Town Oilfield Service, Inc.**Well: Moldenhauer W-36 (913) 710 - 5400 . Lease Owner:JTC Oil

Commenced Spudding: 8/12/08

WELL LOG

Thickness of Strata	Formation	Total Depth		
2	Soil			
12	Clay	14		
89	Shale	103		
19	Lime	122		
6	Shale	128		
2	Slate	130		
4	Shale	134		
10	Lime	144		
5	Shale	149		
17	Lime	166		
36	Shale	203		
25	Lime	228		
86	Shale	314		
22	Lime	336		
7	Shale	343		
7	Lime	350		
57	Shale	407		
9	Lime	416		
14	Shale	430		
13	Sandy Shale	443		
8	Lime	451		
12	Shale	463		
7	Lime	470		
284	Shale	754		
4	Sandy Shale	758		
8	Sand	766		
5	Sandy Shale	771		
65	Shale	836-TD		
		RECEIVED		
		KANSAS CORPORATION COMM		
		OCT 17 2008		
		CONSERVATION DIVISION WICHITA, KS		