

29-15-21E 11/20/83 KCC

CONFIDENTIAL
Geological Survey
WICHITA BRANCH

AFFIDAVIT OF COMPLETION FORM ACQ-1 WELL HISTORY

Compt. _____

TYPE
SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

(F) Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

C Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 5186 EXPIRATION DATE 6/30/83

OPERATOR Sterling Development Co. Inc. API NO. 15-059-23,027

ADDRESS 8080 Ward Parkway, Suite 440 COUNTY Franklin
Kansas City, Missouri 64114 FIELD n/a

** CONTACT PERSON Terry Brown and/or John Gramlich PROD. FORMATION n/a
PHONE (816) 444-235

PURCHASER Total Petroleum, Inc. LEASE Soetaert

ADDRESS 6701 North Broadway WELL NO. 3-82
Oklahoma City, Oklahoma 73116 WELL LOCATION NW 1/4

DRILLING C & R Drilling, Inc. 825 Ft. from north Line and
CONTRACTOR ADDRESS 8080 Ward Parkway, Suite 440 165 Ft. from west Line of (E)
Kansas City, Missouri 64114 the NW (Qtr.) SEC 29 TWP 15 RGE 21 (W)

PLUGGING None
CONTRACTOR
ADDRESS

WELL PLAT			

(Office Use Only)
KCC
KGS
SWD/REP
PLG.

TOTAL DEPTH 826 PBD n/a

SPUD DATE 12/1/82 DATE COMPLETED 1/20/83

ELEV: GR n/a DF n/a KB n/a

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE n/a

Amount of surface pipe set and cemented 52 DV Tool Used? n/a

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
100 Bwls of Gel Water	
60 sacks sand	782.0 - 790.0

Date of first production 1/20/83	Producing method (Flowing, pumping, gas lift, etc.) pumping	Gravity 30
Estimated Production -I.P. Oil 1 bbls.	Gas none MCF	Water % 10 bbls.
Disposition of gas (vented, used on lease or sold) used on lease		Gas-oil ratio none CFPB
		Perforations 24

SIDE TWO

ACO-1 WELL HISTORY (E)

OPERATOR Sterling Development Co INCREASE Soetaert 3-82 SEC. 29 TWP. 15 RGE. 21

(E)

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO.

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.			SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.	
FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Check if no Drill Stem Tests Run.				
soil and clay	0	15		
shale	15	123		
lime	123	128		
shale	128	136		
lime	136	151		
shale	151	158		
lime	158	167		
shale	167	172		
lime	172	191		
shale	191	226		
lime	226	246		
shale	246	324		
lime	324	353		
shale	353	358		
lime	358	365		
shale	365	410		
lime	410	412		
shale	412	426		
lime	426	451		
shale	451	459		
lime	459	483		
shale	483	487		
lime	487	490		
shale	490	495		
lime	495	507		
shale	507	676		
lime	676	683		
shale	683	691		
lime	691	697		
shale	697	704		
lime	704	711		
shale	711	724		
lime	724	729		
shale	729	733		
lime	733	749		
shale	749	776		
If additional space is needed, use Page 2, Side 2				826

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	8 5/8	6 1/4	11 lbs	52	Portland	5	none
Production	5 1/4	2 3/8	3/75	824	Portland	90	none

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD			s / ft	1 9/16"	782.0 - 790.0
Size	Setting depth	Packer set at			