

TYPE
SIDE ONE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

30-15-21E

WICHITA BRANCH

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 5186 EXPIRATION DATE 6/30/82

OPERATOR Sterling Development Co Inc API NO. 15-059-22,967

ADDRESS 8080 Ward Parkway, Suite 440 COUNTY Franklin

Kansas City, Missouri 64114 FIELD

** CONTACT PERSON Terry Brown and/or John Gramlich PROD. FORMATION
PHONE (816) 444-2353

PURCHASER Total Petroleum, Inc. LEASE Unger

ADDRESS 6701 North Broadway WELL NO. 10-82

Oklahoma City, Oklahoma 73116 WELL LOCATION NE 1/4 3151 FSL: 482 FEL

DRILLING C & R Drilling, Inc. 2195 Ft. from north Line and

CONTRACTOR ADDRESS 8080 Ward Parkway, Suite 440 495 Ft. from east Line of

Kansas City, Missouri 64114 the NE 1/4 (Qtr.) SEC 30 TWP 15 RGE 21E.

PLUGGING None

CONTRACTOR

ADDRESS

TOTAL DEPTH 801 PBD

SPUD DATE 10/28/82 DATE COMPLETED 11/8/82

ELEV: GR DF KB

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE

Amount of surface pipe set and cemented 51 DV Tool Used?

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, Other

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
100 Bwls of Gel Water	
60 sacks sand	771.0 - 777.0

Date of first production 11/8/82	Producing method (flowing, pumping, gas lift, etc.) pumping	Gravity 30
-------------------------------------	--	---------------

RATE OF PRODUCTION PER 24 HOURS	Oil 1 bbls.	Gas none	Water 10 %	Gas-oil ratio none	CFPB
---------------------------------	----------------	-------------	---------------	-----------------------	------

Disposition of gas (vented, used on lease or sold) used on lease Perforations 18

Ind
11/8/82
KCC
State Geological Survey

WELL PLAT (Office Use Only)

KCC
KGS
SWD/REP
PLG.

SIDE TWO

ACO-1 WELL HISTORY

OPERATOR Sterling Development Co INCREASE Unger 10-82

SEC. 30 TWP. 15 RGE. 21E

FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
soil and clay	0	13		
shale	13	108		
lime	108	139		
shale	139	147		
lime	147	155		
shale	155	160		
lime	160	177		
shale	177	215		
lime	215	241		
shale	241	314		
lime	314	343		
shale	343	348		
lime	348	355		
shale	355	375		
lime	375	378		
shale	378	399		
lime	399	400		
shale	400	415		
lime	415	441		
shale	441	451		
lime	451	472		
shale	472	475		
lime	475	479		
shale	479	483		
lime	483	488		
shale	488	666		
lime	666	672		
shale	672	680		
lime	680	685		
shale	685	692		
lime	692	698		
shale	698	712		
lime	712	717		
shale	717	724		
lime	724	735		
shale	735	765		
core	765	780		
shale	780	801		801

Report of all strings set— surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	8 5/8	6 1/4	11 lbs	50	Portland	5	none
Production	5 1/4	2 3/8	3/75	799	Portland	90	none

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			3 / ft	1 9/16"	771.0 - 777.0
Size	Setting depth	Pecker set at			