



Side TWO  
 OPERATOR Miller Bros. Prod. Co. LEASE NAME Wiswell SEC 2 TWP 15 RGE 23 (W)  
 WELL NO 1

FILL IN WELL INFORMATION AS REQUIRED;

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

Show Geological markers, logs run, or other Descriptive information.

Formation description, contents, etc.	Top	Bottom	Name	Depth
<input checked="" type="checkbox"/> Check if no Drill Stem Tests Run.				
<input checked="" type="checkbox"/> Check if samples sent Geological Survey.				
Ross set on first casing	0	25		
Lime	25	29		
Shale	29	35		
Lime	35	49		
Shale	49	85		
Sand water	85	90		
Shale	90	172		
Lime	172	184		
Shale	184	190		
Lime	190	195		
Sandy Shale	195	197		
Lime	197	210		
Shale	210	224		
Red Shale	224	234		
Shale	234	239		
Lime	239	244		
Shale	244	263		
Lime	263	264		
Shale	264	277		
Lime	277	282		
Shale	282	293		
Lime	293	318		
Shale	318	327		
Lime	327	345		
Shale	345	349		
Lime	349	350		
Shale	350	355		
Lime	355	365		
Sandy Shale	365	403		

CONFIDENTIAL

If additional space is needed use Page 2

Report of all strings set — surface, intermediate, production, etc.							
				CASING RECORD (New) or (Used)			
Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	10"	7"	16½	20	Portland	12	None

  

LINER RECORD			PERFORATION RECORD		
Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

  

TUBING RECORD		
Size	Setting depth	Packer set at

State Geological Survey  
WICHITA BRANCH

CONFIDENTIAL

SIDE TWO (Page Two)

ACO-1 WELL HISTORY

OPERATOR Miller Bros. Prod. Co. LEASE NAME Wiswell # / SEC. 2 TWP. 15 RGE. 23

FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Sand	403	406		
Sandy Sahle	406	588		
Lime	588	595		
Shale	595	598		
Lime	598	600		
Shale	600	610		
Red Shale	610	623		
Shale	623	649		
Sand	649	660		
Sandy Shale	660	707		
Sand (oil ordor)	707	710		
Sandy Shale	710	733		
Sandy Lime	733	737		
Shale	737	820		
Sand	820	823		
Sandy Shale	823	828		
Sand oil	828	845		
Sandy Shale	845	856		
Sand oil Good	856	865		
Shale	865	871		
Black Shale	871	884		
Sandy Shale	884	892		
Sand	892	895		
Sandy Shale	895	920		
Shale	920	950		
	TD			

CONFIDENTIAL

RECEIVED  
COMMISSION