

Sec. 28, T. 15 S., R. 23 E.Year Well Reported 1968API Serial Number 15 121 20057E/2 W/2 SE/4

## KANSAS WELL COMPLETION REPORT

28-15-23E

INSTRUCTIONS: Within 30 days after completion of this well the owner or operator should complete the form and mail it to Margaret Oros, Chairman, AAPG-CSD District 12, State Geological Survey of Kansas, Lindley Hall, Lawrence, Kansas 66044, in the enclosed stamped, self-addressed envelope. (The information given in the IBM print-out is taken from the "Intents-to-Drill" list of the Oil and Gas Conservation Division of the State Corporation Commission of Kansas, 500 Insurance Building, Wichita, Kansas 67202. Please correct any item that is in error.)

Miami Co.

F  
Lloyd W. Cundiff  
RFD 1, Spring Hill, Ks.  
66083

Intent to drill 6-3-68  
Fred Spindle  
Cable tool.


#1 Cundiff.

Date Drilling Began: May 28

\*\*\*\*\*

Date Drilling Completed: June 4-68Hole completed as (check): Dry ☐;

→ Please show  
 location of  
 well in  
 section:

Oil ☐; Gas ☒; Service well ☐Total depth of hole: 355

Elevation: Derrick floor \_\_\_\_\_

Kelly Bushing \_\_\_\_\_ Ground \_\_\_\_\_

Name of  
formation at total depth: \_\_\_\_\_Electric or other  
logs were run: Yes ☐ No ☐If OWWO\*, give new  
footage drilled: \_\_\_\_\_Well was Cored: Yes ☐ No ☐

Field Name: \_\_\_\_\_

Drill Stem Test Run: Yes ☐ No ☐Name of Company purchasing oil or gas: Private Use

\*\*\*\*\*

Initial Potential or Production: Barrels of oil/day \_\_\_\_\_;

Barrels of water/day \_\_\_\_\_; Thousand cu ft gas/day \_\_\_\_\_

Oil Gravity \_\_\_\_\_ °API; Pay Depth (Bottom) \_\_\_\_\_

Net Pay Thickness \_\_\_\_\_ Ft.; Name of Pay Zone \_\_\_\_\_

Please use other side of sheet for additional information. Copy of driller's log, electric logs, and other well information would be appreciated. (\* OWWO - Old hole re-worked or deepened.)

The AAPG's Committee on Statistics of Drilling (CSD) on January 1, 1966 began compiling data on wells reported drilled in the U. S., Canada, and Mexico. The Oil and Gas Journal has contracted to publish weekly statistical summaries of the data. These will be used by the International Oil Scouts Assoc., American Petroleum Inst., U. S. Bureau of Mines, and other groups, and will be considered the official source of drilling information by the U. S. Department of the Interior.

Many of the wells drilled in southeastern Kansas are not presently scouted. Because of this the CSD District 12 Chairman is sending this Well Completion Report form to all operators who have stated their intent to drill a well. The information received will also be placed on open file in the Oil and Gas Division offices of the State Geological Survey of Kansas. The cooperation of all of the operators in returning the completed form will be greatly appreciated.

# 15-121-2005/

28-155-23E

E/2 W/2 SE

## Fred Spindle Drilling Contractor

## Oil and Gas Well Repair

Log of Floyd W. Cundiff

E  $\frac{1}{8}$  W  $\frac{1}{8}$  SE  $\frac{1}{4}$  28--15--23 Miami Co. Kansas1034 E. PEORIA  
PADLA, KANSAS  
PH. AXTEL 4-3552

|    |               |     |             |
|----|---------------|-----|-------------|
| 1  | soil          | 1   |             |
| 17 | broken lime   | 18  |             |
| 51 | shale         | 69  |             |
| 13 | lime          | 82  |             |
| 60 | shale         | 142 |             |
| 20 | lime          | 162 |             |
| 14 | shale         | 176 |             |
| 4  | lime          | 180 |             |
| 20 | li shale      | 200 |             |
| 5  | lime          | 205 |             |
| 12 | shale & slate | 217 | gas & water |
| 2  | lime          | 219 |             |
| 6  | shale         | 224 |             |
| 7  | lime          | 231 |             |
| 10 | shale         | 241 |             |
| 2  | lime          | 242 |             |
| 13 | shale         | 255 |             |
| 25 | lime          | 280 |             |
| 5  | slate         | 285 |             |
| 22 | lime          | 307 |             |
| 5  | shale         | 312 |             |
| 2  | lime          | 314 |             |
| 4  | shale         | 318 |             |
| 9  | lime          | 327 |             |
| 8  | shale         | 335 |             |
| 7  | sand          | 342 | gas         |
| 13 | shale         | 355 | T. D.       |

plate packer set at 334  
21 Ft. of anchor & Per.  
9 sacks of cement on packer  
well completed 6--4--1968

Completed as gas well  
for private use.

