

DRILLING TIME LOG

Elevation 1457 R.B.
1454 D.F.

Rex & Morris Drilling Company
Haun Well #1
SE NE NE, 3-15S-7E
Morris County, Kansas

900 to	920	1-1-1-1-1-1-1-1-1-1
	940	1-1-1-1-1-1-1-1-1-1
	960	1-1-1-1-1-1-1-1-1-1
	980	3-2-2-2-2-1-1-1-1-1
	1000	1-1-1-1-1-1-1-1-2-1
	1020	1-1-2-1-1-2-1-4-4-3
	1040	3-2-1-3-3-1-1-1-2-1
	1060	1-1-1-2-2-1-1-1-1-2
	1080	2-2-2-1-2-1-1-1-2-1
	1100	2-1-1-1-2-1-1-1-2-1
1100 to	1120	1-2-1-3-4-3-2-1-1-2
	1140	2-2-2-3-3-3-2-2-3-2
	1160	3-2-2-2-2-2-2-5-3-2
	1180	2-2-2-2-4-3-3-3-3-2
	1200	2-2-2-2-3-2-2-2-3-3
	1220	1-1-3-4-1-1-1-1-2-1
	1240	4-2-2-1-2-1-1-1-2-1
	1260	1-2-1-1-3-4-3-3-4-3
	1280	4-4-4-3-3-2-1-1-6-2
	1300	1-2-1-2-1-2-1-1-2-1
1300 to	1320	2-2-2-1-2-2-2-1-2-1
	1340	1-2-1-1-1-1-1-1-2-1
	1360	1-1-1-1-1-1-2-1-1-2
	1380	1-2-1-2-1-2-1-1-2-1
	1400	2-1-1-2-1-1-1-2-1-1
	1420	2-1-1-2-1-1-1-1-1-1
	1440	1-1-1-1-1-1-1-1-1-1
	1460	1-1-1-1-1-1-1-1-1-1
	1480	4-3-3-2-3-3-3-4-4-3
	1500	5-4-4-4-4-2-2-4-4-4
1500 to	1510	2-3-3-3-1-1-1-1-3-3
	1520	2-3-2-3-2-2-2-2-2-3
	1530	2-3-2-1-2-1-4-3-2-3
	1540	2-2-1-1-2-1-1-1-1-2
	1550	1-1-1-1-2-1-1-1-1-1
	1560	1-2-1-1-1-1-2-3-2-3
	1570	2-2-2-3-3-3-2-2-2-3
	1580	2-2-2-2-2-2-2-3-2-3
	1590	3-3-3-3-4-3-1-1-1-1
	1600	1-1-1-3-3-3-3-3-2-3
1600 to	1610	3-3-4-4-4-5-4-3-3-4
	1620	3-4-3-4-5-4-3-2-1-1
	1630	1-3-3-4-3-2-3-3-3-3
	1640	2-3-2-3-2-3-4-3-3-2
	1650	2-2-2-1-2-2-1-2-2-1
	1660	1-2-2-3-3-3-3-4-4-3
	1670	4-3-4-3-3-2-3-4-3-3
	1680	3-4-4-3-4-3-1-2-1-2
	1690	3-3-2-3-3-2-3-3-3-4
	1700	3-3-2-2-2-2-3-3-3-3
1700 to	1710	4-3-4-4-5-5-2-2-1-2
	1720	2-1-2-2-1-1-1-1-1-2
	1730	1-1-2-2-1-2-2-2-2-2
	1740	2-2-2-2-2-2-2-1-2-1
	1750	1-2-2-1-1-2-3-3-2-2
	1760	2-3-2-3-3-3-3-3-3-3
	1770	3-3-2-3-2-2-2-1-1-1

2' Time

Circ. 37 min. @ 1422

1' Time @ 1500

Trip @ 1706

1770 to	1780	2-3-2-2-1-2-2-2-2-2
	1790	1-1-2-1-1-1-1-1-1-1
	1800	1-1-1-1-1-1-2-1-2-2
1800 to	1810	1-2-2-1-2-1-2-1-2-1
	1820	2-1-2-2-1-2-2-2-1-2
	1830	2-3-2-2-2-2-3-2-1-1
	1840	2-2-2-2-2-2-2-2-2-3
	1850	3-4-4-3-4-3-2-1-1-2
	1860	2-3-2-3-2-3-2-3-2-2
	1870	2-2-3-3-2-3-3-3-2-2
	1880	3-1-1-2-2-2-2-2-3-3
	1890	2-2-2-2-3-3-3-2-3-3
	1900	4-4-4-2-2-2-3-2-2-3
1900 to	1910	2-2-2-4-4-3-4-4-3-4
	1920	2-2-2-2-3-2-3-2-3-2
	1930	2-2-2-2-2-2-2-3-2-2
	1940	2-2-1-2-2-1-2-2-2-1
	1950	2-2-2-1-2-2-2-1-2-2
	1960	2-3-2-3-4-3-2-3-2-1
	1970	2-2-2-2-3-2-2-3-4-4
	1980	4-2-2-2-2-4-4-4-3-2
	1990	3-2-3-3-3-3-3-2-3-3
	2000	3-2-3-3-3-2-2-2-2-3
2000 to	2010	1-2-2-3-3-3-1-1-1-2
	2020	1-1-2-3-2-3-3-2-3-3
	2030	3-3-3-3-1-2-3-3-2-2
	2040	2-3-2-2-2-1-1-2-2-1
	2050	1-2-4-4-4-3-3-3-4-3
	2060	3-3-5-4-2-3-4-3-2-2
	2070	3-2-3-3-2-2-5-3-2-3
	2080	2-4-3-3-2-2-3-4-5-5
	2090	2-2-3-4-4-5-4-6-6-6
	2100	5-5-7-5-5-5-5-4-4-4
2100 to	2110	5-5-4-5-5-4-4-4-3-4
	2120	3-3-2-3-3-3-4-4-4-5
	2130	5-6-5-5-4-5-4-5-4-5
	2140	5-5-4-5-5-4-4-4-4-5
	2150	4-5-4-5-5-7-6-6-6-6
	2160	7-6-6-5-6-6-6-5-5-6
	2170	5-5-6-5-5-5-5-5-6-6
	2180	6-6-6-5-6-5-4-5-4-5
	2190	4-5-4-4-4-4-4-4-4-4
	2200	4-4-4-4-4-4-5-4-5-5
2200 to	2210	5-5-5-5-6-5-5-5-5-5
	2220	6-4-3-4-4-4-4-4-3-3
	2230	4-5-5-4-3-4-3-7-2-2
	2240	2-3-3-2-2-2-3-2-2-3
	2250	3-4-3-3-3-3-3-2-2-2
	2260	3-4-3-4-4-3-3-4-3-4
	2270	4-3-3-4-3-3-3-4-3-3
	2280	4-3-4-4-3-3-3-2-2-1
	2290	1-2-2-2-2-1-2-3-1-1
	2300	2-2-2-4-3-3-3-4-3-4

Circ. 32 min. @ 1956

Circ. 34 min. @ 1971

Circ. 50 min. @ 1980

Circ. 35 min. @ 2002

Circ. 24 min. @ 2221

Trip @ 2228

Page 3
Haun Well #1

2300 to	2310	4-5-5-4-5-4-5-6-6-6
	2320	4-3-3-3-4-10-6-6-5-5
	2330	5-5-5-5-4-5-6-7-5-3
	2340	5-5-5-4-4-5-6-5-4-2
	2350	3-3-4-3-4-3-2-4-4-8
	2360	11-6-3-7-6-9-7-4-4-4
	2370	2-2-1-2-3-3-2-2-3-4
	2380	3-5-2-3-5-3-4-5-5-5
	2390	4-5-3-3-3-4-5-6-5-3
	2400	3-3-5-5-5-5-4-4-3-6
2400 to	2407	5-5-3-5-5-4-5

T.D. Circ. 20 min. @ 2407.

Soleck

Fidelity Onion Skin

MADE IN U.S.A.