

KANSAS GEOLOGICAL SOCIETY 20-16-1E  
 KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU  
 KANSAS GEOLOGICAL SOCIETY BUILDING  
 508 EAST MURDOCK - WICHITA, KANSAS


COMPANY O. A SUTTON

SEC. 20 T. 16 R. 1E  
 LG. SW NW

FARM Ade NO. 1

COUNTY Dickinson

TOTAL DEPTH 2705'  
 COMM. 6-26-67 COMP. 7-2-67  
 SHOT OR TREATED  
 CONTRACTOR Blackstone Drlg.  
 ISSUED 8-19-67



CASING  
 20 10  
 15 8 5/8" 202' cem w/ 130 sx  
 12 6  
 13 5

ELEVATION 1362' KB

PRODUCTION DRY/MISS

FIGURES INDICATE BOTTOM OF FORMATIONS

0	to	150	Shale & Lime	TOPS: SMP
150	to	320	Lime	Brown lime 2040
320	to	925	Lime & Shale	Kansas City 2059
925	to	1670	Shale & Lime	Base Kansas City 2417
1670	to	1830	Lime	Burgess 2688
1830	to	1970	Lime & Shale	Mississippi Dolomite 2692
1970	to	2059	Shale & Lime	Mississippi Chester 2701
2059	to	2453	K. C. Lime	
2453	to	2671	Lime & Shale	
2671	to	2692	Shale & Lime	
2692	to	2705	Mississippi	
		2705	T. D.	

Cut 12 1/4 in. hole to 202 ft. and run 204.80 ft. of 8 5/8 in. surface pipe and cemented with 130 sacks on bottom at 202 ft. Plug down at 9:30 P.M., June 26, 1967. Cut 7 7/8 in. hole to 2705 ft. Hole Dry and Abandoned. Set first plug at 200 ft., put in 25 sacks cement. Filled with mud to 40 ft. and set second plug, put in 10 sacks cement, 2 sacks in rat-hole. Plugging completed at 10:00 A.M., July 2, 1967 by Hugh Scott, State Engineer of McPherson, Kansas.

TOIS: Brown Lime - 2004'      Kansas City - 2059'      Mississippi - 2692'

Measurements taken from K.B.

CERTIFICATE

I, H. J. Plouffe, President of Blackstone Drilling, Inc. do hereby certify that the above and foregoing is a true and correct copy of log on your Ade #1, located on the SW/4 NW/4 of Sec. 20-16-1E, Dickinson County, Kansas as reflected by the files of Blackstone Drilling, Inc.

*H. J. Plouffe*  
 \_\_\_\_\_  
 H. J. Plouffe, President