

TYPE
SIDE ONE

AFFIDAVIT OF COMPLETION FORM

30-16-1E
ACO-1 WELL HISTORY

Compt. _____

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

✓ Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

C Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 5146 EXPIRATION DATE _____

OPERATOR Rains & Williamson Oil Co., Inc. API NO. 15-041-20,077

ADDRESS 435 Page Court, 220 W. Douglas COUNTY Dickinson

Wichita, Kansas 67202 FIELD _____

** CONTACT PERSON Juanita Green PROD. FORMATION _____
PHONE 265-9686

PURCHASER _____ LEASE Everhart

ADDRESS _____ WELL NO. #1

WELL LOCATION 100' N of NW SE SE

DRILLING Rains & Williamson Oil Co., Inc. 990 Ft. from South Line and

CONTRACTOR 435 Page Court, 220 W. Douglas 990 Ft. from East Line of (E)
ADDRESS Wichita, Kansas 67202 the (Qtr.) SEC 30 TWP 16S RGE 1 ~~XXX~~

PLUGGING Same WELL PLAT (Office Use Only)
CONTRACTOR _____
ADDRESS _____

TOTAL DEPTH 3440' PBTD _____

SPUD DATE 6-2-83 DATE COMPLETED 6-8-83

ELEV: GR 1333 DF _____ KB 1338

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE _____

Amount of surface pipe set and cemented 226' DV Tool Used? _____

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other _____

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Wilson Rains, President, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

WELL PLAT				(Office Use Only)
				KCC ☒
				KGS ☒
				SWD/REP ☐
				PLG. ☐
RELEASED				
Date:		JUL 1984		
FROM CONFIDENTIAL				

OPERATOR Rains & Williamson Oil Co., Inc.

Everhart #1

ACO-1 WELL HISTORY (E)
SEC. 30 TWP. 16S RGE. 1 XXX

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO.

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Check if no Drill Stem Tests Run.				
DST #1 - 2664-2674, 30 (30) 60 (60). Rec. 120' MW, 1020' SW. FP's 85-321, 397-568. IBHP 643, FBHP 653.			E. LOG TOPS	
			Heebner	1809 (-471)
			Brown Lime	1955 (-617)
			Lansing	2019 (-681)
			BKC	2362 (-1024)
			Cherokee	2473 (-1135)
			Miss.	2653 (-1315)
			Kinderhook	2891 (-15')
			Misener Sd.	3004 (-1666)
			Hunton Lime	3008 (-1670)
			Viola	3232 (-1894)
			Simpson	3309 (-1971)
			Arbuckle	3387 (-201)
			LTD	3436 (-2096)
Shale		475		
Shale & Lime		975		
Shale		1450		
Shale & Lime		1790		
Lime & Shale		2230		
Lime		3440		
ROTARY TOTAL DEPTH		3440		

If additional space is needed use Page 2, Side 2

Report of all strings set—surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8"	24#	226'	Common	150 sx.	3% cc.

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at			

PI

DRILLER'S LOG

COMPANY: Rains & Williamson Oil Co., Inc.

SEC. 30 T. 16S R. 1E

WELL NAME: Everhart #1

LOC. 100' N of NW SE SE

COUNTY: Dickinson

RIG NO. #4

TOTAL DEPTH 3440'

ELEVATION 1333 GL 1338 KB

COMMENCED: 6-2-83

COMPLETED: 6-8-83

CONTRACTOR: Rains & Williamson Oil Co., Inc.

CASING RECORD:

SURFACE: 8 5/8" @ 226' w/150 sx. common, 3% cc.

PRODUCTION: D&A

LOG

(Figures Indicate Bottom of Formations)

Shale	475
Shale & Lime	975
Shale	1450
Shale & Lime	1790
Lime & Shale	2230
Lime	3440
<u>ROTARY TOTAL DEPTH</u>	<u>3440</u>

RECEIVED
STATE COMMISSION

JUN 22 1983

CONSERVATION DIVISION
Wichita, Kansas

STATE OF Kansas)

COUNTY OF Sedgwick)

SS: