

and
PI

WELL COMPLETION REPORT AND
DRILLER'S LOG


API No. 15 - 059 - 22255
County Number

S. 5 T. 16 R. 21 E

Loc. NW 1/4

County Franklin

640 Acres
N



Locate well correctly

Elev.: Gr. _____

DF _____ KB _____

Operator Don McGinnis

Address P O Box 9 Rantoul, Ks. 66079

Well No. 1 Lease Name O'Connor

Footage Location 150' 2970 FSL; 4455 FGL-KK 825'
feet from (S) line feet from (W) line

Principal Contractor Hawkeye Drilling Geologist _____

Spud Date 11-81 Date Completed 1-82 Total Depth 708 P.B.T.D. 694

Directional Deviation _____ Oil and/or Gas Purchaser Fireka Crude

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	7"	6 1/4"		21'	Portland	3	
Production	5 1/8"	2"		694	Portland	94	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production July - 1982 Producing method (flowing, pumping, gas lift, etc.) pumping

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	<u>1/2</u> bbls.			

Disposition of gas (vented, used on lease or sold) _____ Producing interval (s) _____

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

5-16-21e p1

O'Conner #1

State Geological Survey
WICHITA BRANCH

Thickness of Strata	Formation	Total Depth	Remarks
0	Soil	3	
3	Clay	13	
13	Shale	27	
1	Lime	36	
36	Shale	39	
39	Lime	58	
58	Shale	63	
63	Lime	75	
75	Shale	82	
82	Lime	97	
97	Shale	140	
140	Lime	159	
159	Shale	233	
233	Lime	253	
23	Shale	282	
282	Lime	295	
295	Shale	331	
331	Lime	336	
336	Shale	349	
349	Lime	355	
355	Shale	358	
358	Lime	370	
370	Shale	375	
375	Lime	401	
401	Shale	405	
405	Lime	407	

5-16-26

State Geological Survey
WICHITA BRANCH

1 O'Conne

Thickness of Strata	Formation	Total Depth	Remarks
648	Shale	671	
671	Lime	674	
674	Shale	676	
676	Broken lime	679	
679	Shale	680	
680	Lime	684	
684	Shale	692	
692	oil sand	694	drilled
694	oil sand	2 1/2 695	
695	" "	2 1/2 696	
696	" "	2 1/2 697	
697	" "	3 698	
698	Broken	4 1/2 699	
699		7 1/2 700	
700		7 701	
701		10 702	
702		8 703	
703		10 704	
704		9 705	
705		9 706	1
706		9 707	1
707		24 708	