

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:	
Well No.	Lease Name		
S _____ T _____ R _____ E _____ W _____			
WELL LOG Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.		SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.	
FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME
USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.			
Date Received	Signature Title Date		

13-16-21 E

HAWKEYE DRILLING CO.
P. O. BOX 11598
KANSAS CITY, MO. 64138

September 23, 1976

To: Reese Exploration, Inc.

Farm: Meyers
Lease No: R-2

0	Soil	2	496	Sand	505
2	Clay	6	505	Shale	552
6	Lime	21	552	Lime	559
21	Black Slate	23	559	Shale	567
23	Shale	24	567	Lime	569
24	Lime	27	569	Shale	589
27	Shale	29	589	Lime	595
29	Lime	33	595	Shale	609
33	Shale	39	609	Lime	615
39	Lime	58	615	Shale	630
58	Shale	60	630	Lime	634
60	Lime	64	634	Shale	642
64	Shale	87	642	Lime	645
87	Lime	100	645	Shale	659
100	Shale	194	659	Lime	660
194	Lime	205	660	Shale	671
205	Shale	206	671	Lime	672
206	Lime	215	672	Sand	685
215	Shale	244	685	Sand & Lime	686
244	Lime	252	686	Sand	693
252	Shale	271	693	Shale	709
271	Lime	274	709	Lime	711
274	Shale	283	711	Shale	740 T.D.
283	Lime	290			
290	Shale	295			
295	Lime	297			
297	Shale	312			
312	Lime	322			
322	Shale	325			
325	Lime	335			
335	Shale	349			
349	Lime	368			
368	Shale	373			
373	Lime	377			
377	Shale	381			
381	Lime	385			
385	Shale	388			
388	Lime	390			
390	Shale	496			

Cored 20'