

**KANSAS DRILLERS LOG**

S. 14 T. 16 R. 21 E W

Loc. 1470' FNL & 150' FEL E2 NW

County Miami

API No. 15 — 121 County — 20,404 Number

Operator  
Delores Boagle

Address  
Route #1 Wellsville, Kansas 66092


Well No. #2 Lease Name Johnson Lease

Footage Location  
1470' feet from (N) line 150 feet from (E) line

Principal Contractor Wellsville Development Inc. Geologist NONE

Spud Date July 31, 1976 Total Depth 720 P.B.T.D.

Date Completed Aug 5, 1976 Oil Purchaser Town Oil Co.



Elev.: Gr. \_\_\_\_\_  
DF \_\_\_\_\_ KB \_\_\_\_\_

**CASING RECORD**

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	8 7/8"	6 1/4"		25'	Neet	2	
Production	4 3/4"	2 7/8"	3.75	712'	"	90	Gel 2%

**LINER RECORD**

**PERFORATION RECORD**

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			1	1 1/8 Glass Jets	663'-669'

Size	Setting depth	Packer set at

**ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD**

Amount and kind of material used	Depth interval treated
100 Gallons of Acid	
40 Barrels Crude 12 Sacks Sand	663'-669'

**INITIAL PRODUCTION**

Date of first production <u>Sept. 1, 1976</u>		Producing method (flowing, pumping, gas lift, etc.) <u>Pumping</u>	
RATE OF PRODUCTION PER 24 HOURS	Oil <u>3</u> bbls.	Gas _____ MCF	Water <u>1</u> bbls.
Disposition of gas (vented, used on lease or sold) <u>vented</u>		Producing interval (s)	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.



Operator - Johnson

Contractor - Company Tools

County - Miami

Drilling Started -

14-16-21E

Well - #2

Drilling Completed -

Lease Owner - Delores Bogle

Surface Elevation -

<u>Size</u>	<u>Amount</u>	<u>Permanent Casing</u>	<u>Cement</u>
6 1/4"	25'	<u>Condition</u>	2 sacks
2"	710'	Used	
		New	90 sacks

Formation Drilled

<u>Strata</u>	<u>Total Depth</u>	<u>Strata</u>	<u>Total Depth</u>
Soil & Clay	10'		
Lime	15'		
ate	16'		
Lime	28'		
Shale	31'		
Lime	45'		
Shale	55'		
Lime	65'		
Shale	80'		
Lime	100'		
Shale	177'		
Lime	200'		
Shale & Shells	230'		
Lime	237'		
Shale	267'		
Lime	274'		
Shale	280'		
Lime	283'		
Shale & Shells	295'		
Lime	323'		
Shale	331'		
Lime	352'		
Shale	354'		
Lime	372'		
Shale	543'		
Lime	553'		
Shale	570'		
Lime	575'		
Shale & Shells	606'		
Lime	612'		
Shale	622'		
Lime	624'		
Shale	632'		
Lime	634'		
Shale	660'		
Oil Sand	680'		
Shale	719'		
Sand (Grey)	720'		