

KANSAS DRILLERS LOG State Geological Survey

WICHITA, BRANCH

API No. 15 — 121 — 20,220
County Number

Operator

Elmer C. Sieg

Address 518 East Logan Ottawa, Kansas

Well No.

#34

Lease Name

C. W. Henning → Henning (KCC)

Footage Location

1555 FNL: 4805 FEL-KCC

1320 feet from (N) (S) line 1320

feet from (E) (W) line 330

Principal Contractor

L.O. Tink

Geologist

Spud Date

May 31, 74

Total Depth

701

P.B.T.D.

Date Completed

June 6, 74

Oil Purchaser


Town Oil Co. Paola, Kans

S. 23 T. 16 R. 21 E W

Loc. SW NE NW

County Miami

640 Acres



Locate well correctly

Elev.: Gr.

DF

KB

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	8"	6 5/8"	11#	11 1/2'	Portland	5 sacks	
Production	5 1/2"	2 3/8"	4#	701	Portland	100 Sacks	Cry. cement

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Fracture 100 sacks sand 140 bbls oil 25 puffs water	664' - 8676'

INITIAL PRODUCTION

Date of first production 7-15-74		Producing method (flowing, pumping, gas lift, etc.) flow + Pump			
RATE OF PRODUCTION PER 24 HOURS	Oil 35	Gas bbls.	Water MCF	Gas-oil ratio bbls.	CFPB
Disposition of gas (vented, used on lease or sold) -			Producing interval(s) 664'-676'		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator

Caroline Illinois Ventures, Inc.

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:

Oil

Well No.

34

Lease Name

S 23 T 16 R 21 E
W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Sand	0	11		
lime	11	23		
Shale	23	28		
lime	28	39		
Shale	39	48		
lime	48	68		
Shale	68	95		
lime	95	111		
Shale	111	194		
lime	194	226		
Shale	226	247		
lime	247	252		
Shale	252	284		
lime	284	298		
Shale	298	313		
lime	313	337		
Shale	337	342		
lime	342	369		
Shale	369	379		
lime	379	385		
Shale	385	545		
lime	545	553		
Shale	553	608		
lime	608	611		
Shale	611	614		
lime	614	635		
Shale	635	642		
lime	642	653		
Shale	653	656		
lime	656	663		
white Shale	663	664		
Sandy Shale	664	675		
oil Sand	675	690		
gray Shale	690	701 TD		
dark Shale				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

JAN 1975

RECEIVED
STATE GEOLOGICAL
SURVEY OF
KANSAS

Caroline Illinois Ventures, Inc.

Signature

Edmund Sieg, employee

Title

10-26-74

Date

Company: Elmer Sieg

Contractor: L. O. Tenk

Completed: June 6, 1974

Total Depth: 701'

WELL LOG
15-121-20, 220
State Geological Survey
WICHITA, BRANCH

Lease: Henning

Well: #34

Location: C NW $\frac{1}{4}$ Sec 23-16-21E
Franklin County, Ks

Casing: 6 $\frac{1}{2}$ " @ 12'
2-3/8" 4.6# @ 697'

<u>Thickness</u>	<u>Formation</u>	<u>Depth</u>
2	Top soil	2
7	Clay	9
1	Gravel	10
13	Lime	23
5	Shale	28
11	Lime	39
11	Shale	48
20	Lime	68
27	Shale	95
16	Lime	111
83	Shale	194
22	Lime	216
9	Shale	225
1	Lime	226
3	Sand-oil	229
18	Shale	247
4	Lime	252
32	Shale	284
6	Lime	290
6	Shale	296
2	Lime	298
15	Shale	313
24	Lime	337
3	Shale	342
27	Lime	369
3	Shale	371
6	Lime	377
2	Shale	379
6	Shale	385
160	Shale	545
8	Lime	553
33	Shale	586
5	Lime	591
17	Shale	608
3	Lime	611
3	Slate	614
7	Shale	621
5	Lime	626
4	Shale	630
2	Lime	632
3	Shale	635
2	Lime	637
1	Shale	638
3	Lime	642
7	Shale	655
1	Lime	656
7	Shale	663
1	Shale-sandy	664
11	Sand-oil	675
15	Shale-gry	690
11	Shale	701

RECEIVED
STATE CORPORATION COMMISSION
OCT 30 1974
CONSERVATION DIVISION
Wichita, Kansas

