


KANSAS DRILLERS LOG

State Geological Survey
WICHITA, BRANCH

S24 T.16 R. 21

Loc. NE NW NE NE
County Miami NE NE NW NE
640 Acres
N
1600



Elev.: Gr. _____
DF _____ KB _____

API No. 15 — 121 — 20,288
County Number

Operator
Reese Enterprises, Inc.

Address
Box 96 Wellsville, Kansas

Well No. #1 Lease Name Phillips

Footage Location
200' feet from (N) (S) line 180' feet from (E) (W) line
270 FSL! 1500 FEL-KCC

Principal Contractor H. I. Brady Geologist _____

Spud Date June 20, 1975 Total Depth 727 P.B.T.D. _____

Date Completed July 1, 1975 Oil Purchaser Bluebird Oil Co.

CASING RECORD

Report of all strings set— surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Production	5 1/4	2"	3.75	727	Bulk	125	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
0			1	Glass	691 to 703

Size	Setting depth	Packer set at
1"	687	None

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
50 gal. 15% Acid, 30 sax fine sand, 10 sax coarse	

INITIAL PRODUCTION

Date of first production <u>July 28, 1975</u>		Producing method (flowing, pumping, gas lift, etc.) <u>Pumping</u>			
RATE OF PRODUCTION PER 24 HOURS	Oil <u>5</u> bbls.	Gas <u>0</u> MCF	Water <u>10</u> bbls.	Gas-oil ratio CFPB	
Disposition of gas (vented, used on lease or sold) <u>Vented</u>			Producing interval (s) <u>691 to 703</u>		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.



"We Dig For Our Business"

H. L. BRADY *Drilling Contractor*

Oil and Gas Wells

PHONE 294-3119

PAOLA, KANSAS 66071

TO Reese Explortion

FARM Phillips
WELL R 1

2	SBR	2
13	Cy	15
8	Lm	23
4	Sh	27
18	Lm	45
5	Sh	50
20	Lm	70
26	Sh	96
16	Lm	112
90	Sh	201
20	Lm	221
31	Sh	252
6	Lm	259
24	Sh	283
8	Lm	291
7	Sh	298
8	Lm	306
14	Sh	322
25	Lm	347
7	Sh	354
23	Lm	377
7	Sh	384
3	Lm	387
4	Sh	391
4	Lm	395
170	Sh	560
6	Lm	566
6	Sh	572
3	Lm	575
40	Sh	615
4	Lm	619
17	Sh	630
3	Ln	639
27	Sh	666
3	Lm	669
11	Sh	680

cored from 680 To 706 drilled to 727

Seating nipple at 685 2" se§ at 727 cenemted with 125 sks

