

IMPORTANT
 Kans. Geo. Survey request
 samples on this well.


NW SW SE SE-KCC

S. 25 T. 16 R. 21 E
W

Loc. SW SW SE SE

County Miami

640 Acres
N



Elev.: Gr. _____

DF _____ KB _____

API No. 15 — 121 — 21,129
County Number

Operator
Phoenix Explorations, Inc.

Address
P. O. Box 18532 Wichita, Kansas 67218

Well No. # 1 Lease Name Lincoln - RAYMOND LINCOLN - KCC

Footage Location 334 FSL; 1207 FEL-KCC
165 feet from 300 (S) line 200 feet from 0 (W) line

Principal Contractor Exploration Inc Geologist _____

Spud Date 12-7-79 Total Depth 700' P.B.T.D. _____

Date Completed 12-10-79 Oil Purchaser Maclaskey Transport

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface Pipe	5½"	6½"	22	35'	Portland	5	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			5 holes	Glass Jets 1 11/16	652-656'
			8 holes	Glass Jets 1 11/16	659-666'

TUBING RECORD

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Sand Fracture	652-666'

INITIAL PRODUCTION

Date of first production <u>Shut in waiting equipment</u>	Producing method (flowing, pumping, gas lift, etc.)
RATE OF PRODUCTION PER 24 HOURS	Gas-oil ratio
Oil _____ bbls.	Gas _____ MCF
Water _____	Gas-oil ratio _____
Disposition of gas (vented, used on lease or sold)	Producing interval (s) <u>Squirrel Sand</u>

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No. 1	Lease Name Lincoln	oil
S 25 T16s R 21 E XX		


WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Limestone	0	10		
Coal	10	12		
Limestone	12	45		
Shale - Blue	45	80		
Limestone	80	94		
Shale - Blue	94	185		
Limestone	185	205		
Shale - Blue	205	230		
Limestone	230	240		
Shale - Gray	240	268		
Limestone	268	287		
Shale - Black & Blue	287	300		
Limestone	300	325		
Shale - Black	325	337		
Limestone	337	356		
Shale - Black	356	360		
Limestone	360	365		
Shale	365	367		
Limestone	367	375		
Shale - Black	375	380		
Shale - Gray & Black	380	430		
Shale - Blue & Gray	430	500		
Shale - Black	500	517		
Limestone	517	520		
Shale	520	530		
Limestone & Shale	530	533		
Limestone	533	542		
Shale	542	549		
Limestone	549	550		
Shale - Black	550	573		
Limestone	573	580		
Shale & Limestone	580	590		
Shale - Black	590	596		
Shale - Gray & Black	596	605		
Shale - Black	605	616		
Limestone	616	620		
Shale	620	625		
Limestone	625	637		
Shale - Oil	637	640		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Data Received	 Signature
	Title
	Date

DESIGNATE TYPE OF COMP.: OIL, DRY HOLE, SWDW, ETC.:

25-1621A

Operator

Well No. 1

Lease Name Lincoln

oil

S 25 T 16s R 21 E

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Start coring Cored to 666' Drilled to 700'	640	645		
Shale	645	652	Oil stained & odor	
Oil Sand - Squirrel	652	666	Good odor, free oil, heavy bleeding	
Shale	666	700 TD		
			Electric Log, Neutron & Gamma Ray	

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Jerry D. Kincaid
Signature

Title

Date