

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

SIDE ONE

31-16-22E

DOCKET NO. NP

(Rules 82-3-130 and 82-3-107)

This form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ninety (90) days after the completion of a well, regardless of how the well was completed.

FOR INFORMATION REGARDING THE NUMBER OF COPIES TO BE FILED AND APPLICATIONS REQUIRING COPIES OF ACO-1 FORMS SEE PAGE TWO (2), SIDE TWO (2) OF THIS FORM.

F Letter requesting confidentiality attached.

C Attach ONE COPY of EACH wireline log run (i.e. electrical log, sonic log, gamma ray neutron log etc.)**Check here if NO logs were run

PLEASE FILL IN ALL INFORMATION. IF NOT AVAILABLE, INDICATE. IF INFORMATION LATER BECOMES AVAILABLE, SUBMIT BY LETTER.

LICENSE # 6195 EXPIRATION DATE 1-30-85

OPERATOR Aegean Petroleum, Inc. API NO. 15-121-26, 274

ADDRESS 5 Lewis Dr. COUNTY Miami

Paola, Ks 66071 FIELD Paola-Rantoul

** CONTACT PERSON Ralph Mills PROD. FORMATION Squirrel

PHONE 913-294-4722 Indicate if new pay.

PURCHASER Eureka Crude LEASE Hollinger

ADDRESS 111 West Third - P. O. Box 190 WELL NO. I-7

Eureka, Kansas 67045 WELL LOCATION SW/4 31,16,22E

DRILLING C + m Drilling, Inc. 1150 Ft. from S Line and

CONTRACTOR CONTRACTOR ADDRESS Rt. 5 2740 Ft. from E Line of

Paola, Ks 66071 the SW (Qtr.) SEC 31 TWP 16 RGE 22 (E)

PLUGGING WELL PLAT (Office Use Only)

CONTRACTOR CONTRACTOR ADDRESS

TOTAL DEPTH 700' PBTD

SPUD DATE 8-2-84 DATE COMPLETED 8-3-84

ELEV: GR DF KB

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE

Amount of surface pipe set and cemented 20' DV Tool Used? No

TYPE OF COMPLETION THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil Shut-in Gas, Gas, Dry, Disposal, Injection, Temporarily Abandoned. If OWWO, indicate type of re-completion. Other completion. NGPA filing

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

RECEIVED

OCT 29 1984

AFFIDAVIT

CONSERVATION DIVISION

G. G. Kronstedt, being of lawful age, hereby certifies

that:

I am the Affiant and am familiar with the contents of the foregoing Affidavit.

Side TWO

OPERATOR

Agcean Petroleum, Inc. LEASE NAME

Hollinger
WELL NO I-7

SEC 31 TRP 16 RGE 22

FILL IN WELL INFORMATION AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool upon, flowing and shut-in pressures, and recovery.

Show Geological markers, logs run, or other Descriptive information.

Formation description, contents, etc.	Top	Bottom	Name	Depth
<input checked="" type="checkbox"/> Check if no Drill Stem Tests Run. <input type="checkbox"/> Check if samples sent Geological Survey. See Attached Log				

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Water Frac., 16/30 Sand, 50lbs. J111 Gell, 5 Gallons L55,	643.0 - 653.0
5 Gallons F75N, 1 Gallon D47 Antifoam, 50 Gallons HCL 15X,	
8 Ball Sealers.	

RECEIVED
STATE CORPORATION COMMISSION
OCT 29 1984

Date of first production	Producing method (flowing, pumping, gas lift, etc.) Pumping			Estimated Production-L.P.	Oil	Gas	Water	Gas-oil ratio	Division	CEPR
		5 bbls.	MCF	10	%					
Disposition of gas (vented, used on lease or sold)				Squirrel Perforations						
Vented										

If additional space is needed use Page 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	5 1/8	6 1/4		20'	Portland	3	
Pumping	6 1/8	2 7/8		688.65'			

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2 Shots per Ft.		643.0 - 653.0
TUBING RECORD			20 Shots Total	2" DML Retr. Tubing Gun	
Size	Setting depth	Packer set at			
2 7/8	688.65				

