

CONFIDENTIAL

Released
9/25/80


15-127-20234

SEP 01

State Geological Survey

WICHITA BRANCH
KANSAS DRILLERS LOGS. 7 T. 17 R. 7 E
1900 FWL & 2400 FSL
Loc.

County Morris

640 Acres
N

Elev.: Gr.

DF KB

API No. 15 — 127 — 20234
County Number

Operator

Benson Mineral Group, Inc.

Address 1400 Metrobank Bldg.
Denver, Colorado 80202

Well No. 2-7 Lease Name Gant

Footage Location

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

B & N Drilling

Geologist

Charlie Sturdavant

Spud Date

8/17/77

Total Depth

1395

P.B.T.D.

Date Completed

8/18/77

Oil Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	8 3/4	7"		22'			
Production	5 1/2"	2 7/8		1383	Regular	141	
Gamma Ray, Neutron, Perforate Log attached.							

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots XXXX	Size & type	Depth interval
TUBING RECORD			8	20 gram	1306-20
Size	Setting depth	Packer set at	4	20 gram	1330-36

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
200 gal acid	Same as perforate
5000# sd; 108 bbls wtr	

INITIAL PRODUCTION

Date of first production None		Producing method (flowing, pumping, gas lift, etc.)		
RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB
Disposition of gas (vented, used on lease or sold) Will possibly rework			Producing interval(s)	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator

7-17-7E
DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:

Benson Mineral Group, Inc.

Well No.

2-7

Lease Name

Gant

Temporarily Abandon

SEP P1

S 7 T 17 R 7 E

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.

TOP

BOTTOM

NAME

DEPTH

soil
flint & lime
lime
shale & lime
shale
lime
shale
lime
shale
lime
shale
lime
shale & lime
lime
shale
lime
shale
lime
shale
lime
shale
lime
shale
lime
shale
lime & shale
lime
shale
lime
shale
lime
shale
lime
shale
lime & shale
shale & lime

0
2
14
25
34
60
64
84
92
95
101
104
108
117
129
140
152
168
173
176
180
203
207
214
218
220
224
227
228
231
244
251
276
280
283
292
303
317
320
336

2
14
25
34
60
64
84
92
95
101
104
108
117
129
140
152
168
173
176
180
203
207
214
218
220
224
227
228
231
244
251
276
280
283
292
303
317
320
336

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

Courtney E. Cook
Signature

Production Manager

Title

10/25/77

Date

7-17-7E P1

SEP

7-17-7E
2-7 Gant
Page 2

lime & shale	375	410
lime	410	412
shale	412	416
shale & lime	416	418
shale	418	419
lime	419	422
shale	422	437
lime	437	441
shale	441	456
shale	456	464
lime	464	466
shale	466	477
lime	477	478
shale	478	482
shale & lime	482	489
lime & shale	489	505
shale	505	585
lime	585	588
shale	588	632
lime	632	635
shale	635	812
shale & Lime	812	1395