

95  
OC.

43326

WELL LOG BUREAU, KANSAS GEOLOGICAL SOCIETY  
Union National Bank Bldg., Wichita, Kansas

LOCATION NW cor SW. SEC 30 T 21 R 12E.

CASING RECORD 300' fr NL 300' fr WL SW/4  
10" FARM Hines Hind (KGS per 1918) NO. 1 COUNTY Lyon.  
20" 8 1-4 COMPANY Phillips Petr. & al.  
15 1-2 6 5-8 CONTRACTOR  
12 1-2 5 3-16 COMMENCED 6/29/1926. COMPLETED 7/22/1926.


TOTAL DEPTH 2046'. SHOT QUARTS BETWEEN  
CORRESPONDENCE REGARDING THIS WELL SHOULD BE REFERRED TO

FIGURES INDICATE BOTTOM OF FORMATIONS ELEVATION INITIAL PRODUCTION Dry.  
DATE ISSUED

Formation	Depth	Formation	Depth
cellar	5	slate blue sft	1120
soil sft brown	10	lime white hrd	1150
lime hrd	35	lime brkn sft white	1230
slate sft grey	60	lime hrd white	1260
lime white sft	70	3 BW per hr at 1260'	
slate grey sft	100	slate sft blue	1370
lime white hrd	140	lime white hrd	1410
slate sft white	200	slate blue sft	1525
lime white hrd	220	lime white hrd	1555
slate sft blue	225	slate blue sft	1550
lime white hrd	240	lime white hrd	1565
slate sft blue	270	slate blue sft	1600
lime white hrd	285	lime hrd white	1635
slate sft blue	300	slate blue sft	1645
lime white hrd	365	lime white hrd	1655
slate sft blue	390	shale sft blue	1665
lime white hrd	420	lime white hrd	1680
slate sft blue	430	shale blue sft	1725
lime sft white	440	sand grey sft	1740
slate blue sft	445	3 BW at 1740'	
lime white hrd	465	shale sft blue	1800
slate sft blue	485	sdv shale sft blue	1840
lime white hrd	525	shale black sft black	1855
slate sft blue	585	Set 6 5/8" csg. at 1850'	
lime white hrd	600	sdv shale sft grey	1886
slate sft blue	615	sand sft grey	1910
lime white hrd	680	shale sft grey	1965
HW 845'		shale sft white	2007
slate sft white	845	Miss. lime hrd	2046 2048x
sand grey hrd	880		
slate blue sft	885	T.D.	2046
sand sft grey	905		
slate sft blue	910		
sand hrd grey	980		
Set 10" 980'			
lime white hrd	1100		



K21 KANSAS Sec. 30 Twp. 21 R. 12  
 Map No. \_\_\_\_\_

Well No. 1 Kind Hand  
 Landon & Phillip det Company

Contractor

## FIRST REPORTS

## SECTION PLAT

330 Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

330 Ft. from W. Line

0			

Location ✓

Rig up

Drilling and Remarks:

## RECORD

Cased \_\_\_\_\_ in., \_\_\_\_\_ ft.

Sand \_\_\_\_\_

Gas \_\_\_\_\_

Oil \_\_\_\_\_

Total Depth \_\_\_\_\_

## PRODUCTION

1st 24 hrs. Nat. \_\_\_\_\_

1st 24 hrs. after shot \_\_\_\_\_

Gas \_\_\_\_\_ Cu. Ft.

Dry Hole \_\_\_\_\_

Abandoned \_\_\_\_\_

Date

JUL 14 1926

CHAS. L. SHERWOOD

192

Scout

K21 KANSAS Sec. 30 Twp. 21 R. 12  
 Map No. \_\_\_\_\_

Well No. 1 Kind Hand  
 Landon & Phillip det Company

Contractor

## COMPLETED

## SECTION PLAT

330 Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

330 Ft. from W. Line

0			

## ABANDONED

Location

Rig up

Drilling and Remarks:

Dry Shab 1886

1897

Top line 2007

Dry 2050

## RECORD

Cased \_\_\_\_\_ in., \_\_\_\_\_ ft.

Sand \_\_\_\_\_

Gas \_\_\_\_\_

Oil \_\_\_\_\_

Total Depth 2050

## PRODUCTION

1st 24 hrs. Nat. \_\_\_\_\_

1st 24 hrs. after shot \_\_\_\_\_

Gas \_\_\_\_\_ Cu. Ft.

Dry Hole ✓

Abandoned ✓

Date

JUL 28 1926

CHAS. L. SHERWOOD

192

Scout