

Operator Name Schindler Oil Lease Name Wilson Well# 1 SEC 33 TWP. 21S RGE. 13 ☒ East ☐ West

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem test giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken ☐ Yes ☐ No
 Samples Sent to Geological Survey ☒ Yes ☐ No
 Cores Taken ☐ Yes ☐ No

Formation Description
☐ Log ☒ Sample

Name	Top	Bottom
BKc		1207
Miss. Lime	1872	1996
Osage Lime	1996	2131
Northview Shale	2131	2143
Kinderhook Shale	2195	2279
Viola Lime	2279	2292

OCT 07 1985

State Geological Survey
WICHITA BRANCH

CASING RECORD

☐ new ☐ used

Report all strings set - conductor, surface, intermediate, production, etc.

Purpose of string	size hole drilled	size casing set (in O.D.)	weight lbs/ft.	setting depth	type of cement	# sacks used	type and percent additives
Surface.....	10 3/4	8 5/8	Na	100	Portland	50	Type A, CaCl
.....							
.....							
.....							

PERFORATION RECORD

shots per foot specify footage of each interval perforated

Acid, Fracture, Shot, Cement Squeeze Record

(amount and kind of material used)

Depth

.....			
.....			
.....			
.....			

TUBING RECORD

size

set at

packer at

Liner Run


☐ Yes☐ No

Oper: Schindler Del
33-21-13E
SWSE SW

33-21-13E

Iola, Kansas
Telephone: 316-365-6013

Louis M. Clain, President
Dean M. Clain, Vice-President



Alco Drilling Co., Inc.

ROTARY DRILLING CONTRACTORS
Plugging, Work-Over & Fishing Service

RURAL ROUTE 3
IOLA, KANSAS 66749
Well Log:
Wilson No. 1

0	3	Soil
3	10	Clay
10	17	Lime
17	25	Shale
25	27	Lime
27	100	Shale sandy
100	113	Shale w/lime break
113	145	Lime
145	160	Shale
160	171	Sand no show
171	194	Shale
194	206	Lime
206	240	Shale
240	287	Lime w/shale break
287	411	Shale
411	420	Lime
420	434	Shale
434	492	Lime
492	692	Shale
692	699	Lime
699	779	Shale
779	783	Lime
783	785	Grey sandy shale
785	1052	Lime
1052	1085	Shale
1085	1193	Lime w/sandy lime
1193	1207	Lime
1207	1262	Shale
1262	1270	Sand no odor
1270	1349	Shale
1349	1354	Lime
1354	1372	Shale w/lime break
1372	1387	Lime
1387	1401	Shale w/lime streaks
1401	1424	Shale w/sandy shale
1424	1436	Lime
1436	1444	Shale w/sandy shale
1444	1450	Lime
1450	1458	Shale w/lime streaks
1458	1469	Lime
1469	1486	Shale w/sandy shale
1486	1503	Lime
1503	1548	Shale
1548	1565	Sand no show
1565	1648	Sandy shale
1648	1872	Shale

RECEIVED
STATE CORPORATION COMMISSION


OCT 2 1985

CONSERVATION DIVISION
Wichita, Kansas

33-21-13E

Iola, Kansas
Telephone: 316-365-6013

Louis McClain, President
Jean Michael, Vice-President



Alco Drilling Co., Inc.

ROTARY DRILLING CONTRACTORS
Plugging, Work-Over & Fishing Service

RURAL ROUTE 3
IOLA, KANSAS 66749

Well Log:
Wilson No. 1
Page 2

1872	1996
1996	2064
2064	2106
2106	2131
2131	2143
2143	2195
2195	2255
2255	2279
2279	2292

Miss lime
Osage ?
Miss lime hard
Lime hard
Northview shale
Lime
Kinderhook w/lime streaks
Shale
Viola

OCT 07 1985

State Geological Survey
WICHITA BRANCH

RECEIVED
STATE CORPORATION COMMISSION

OCT 2 1985

CONSERVATION DIVISION
Wichita, Kansas