

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Lease Owner Deep Rock Oil Corporation Address Atlas Life Bldg., Tulsa, Okla.
(Applicant)

Lease (Farm Name) Odaffer Well No. #4

Well Location 1290' N of S,
1170' E of W, NW/4 Sec. 11 Twp. 21 Rge. 20 (E)-(W)

County Anderson Field Name (if any) Bush City Shoestring

Total Depth 758'7" Oil Gas Dry Hole

Was well log filed with application? No. If not, explain: _____

See well log on back of Plugging Record

Date and hour plugging is desired to begin 8 A.M. 11/18/50

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary) _____

Name of the person on the lease in charge of well for owner _____

Clyde Crozier Address Garnett, Kansas

Name of Plugging Contractor Nickels Drilling Company

Address Garnett, Kansas

Invoice covering assessment for plugging this well should be sent to

Deep Rock Oil Corporation Address Box 127, Oswatimie, Kansas

and payment will be guaranteed by applicant.

RECEIVED
STATE CORPORATION COMMISSION
NOV 28 1950

Deep Rock Oil Corporation
Applicant or Acting Agent

Date 11/17/50

PLUGGING
FILE SEC 14781R206
BOOK PAGE 45 LINE 14



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

November 28, 1950

Well No. 4
Lease Odeffer
Description NE SW SW NW 14-21-20E
County Anderson
File No. 45-12

Deep Rock Oil Corporation
Box 127
Oswatimie, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. A. L. Sides, Box 103, Oswatimie, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR

DISTRICT CONSERVATION AGENT'S REPORT

TO:

State Corporation Commission
Conservation Division
800 Bitting Building
Wichita, Kansas

FILE NO. _____

LOCATION SE NW
Mound City

SEC. 14 TWP. 21 RGE. 20

Dry Hole _____ Abandoned Oil Well _____ Abandoned Gas Well Yes

I have today completed supervision of plugging of:

Well No. # 4 Lease Odaffer

Operator Deep Rock Oil Corp Address Atlas Bldg Tulsa, Okla

Field Bush City County Anderson

Total Depth 758 Feet.

(Describe briefly the manner in which the well was plugged)

Cement to 600
Bridged at 125
3 sacks of cement placed on Bridge a pprox 15 ft
Hole filled to top with sail and leveled with surface

A. P. Daniel
District Conservation Agent

Date 11 24 50

RECEIVED
STATE CORPORATION COMMISSION


NOV 28 1950

CONSERVATION DIVISION
Wichita, Kansas

PLUGGING
FILE SEC 14 T 21 R 20
BOOK PAGE 45 LINE LY

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above Section Flat

Anderson County. Sec. 14 Twp. 21 Rge. 20 (E) (W)
Location as "NE/CNW 1/4 SW 1/4" or footage from lines 1290' N of S, 1170' E of W, NW 1/4
Lease Owner Deep Rock Oil Corporation
Lease Name Odaffer Well No. #1
Office Address Atlas Life Bldg., Tulsa 2, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed Jan. 13, 1924 19
Application for plugging filed 11/17/50 19
Application for plugging approved 19
Plugging commenced 11/18/50 19
Plugging completed 11/22/50 19
Reason for abandonment of well or producing formation Off location for use in our waterflooding program.
If a producing well is abandoned, date of last production 11/14/50 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well A. R. Daniel
Producing formation Squirrel Sand Depth to top 738' Bottom 755' Total Depth of Well 758'7" Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Broken Sand		722'	738'			
Oil Sand	Oil	738'	755'	6 1/2" 10"		713' 24'9"

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Hole was cemented from 758'7" T.D. to 600' with 37 sacks of cement.
Bridge placed at 125'
3 sacks of cement placed on bridge.
Hole filled to surface with soil & stones.

See over for well log.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Deep Rock Oil Corporation
Address Box 127
Osawatomie, Kansas

STATE OF Kansas COUNTY OF Miami, ss.
T. N. Henderson (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) T. N. Henderson
1123 Brown Avenue, Osawatomie, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 25th day of November, 1950.

My commission expires Jan. 1, 1952

22-5133-s 9-48-10M

PLUGGING
FILE SEC 14 Twp 21 R 20 E
BOOK PAGE 45 LINE 14

RECEIVED
STATE CORPORATION COMMISSION
NOV 28 1950
CONSERVATION DIVISION
WICHITA, KANSAS

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total Depth</u>
0'	Soil	4'
14	Clay	18
5	Gravel	23
10	Fine Shell	33
105	Shale-B	138
32	Lime-White	170
10	Shale-B	180
5	Lime-Gray	185
15	Shale-L	200
5	Lime-Gray	205
15	Shale-L	220
5	Lime-White	225
15	Shale-L	240
10	Lime-B	250
5	Shale-B	255
3	Lime-Gray	258
3	Shale-B	261
39	Lime-White	300
8	Shale-Blk.	308-Water
5	Lime-Gray	313
14	Lime-White	327
5	Shale-Blk.	332-Water
20	Lime-White	352
1	Mud-Brown	353
10	Lime-Shells	363
117	Shale-B	480
20	Shale-White	500
30	Shale-L	530
10	Lime-Gray	540
10	Sand-L	550-Water
35	Shale-L	585
12	Shale-L	597
12	Lime-White	609
10	Shale-L	619
10	Lime-Gray	629
10	Shale-B	639
1	Lime-Shells	640-Water
37	Shale-L	677
4	Lime-Gray	681
5	Shells-Gray	686
5	Shale-Black	691
3	Shale-D	694
10	Shells-D	704
8	Shale-Blk.	712
2	Shale-White	714-Set 6 $\frac{1}{4}$ "
8	Shale-White	722
16	Sand-Broken	738 Gas showing
17	Oil Sand	755 Oil
6	Shale-B	761