

KANSAS WELL LOG BUREAU--KANSAS GEOLOGICAL SOCIETY  
 Union National Bank Building, Wichita, Kansas

*Plotted  
 Albert Wheeler*

29-21-2E


COMPANY **Mullendick et al.**  
 FARM **Converse farm No. 1.**

SEC. T. R.  
 LOC. **29 21 2E.**  
**NE 1/4 SW**

TOTAL DEPTH  
 COMM.  
 SHOT OR TREATED.  
 CONTRACTOR.  
 ISSUED.

COMP.

COUNTY **Marion.**



CASING

20 IN.	10 IN.	
15 1-2	8 1-4	1204
12 1-2	6 5-8	2040
3-8	5 3-16	2250
		2625

ELEVATION


PRODUCTION **DRY.**

FIGURES INDICATE BOTTOM OF FORMATION

slate shale	180	sdv lime	1293
lime	220	slate	1305
slate and shells	300	lime	1315
slate	350	slate	1335
red rock	360	lime	1350
lime	400	slate	1360
shale	420	lime	1365
red rock	425	slate	1375
lime	440	lime	1400
slate	475	slate	1405
lime	490	lime	1415
slate	510	slate	1430
lime	550	lime	1435
red rock	590	slate	1450
lime	610	lime	1460
slate	625	slate	1495
lime	640	lime	1500
red rock	645	slate	1505
sand lime	665	lime	1525
slate	675	slate	1545
sand	700	lime	1555
red rock	705	slate	1565
lime	740	lime	1575
slate	765	slate	1585
lime	780	sdv lime	1595
slate	790	slate	1625 1625
lime	805	lime	1660
slate	810	slate	1680
sdv lime	820	lime	1725
slate	825	slate	1735
red rock	845	lime	1775
lime	860	slate	1825
red rock	855	lime	1905
lime	860	slate	1920
slate	885	lime	1950
lime	890	slate	1953
slate and shells	960	lime	1956
lime	995	slate	1965
slate	1010	lime	1985
slate	1015	sand HPW	2030
lime	1080	slate	2033
lime	1065	sand	2165
slate	1125	lime	2171
lime	1130	slate	2250
slate and shells	1140	lime	2425
red rock	1155	sdv lime HPW	2460
lime	1158	slate	2475
slate	1163	lime	2525
lime	1166	slate	2540
slate	1213	lime	2570
water sand	1260	slate	2580
lime	1270	lime	2605
slate	1285		

29-21-2E  
R  
T  
SEC  
LOC

29-21-2E



shy line  
slate blk  
shy line  
slate  
line  
slate  
line  
sand  
slate  
T.D.

2622  
2625  
2650  
2667  
2677  
2692  
2697  
2712  
2743

TOTAL DEPTH  
COMM.  
SHOT OR TREATED  
EXTRACTOR

CASING

ELEVATION

PRODUCTION

show of gas 1950  
show of oil 2622



NE of SW 29-21-2

Mullendick et al

48353 converse #1

Formation	Thickness	Depth	Formation	Thickness	Depth
Slate-Shale	180	180	Sandy Lime	8	1293
Lime	40	220	Slate	12	1305
Slate & Shells	80	300	Lime	10	1315
Slate	50	350	Slate	20	1335
Red Rock	10	360	Lime	15	1350
Lime	40	4000	Slate	10	1360
Shale	20	420	Lime	5	1365
Red Rock	5	425	Slate	10	1375
Lime	115	440	Lime	25	1400
Slate	35	475	Slate	5	1405
Lime	15	490	Lime	10	1415
Slate	20	510	Slate	15	1430
Lime	70	580	Lime	5	1435
Red Rock	10	590	Slate	15	1450
Lime	20	610	Lime	10	1460
Slate	15	625	Slate	35	1495
Lime	15	640	Lime	5	1500
Red Rock	5	645	Slate	5	1505
Sand Lime	20	665	Lime	20	1525
Slate	10	675	Slate	20	1545
Sand	25	700	Lime	10	1555
Red Rock	5	705	Slate	10	1565
Lime	35	740	Lime	10	1575
Slate	25	765	Slate	10	1585
Lime	15	780	Sandy Lime	10	1595
Slate	10	790	Slate	30	1625
Lime	15	805	Lime	35	1660
Slate	5	810	Slate	20	1680
Sandy Lime	10	820	Lime	45	1725
Slate	5	825	Slate	10	1735
Red Rock	20	845	Lime	40	1775
Lime	5	850	Slate	50	1825
Red Rock	5	855	Lime	90	1905
Lime	5	860	Slate	15	1920
Slate	25	885	Lime	30	1950
Lime	5	890	Slate	3	1953
Slate & Shells	90	980	Lime	3	1956
Lime	15	995	Slate	9	1965
Slate	15	1010	Lime	20	1985
Lime	5	1015	Sand H F W	45	2030
Slate	65	1080	Slate	3	2033
Lime	5	1085	Sand	132	2165
Slate	40	1125	Lime	6	2171
Lime	5	1130	Slate	979	2250
Slate & Shells	10	1140	Lime	175	2425
Red Rock	15	1155	Sandy Lime H F W	35	2460
Lime	3	1158	Slate	15	2475
Slate	5	1163	Lime	50	2525
Lime	3	1166	Slate	15	2540
Slate	47	1213	Lime	30	2570
Water Sand	47	1260	Slate	10	2580
Lime	10	1270	Lime	25	2605
Slate	15	1285	Sandy Lime	17	2622
<del>SixxxxSixxk</del>			Slate Black	3	2625
			Sandy Lime	25	2650
			Slate	17	2667
			Lime	10	2677
			Slate	15	2692
			Lime	5	2697
			Sand	15	2712
			Slate	36	2748

Casing Record

10 inch	1264
8 "	2040
6 5/8 in.	2250
5 3/16 in.	2625

Show of Gas at 1950 ft.

Show of Oil at 2622 Ft.

