

## WELL LOG BUREAU, KANSAS GEOLOGICAL SOCIETY

Union National Bank Bldg., Wichita, Kansas

34-22-13E

## LOCATION

## CASING RECORD


M. Esslinger

SEC 34 T 22 R 13E

10" FARM M. Esslinger  
 20" 8 1-4 COMPANY Thota Oil Co.  
 15 1-2 6 5-8 CONTRACTOR  
 12 1-2 5 3-16 COMMENCED 3-10-23

NO. 6 COUNTY Greenwood

4-16-1923  
 COMPLETED 4-18-23.



TOTAL DEPTH

SHOT 3 0

QUARTS BETWEEN 1842-67

CORRESPONDENCE REGARDING THIS WELL SHOULD BE REFERRED TO

FIGURES INDICATE BOTTOM OF FORMATIONS

DATE ISSUED

ELEVATION

INITIAL PRODUCTION

15 bbls

| Formation  | Depth | Formation     | Depth |
|------------|-------|---------------|-------|
| soil       | 10    | lime          | 1420  |
| slate      | 80    | shale         | 1440  |
| lime       | 110   | lime          | 1450  |
| slate      | 150   | shale         | 1460  |
| lime       | 190   | lime          | 1475  |
| slate      | 240   | shale         | 1480  |
| lime       | 295   | lime          | 1490  |
| slate      | 310   | shale         | 1560  |
| lime       | 335   | sand          | 1585  |
| slate      | 360   | shale         | 1610  |
| lime       | 375   | lime          | 1630  |
| slate      | 410   | shale         | 1700  |
| lime       | 425   | lime          | 1705  |
| slate      | 445   | shale         | 1842  |
| lime       | 470   | lime          | 1857  |
| slate      | 480   | sand show oil |       |
| lime       | 505   | 1857'         | 1867  |
| slate      | 680   |               |       |
| sand HFW   | 710   | TD            | 1867  |
| lime       | 720   |               |       |
| slate      | 760   |               |       |
| sand       | 770   |               |       |
| slate      | 780   |               |       |
| lime       | 805   |               |       |
| slate      | 815   |               |       |
| lime       | 855   |               |       |
| slate      | 885   |               |       |
| lime       | 940   |               |       |
| slate      | 960   |               |       |
| lime       | 980   |               |       |
| sand HFW   | 1010  |               |       |
| lime       | 1030  |               |       |
| shale      | 1040  |               |       |
| sand       | 1045  |               |       |
| shale      | 1065  |               |       |
| lime       | 1100  |               |       |
| sand 2 BW  | 1120  |               |       |
| lime       | 1130  |               |       |
| shale      | 1140  |               |       |
| sand 10 BW | 1170  |               |       |
| shale      | 1175  |               |       |
| lime       | 1190  |               |       |
| shale      | 1330  | lime 1385     |       |
| lime       | 1345  | shale 1405    |       |
| shale      | 1370  |               |       |
| lime       | 1385  |               |       |

Esslinger Well No. 6.

|              |      |
|--------------|------|
| soil         | 10   |
| slate        | 80   |
| lime         | 110  |
| slate        | 150  |
| lime         | 190  |
| slate        | 240  |
| lime         | 295  |
| slate        | 310  |
| lime         | 335  |
| slate        | 360  |
| lime         | 375  |
| slate        | 410  |
| lime         | 425  |
| slate        | 445  |
| lime         | 470  |
| slate        | 480  |
| lime         | 505  |
| slate        | 680  |
| sand H.F.W.  | 710  |
| lime         | 720  |
| slate        | 760  |
| sand         | 770  |
| slate        | 780  |
| lime         | 805  |
| slate        | 815  |
| lime         | 865  |
| slate        | 885  |
| lime         | 940  |
| slate        | 960  |
| lime         | 980  |
| sand H.F.W.  | 1010 |
| lime         | 1030 |
| shale        | 1040 |
| sand         | 1045 |
| shale        | 1065 |
| lime         | 1100 |
| sand 2 B.W.  | 1120 |
| lime         | 1130 |
| shale        | 1140 |
| sand 10 B.W. | 1170 |
| shale        | 1175 |
| lime         | 1190 |
| shale        | 1330 |
| lime         | 1345 |
| shale        | 1355 |
| shale        | 1370 |
| lime         | 1385 |
| shale        | 1405 |
| lime         | 1420 |
| shale        | 1440 |
| lime         | 1450 |
| shale 6 B.W. | 1460 |
| lime         | 1475 |
| shale        | 1480 |
| lime         | 1490 |

Commenced drilling Mar. 12, 1923  
Completed drilling Apr. 16, 1923


Casing Record:

|        |       |
|--------|-------|
| 12½"   | 783'  |
| 10"    | 1068' |
| 8¼"    | 1355' |
| 6 5/8" | 1842' |

Theta Oil Co.

|       |      |      |
|-------|------|------|
| shale | 1560 | 1560 |
| sand  | 1585 |      |
| shale | 1610 |      |
| lime  | 1630 |      |
| shale | 1700 |      |
| lime  | 1705 |      |
| shale | 1842 |      |
| lime  | 1857 |      |
| sand  | 1867 |      |

Map No. \_\_\_\_\_ Sec. 34 Twp. 22 R. 13  
 Well No. 6 Eslinger Farm \_\_\_\_\_  
Theta Oil Company \_\_\_\_\_



Location \_\_\_\_\_

Drilling Remarks:

Rig up \_\_\_\_\_

Drilling Remarks:

## RECORD

Cased \_\_\_\_\_ in. \_\_\_\_\_ ft.

Sand \_\_\_\_\_

Gas \_\_\_\_\_

Oil \_\_\_\_\_

Total Depth \_\_\_\_\_

## PRODUCTION

1st 24 hrs Nat. \_\_\_\_\_

1st 24 hrs. after shot \_\_\_\_\_

Gas \_\_\_\_\_ cu. ft.

Dry Hole \_\_\_\_\_


Abandoned \_\_\_\_\_

Map No. \_\_\_\_\_ Sec. 34 Twp. 22 R. 13  
 Well No. 6 Eslinger Farm \_\_\_\_\_  
Theta Oil Company \_\_\_\_\_

300 Ft. from N. Line

\_\_\_\_\_ Ft. from S. Line

\_\_\_\_\_ Ft. from E. Line

990 Ft. from W. LineDate 1923

## REPORT

2/24 R.O.M.4/20 Top line 1842- Pay 1845-  
67 Shot 30 gts. 15 Bbls.

Map No. **KANSAS** Sec. **34** Twp. **23** R. **13**  
 Well No. **6 E. Snigler**  
**T. Luta** Company  
 Contractor

## FIRST REPORT

**300** Ft. from N. Line  
 \_\_\_\_\_ Ft. from S. Line  
 \_\_\_\_\_ Ft. from E. Line  
**990** Ft. from W. Line

## SECTION PLAT

|  |  |   |  |
|--|--|---|--|
|  |  |   |  |
|  |  |   |  |
|  |  | 0 |  |
|  |  |   |  |

Location \_\_\_\_\_  
 Rig up \_\_\_\_\_  
 Drilling and Remarks:

**R.O. G.**

**RECORD**  
 Cased \_\_\_\_\_ in., \_\_\_\_\_ ft.  
 Sand \_\_\_\_\_  
 Gas \_\_\_\_\_  
 Oil \_\_\_\_\_  
 Total Depth \_\_\_\_\_

**PRODUCTION**  
 1st 24 hrs. Nat. \_\_\_\_\_  
 1st 24 hrs. after shot \_\_\_\_\_  
 Gas \_\_\_\_\_ Cu. Ft.  
 Dry Hole \_\_\_\_\_  
 Abandoned \_\_\_\_\_

Date

FEB 24 1923

M. A. BENEAR

Scout

Map No. **KANSAS** Sec. **34** Twp. **22** R. **13**  
 Well No. **6 E. Snigler**  
**T. Luta** Company  
 Contractor

## COMPLETED SECTION PLAT

**300** Ft. from N. Line  
 \_\_\_\_\_ Ft. from S. Line  
 \_\_\_\_\_ Ft. from E. Line  
**990** Ft. from W. Line

|  |  |   |  |
|--|--|---|--|
|  |  |   |  |
|  |  |   |  |
|  |  | 0 |  |
|  |  |   |  |

Location \_\_\_\_\_  
 Rig up \_\_\_\_\_  
 Drilling and Remarks:

**Log hmo 1842**  
**Pay 1845-67**  
**30/15**

**RECORD**  
 Cased \_\_\_\_\_ in., \_\_\_\_\_ ft.  
 Sand \_\_\_\_\_  
 Gas \_\_\_\_\_  
 Oil \_\_\_\_\_  
 Total Depth \_\_\_\_\_

**PRODUCTION**  
 1st 24 hrs. Nat. \_\_\_\_\_  
 1st 24 hrs. after shot \_\_\_\_\_  
 Gas \_\_\_\_\_ Cu. Ft.  
 Dry Hole \_\_\_\_\_  
 Abandoned \_\_\_\_\_

Date

APR 20 1923

M. A. BENEAR

Scout