

WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY  
 Union Nat'l Bk Bldg., Wichita, Kansas.


BARBARA OIL COMPANY  
 Browning No. 20.

SEC. 17 T. 22 R. 10 E.  
 SE NE NW

Total Depth 2302 P. B. to 2299'  
 Comm. 7-10-1935 Comp. 8-9-1935.  
 Shot or Treated.  
 Contractor. Shull Drlg. Co.,  
 Issued. 10-19-35

County- Greenwood.

CASING			
15 1/2"	340	8"	1750
12 3/4"	845	6 5/8"	2249
10"	1415		



Elevation

Production 40 bbls.

Figures Indicate Bottom of Formations.

soil dark	5	shale	845	shale	1885
lime white	10	Water at 805 to 835		lime	1890
shale blue	25	10 B per hr.		shale	1905
shale blue	40	lime shells	865	lime	1920
lime white	50	shale	870	(White cave 1890-1905)	
shale	65	lime	880	lime	1930
lime	70	shale	900	shale	1970
shale	80	lime	925	shale	1980
lime	85	shale	970	lime	1985
lime	90	lime	975	shale	2000
shale	105	lime	978	lime	2005
lime	110	shale	995	shale	2015
shale	140	lime	1020	Hole caving	
lime	145	shale	1025	shale	2200
shale	170	lime brkn	1065	shale lgt	2225
lime	175	shale	1070	shale drk	2245
shale	180	Water at 1055 to 1065		shale sandy	2264
shale	210	1/2 B per hr.		sand	2275
lime	215	lime	1075	sand	2302
shale	220	shale	1110		
lime	225	sand	1135	Total Depth	2302
shale	240	shale	1140	Plugged back from 2302 to	2299'
shale	245	Water at 1110 to 1135			
lime	250	6 B per hr.			
shale	298	shale	1205	Anchor 2'	
lime sandy	308	lime	1210	Bottom of Shot	2297
shale	340	shale	1235	Top of Shot	2272
shale	365	sand	1285	3000 lbs of Sand.	
(Water at 298' to 308')		shale	1290		
2 B. P. H		Water at 1235 to 1285			
shale	370	Hole full			
shale	385	lime	1295		
lime	400	shale	1305		
shale	430	shale	1310		
lime	440	lime	1315		
shale	445	shale	1325		
lime	455	lime	1340		
shale	500	shale	1350		
lime	505	lime	1355		
shale	535	shale	1360		
lime	545	lime	1370		
shale	595	shale	1375		
lime	600	lime	1380		
shale	605	Bailing water			
lime	615	lime	1397		
shale	670	shale	1402		
lime	720	lime	1405		
shale	735	Bailing water			
lime	745	lime	1450		
Water at 705 to 715'		5 BW PH 1410-1420			
3 B. P.H.		lime	1470		
shale	768	shale	1595		
lime	785	lime	1675		
lime	790	3 BW per hr 1640'			
shale	795	lime	1715		
lime	805	shale	1725		
shale sandy	835	lime	1770		
lime	840	bailing water			