


10" 1158 FARM J.D.Clopton NO. 7 COUNTY Greenwood
 20" 8 1-4 1762 COMPANY Mid-Continent Petroleum Corp.
 15 1-2 6 5-8 2069 CONTRACTOR
 12 1-2 605 5 3-16 COMMENCED Feb 6, 1926 COMPLETED Feb 23, 1926
 TOTAL DEPTH SHOT QUARTS BETWEEN



CORRESPONDENCE REGARDING THIS WELL SHOULD BE REFERRED TO Mid-Continent
 Petroleum Corporation, Cosden Bdg, Tulsa, Okla. ELEVATION

FIGURES INDICATE BOTTOM OF FORMATIONS.

INITIAL PRODUCTION 75 bls.

REMARKS

Formation	Depth	Formation	Depth.
soil dark soft	15	lime white hard	1245
gravel dark soft	20	slate gray soft	1330
slate dark soft	50	lime white hard	1340
lime white hard	80	slate blue soft	1355
LBW per hour 60		lime white hard	1380
slate light soft	95	slate blue soft	1390
lime white hard	110	Oswego lime wh hard	1535
slate black soft	140	slate blue soft	1660
lime dark hard	165	lime white hard	1670
slate white soft	190	slate blue soft	1675
lime blue hard	215	lime white hard	1680
slate white soft	275	slate white soft	1690
lime white hard	285	lime white hard	1705
slate white soft	340	4BW per hr	
lime white hard	355	slate white soft	1762
slate white soft	435	lime white hard	1770
lime white hard	490	slate blue soft	1790
slate blue soft	500	lime white hard	1820
lime white hard	510	slate blue soft	1840
slate blue soft	535	lime white hard	1850
slate shells wh hard	550	slate blue soft	1880
slate blue soft	570	lime white hard	1910
lime white hard	585	slate blue soft	1930
2BW 580		lime white hard	1940
slate blue soft	605	slate blue soft	2040
lime white hard	620	slate gray soft	2069
slate blue soft	630	sand brown soft	2089
lime white hard	645	slate bla k soft	2091
slate blue soft	665	T.D.	2091
lime white hard	675		
slate blue soft	735		
lime white hard	745		
slate blue soft	755		
lime white hard	790		
slate white soft	800		
lime white hard	825		
slate blue soft	1015		
lime white hard	1025		
lime white hard	1025		
water sand white soft	1050		
HFW lime white hard	1055		
slate blue soft	1060		
lime white hard	1070		
slate white soft	1110		
lime white hard	1155		
slate black soft	1164		
lime white hard	1166		
slate blue soft	1170		

WELL RECORD

J. D. Clopton lease, Well #7

SW $\frac{1}{4}$ Sec 18-22-11 Greenwood County, Kans. 990' from N line & 866' from W line
 Drilling commenced Feb 1, 1926. Drilling completed Feb 23, 1926.
 Well drilled by Patton Drilling Company

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>	<u>REMARKS</u>
Soil, dark soft	0	15	
Gravel, dark soft	15	20	
Slate, dark soft	20	50	
Lime, white hard	50	80	1 Blr water per hour @ 60'
Slate, light soft	80	95	
Lime, white hard	95	110	
Slate, black soft	110	140	
Lime, dark hard	140	165	
Slate, white soft	165	190	
Lime, blue hard	190	215	
Slate, white soft	215	275	
Lime, white hard	275	285	
Slate, white soft	285	340	
Lime, white hard	340	355	
Slate, white soft	355	435	
Lime, white hard	435	490	
Slate, blue soft	490	500	
Lime, white hard	500	510	
Slate, blue soft	510	535	
Slate & shells, white hard	535	550	
Slate, blue soft	550	570	
Lime, white hard	570	585	2 Blrs water @ 580'
Slate, blue soft	585	605	
Lime, white hard	605	620	
Slate, blue soft	620	630	
Lime, white hard	630	645	
Slate, blue soft	645	665	
Lime, white hard	665	675	
Slate, blue soft	675	735	
Lime, white hard	735	745	
Slate, blue soft	745	755	
Lime, white hard	755	790	
Slate, white soft	790	800	
Lime, white hard	800	825	
Slate, blue soft	825	1015	
Lime, white hard	1015	1025	
Water sand, white soft	1025	1050	H F W
Lime, white hard	1050	1055	
Slate, blue soft	1055	1060	
Lime, white hard	1060	1070	
Slate, white soft	1070	1110	
Lime, white hard	1110	1155	
Slate, black soft	1155	1164	
Lime, white hard	1164	1166	
Slate, blue soft	1166	1170	
Lime, white hard	1170	1245	
Slate, gray soft	1245	1330	
Lime, white hard	1330	1340	
Slate, blue soft	1340	1355	
Lime, white hard	1355	1380	
Slate, blue soft	1380	1390	
Oswego lime, white hard	1390	1535	
Slate, blue soft	1535	1660	
Lime, white hard	1660	1670	
Slate, blue soft	1670	1675	
Lime, white hard	1675	1680	

WELL RECORD

J. D. Clopton lease

Well #7

page 2

Slate, white soft	1680	1690	
Lime, white hard	1690	1705	4 Blrs water per hour
Slate, white soft	1705	1762	
Lime, white hard	1762	1770	
Slate, blue soft	1770	1790	
Lime, white hard	1790	1820	
Slate, blue soft	1820	1840	
Lime, white hard	1840	1850	
Slate, blue soft	1850	1880	
Lime, white hard	1880	1910	
Slate, blue soft	1910	1930	
Lime, white hard	1930	1940	
Slate, blue soft	1940	2040	
Slate, gray soft	2040	2069	
Sand, brown soft	2069	2089	
Slate, black soft	2089	2091	
Total Depth	2091		

CASING RECORD

SIZE		PULLED	LEFT IN
12 $\frac{1}{2}$ "	605'6"	605'6"	
10"	1158'11"	1158'11"	
8 $\frac{1}{4}$ "	1762'		1762'
6-5/8"	2069'		2069'