

Company - MOHAWK OIL CO.

Farm - Clark

No. 1.

SEC. 23

T. 22

R. 7 E

SEC. NE

Total Depth. 3124'

Comm. 8-6-18

Comp. 10-20-23

CORRECTED OLD LOG

County.


Chase

KANSAS

Shot or Treated.

Contractor.

Issued.



CASING:

Elevation. _____

Production.

Dry

Figures Indicate Bottom of Formations.

lime	70	slate HFW	2795
red rock	80	lime	3037
lime & wtr	90	slate	3124
lime wh	100	Total Depth.	
slate & shells	610		
sand wtr HFW	640		
slate & shells	770		
lime wh	780		
slate	783		
lime	787		
slate	793		
lime	824		
slate	834		
slate & shells	912		
lime	956		
slate	981		
lime	1006		
slate blk	1016		
lime wh	1066		
sand wtr	1093		
lime	1106		
sand	1124		
slate	1156		
lime	1160		
slate	1207		
lime	1215		
slate	1298		
sand wtr	1328		
slate	1350		
lime wh	1416		
slate	1471		
sand wtr	1509		
slate & shells	1540		
slate	1618		
lime	1632		
slate	1723		
lime	1842		
slate	1964		
lime	2141		
slate	2253		
lime	2264		
slate	2289		
lime	2310		
slate wh	2335		
lime	2369		
slate	2416		
slate shells	2467		
sand	2488		
slate & shells	2591		
slate blk	2604		
lime	2626		
slate & shells	2642		
slate blk	2662		
lime wtr	2674		
slate blk	2688		
lime	2792		

HFW

No Card Mohawk Well

LOG

PLOTTED

Platted

25-22-7E

MOHAWK WELL

35 - 32 - 7

Chase County, Kansas

From	To	Formation
0	70	Lime
70	80	Red Rock
80	90	Lime & Water
90	100	Lime
100	610	Slate and shells
610	640	Sand H.F.W.
640	770	Slate and shells
770	780	Lime
780	783	Slate
783	787	Lime
787	793	Slate
793	824	Lime
824	834	Slate
834	912	Slate and shells
912	936	Lime
936	981	Thin Slate
981	1006	Lime
1006	1016	Slate, black
1016	1066	Lime
1066	1093	Sand, water
1093	1106	Lime
1106	1124	Sand
1124	1156	Slate
1156	1160	Lime
1160	1207	Slate
1207	1213	Lime
1213	1260	Slate
1260	1278	Lime
1278	1298	Slate
1298	1328	Sand water
1328	1350	Slate
1350	1416	Lime
1416	1471	Slate
1471	1509	Sand, water
1509	1540	Slate and shells
1540	1618	Slate
1618	1632	Lime
1632	1717	Slate
1717	1723	Slate
1723	1842	Lime
1842	1964	Slate
1964	2128	Lime
2128	2141	Lime
2141	2253	Slate
2253	2264	Lime
2264	2289	Slate
2289	2310	Lime
2310	2333	Slate
2333	2369	Lime
2369	2416	Slate
2416	2467	Slate and shells
2467	2483	Sand
2483	2591	Slate and shells
2591	2604	Black slate
2604	2626	Lime
2626	2642	Slate and shells
2642	2662	Black slate
2662	2674	Lime, water
2674	2688	Black slate
2688	2792	Lime
2792	2793	Slate H.F.W.
2793	3037	Lime
3037	3124	Slate

East

Prout & Ryan

15" - 150

12 1/2 - 78 5-

10" - 1120

8 1/4 - 1750

6 5/8 - 2530

5 3/16 - 2770

23-22-7E

WELL LOG BUREAU, KANSAS GEOLOGICAL SOCIETY

Union National Bank Bldg., Wichita, Kansas

Plotted

LOCATION SE 6 NW.

SEC 23 T 22 R 7E

CASING RECORD

10" FARM Bohart
 20" 8 1-4 COMPANY Bohart Oil Co.
 15 1-2 6 5-8 CONTRACTOR
 12 1-2 5 3-16 COMMENCED

NO. 1 COUNTY Chapp.

COMPLETED 11/1918.



TOTAL DEPTH 3124

SHOT

QUARTS BETWEEN

CORRESPONDENCE REGARDING THIS WELL SHOULD BE REFERRED TO

ELEVATION 14.60

FIGURES INDICATE BOTTOM OF FORMATIONS

INITIAL PRODUCTION

DATE ISSUED

Formation	Depth	Formation	Depth
lime	70	lime slate	2128
red rock	80	li e	2141
lime & water	90	slate	2253
white lime	100	lime	2264
slate & shells	150	slate	2289
slate & shells	610	x lime	2310
sand water	640	white slate	2335
slate shells	770	lime	2365
white lime	780	slate	2416
slate	783	slate shells	2467
lime	787	sand	2488
slate	793	slate & shells	2591
lime	824	black slate	2604
slate	834	lime	2620
slate & shells	912	slate & shells	2642
lime	956	black slate	2662
slate	981	lime	2674
lime	1006	black slate	2688
black slate	1016	lime	2792
white lime	1068	HW slate	2795
sand water	1093	lime	3037
lime	1106	slate	3110
sand	1124	slate	3124
slate	1156		
lime	1160	TD	3124'
slate	1207		
lime	1215		
slate	1260		
lime	1275		
slate	1296		
slate water	1328		
sand	1350		
white lime	1416		
slate	1471		
sand water	1509		
slate & shells	1540		
slate	1618		
slate	1632		
slate	1717		
slate	1842		
lime	1964		