










Company **CITIES SERVICE OIL COMPANY** Date **9-23-57**
 Lease **REGIER** Well No. **1** Test No. **1** Ticket No. **106781**

	Time	PSI
Initial Hydro Mud Pressure		1520
Initial Closed In Pressure		-
Initial Flow		0
Final Flow	30 Mins.	0
Final Closed In Pressure	30 Mins.	934
Final Hydro Mud Pressure		1513


Total Depth. 2948'
 Packer Depth. 2942'
 BT No. 297 Depth 2938'
 12 Hr. Clock No. 1793
 Temperature Corrected to Calc. 100 F

	Initial CIP		Flow Pressure		Final CIP	
	Time Defl. .000"	PSI Temp. Corr.	Time Defl. .000"	PSI Temp. Corr.	Time Defl. .000"	PSI Temp. Corr.
PO					.000	000
P1					.0185	288
P2					.037	545
P3					.0555	683
P4					.074	757
P5					.0925	811
P6					.111	850
P7					.1295	875
P8					.148	897
P9					.1665	917
P10					.185	934
Minute Intervals			Minute Intervals		3	Minute Intervals

Remarks:

HOWCO-1297

31



Company **CITIES SERVICE OIL COMPANY**

Date

9-23-57

Lease **REGIER**Well
No.

1

Test
No.

1

Ticket No.

106781

	Time	PSI
Initial Hydro Mud Pressure		1520
Initial Closed In Pressure		-
Initial Flow		0
Final Flow	30 Mins.	0
Final Closed In Pressure	30 Mins.	934
Final Hydro Mud Pressure		1513

Total Depth 2948'

Packer Depth 2942'

BT No. 297 Depth 2938'

12 Hr. Clock No. 1793

Temperature Corrected to Calc. 100 ° F

	Initial CIP		Flow Pressure		Final CIP	
	Time Defl. .000"	PSI Temp. Corr.	Time Defl. .000"	PSI Temp. Corr.	Time Defl. .000"	PSI Temp. Corr.
P0					.000	000
P1					.0185	288
P2					.037	545
P3					.0555	683
P4					.074	757
P5					.0925	811
P6					.111	850
P7					.1295	875
P8					.148	897
P9					.1665	917
P10					.185	934
Minute Intervals			Minute Intervals		3	Minute Intervals

Remarks:

SANDEFER 8244 9-57

HOWCO 1297

Initial Closed In Time - Minutes			Date 9-23-57		LOCATION 9-23-3
Tool Open Flow Period 30 Minutes			Ticket No. 106781		
Final Closed In Time 30 Minutes			HOWCO DISTRICT El Dorado		
Depth Top Gauge 2938 Ft.			Kind of Job Open Hole		
BT. P.R.D. No 297		12 Hr. Clock	CONTRACTOR White and Ellis Drilling Co.		
Pressure Readings Field		Office Corrected	HOLE & TOOL DATA		
Initial Hydro Mud Pressure -		1520	Elevation -	Top Packer Depth 2942'	
Initial Closed in Pres. -		-	Total Depth 2948'	Bottom Packer Depth -	
Initial Flow Pres. -		0	Casing or Hole Size 8 3/4"	Size & Type Wall Packer 7 1/2" E.S.W.P.	
Final Flow Pres. -		0	Liner or Rathole Size 8 3/4"	Size Bottom Choke 5/8"	
Final Closed in Pres. -		934	Casing Perforations Top - Bottom -	Size Surface Choke 1/4"	
Final Hydro Mud Pressure -		1513	Interval Tested 2942-2948'	ID & Length Air Chamber -	
Depth Center Gauge 2944 Ft.		Blanked Off No	Formation Tested Hunton	ID & Length Drill Collars -	
BXX P.R.D. No 193		4 Hr. Clock	Est. Gauge Depth Temp. Calc. 100 F°	Size Drill Pipe 3 1/8" I.T.F.	
Pressure Readings Field		Office Corrected	MUD DATA Weight 9.9	Viscosity 39	
Initial Hydro Mud Pressure			All depths measured from Kelly Bushing	No...Folders Reproduced 5	
Initial Closed in Pres.			REMARKS: Set packer, opened tool to		
Initial Flow Pres.			flow @ 2:23 P.M. with very weak blow		
Final Flow Pres.			which died in 1 minute @ 2:24 P.M.		
Final Closed in Pres.			Closed in @ 2:53 P.M. for 30 minute		
Final Hydro Mud Pressure			Final Closed in Pressure. Off bottom		
Depth Bottom Gauge Ft.		Blanked Off	@ 3:23 P.M.		
BT. P.R.D. No		Hr. Clock			
Pressure Readings Field		Office Corrected			
Initial Hydro Mud Pressure					
Initial Closed in Pres.			Recovered 5 Feet of Drilling fluid		
Initial Flow Pres.			Recovered Feet of		
Final Flow Pres.			Recovered Feet of		
Final Closed in Pres.			Recovered Feet of		
Final Hydro Mud Pressure			Witnessed By E. D. Paschal, Jr.		
Amount-Type of Cushion			Tester John H. Taylor, Jr.		